SAFETY DATA SHEET

Version 5.3 Revision Date 12/04/2014 Print Date 01/12/2015

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Aniline

Product Number : 242284
Brand : Sigma-Aldrich
Index-No. : 612-008-00-7

CAS-No. : 62-53-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Serious eye damage (Category 1), H318 Skin sensitisation (Category 1), H317 Germ cell mutagenicity (Category 2), H341

Carcinogenicity (Category 2), H351

Specific target organ toxicity - repeated exposure (Category 1), Blood, H372

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H227 Combustible liquid.

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

Sigma-Aldrich - 242284 Page 1 of 10

H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H372 Causes damage to organs (Blood) through prolonged or repeated H410 Very toxic to aquatic life with long lasting effects. Precautionary statement(s) P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. P264 Do not eat, drink or smoke when using this product. P270 Use only outdoors or in a well-ventilated area. P271 Contaminated work clothing should not be allowed out of the workplace. P272 P273 Avoid release to the environment. Wear protective gloves/ eve protection/ face protection. P280 P281 Use personal protective equipment as required. P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. Rinse mouth. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P302 + P352 + P312 IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/ physician if you feel unwell. P304 + P340 + P311 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove P305 + P351 + P338 + P310 contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. IF exposed or concerned: Get medical advice/ attention. P308 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P333 + P313 P361 Remove/Take off immediately all contaminated clothing. P363 Wash contaminated clothing before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. P391 Collect spillage. Store in a well-ventilated place. Keep container tightly closed. P403 + P233 P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Rapidly absorbed through skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous components

| Component | Classification | Concentration |
|-----------|-------------------------------|---------------|
| Aniline | | |
| | Flam. Liq. 4; Acute Tox. 3; E | /e <= 100 % |
| | Dam. 1; Skin Sens. 1; Muta. | 2; |
| | Carc. 2; STOT RE 1; Aquation | |
| | Acute 1; Aquatic Chronic 1; | |
| | H227, H301 + H311 + H331, | |

Sigma-Aldrich - 242284 Page 2 of 10

| H317, H318, H341, H351, | |
|-------------------------|--|
| H372, H410 | |

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NOx)

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Sigma-Aldrich - 242284 Page 3 of 10

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Handle under inert gas. Protect from moisture. Light sensitive.

Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis | | |
|-----------|---------|---|---|--|--|--|
| Aniline | 62-53-3 | TWA | 2 ppm | USA. ACGIH Threshold Limit Values (TLV) | | |
| | Remarks | Methemoglobinemia Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption | | | | |
| | | TWA | 2.000000 ppm | USA. ACGIH Threshold Limit Values (TLV) | | |
| | | Methemoglobinemia Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption | | | | |
| | | TWA | 5.000000 ppm 19.000000 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants | | |
| | | Skin contact does contribute to exposure. | | | | |
| | | TWA | 5.000000 ppm 19.000000 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants | | |
| | | Skin designation The value in mg/m3 is approximate. | | | | |
| | | Potential Occupational Carcinogen See Appendix A | | | | |
| | | TWA | 5.000000 ppm 19.000000 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants | | |
| | | Skin designation The value in mg/m3 is approximate. | | | | |
| | | Potential Occupational Carcinogen See Appendix A | | | | |
| | | TWA | 5 ppm 19 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants | | |
| | | The value in | Skin designation The value in mg/m3 is approximate. | | | |
| | | Potential Occupational Carcinogen See Appendix A | | | | |

Sigma-Aldrich - 242284 Page 4 of 10

Biological occupational exposure limits

| Component | CAS-No. | Parameters | Value | Biological specimen | Basis | |
|-----------|---------|--|-----------------|-----------------------------------|---|--|
| Aniline | 62-53-3 | Aniline | | Urine | ACGIH - Biological Exposure Indices (BEI) | |
| | Remarks | End of shift (As soon as possible after exposure ceases) | | | | |
| | | Aniline | | Released from hemoglobin in blood | ACGIH - Biological Exposure Indices (BEI) | |
| | | End of shift (As soon as possible after exposure ceases) | | | | |
| | | p- Aminophenol | 50.0000 mg/l | Urine | ACGIH - Biological Exposure Indices (BEI) | |
| | | End of shift (As soon as possible after exposure ceases) | | | | |
| | | Aniline | | Urine | ACGIH - Biological Exposure Indices (BEI) | |
| | | End of shift (As soon as possible after exposure ceases) | | | | |
| | | Aniline | | Released from hemoglobin in blood | ACGIH - Biological Exposure Indices (BEI) | |
| | | End of shift (As soon as possible after exposure ceases) | | | | |
| | | p- Aminophenol | 50 mg/l | Urine | ACGIH - Biological Exposure Indices (BEI) | |
| | | End of shift (As | ıre ceases) | | | |

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 90 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Sigma-Aldrich - 242284 Page 5 of 10

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

b) Odourc) Odour ThresholdNo data availableNo data available

d) pH 8.8 at 36 g/l at 20 °C (68 °F)

e) Melting point/freezing Melting point/range: -6 °C (21 °F) - lit.

point

f) Initial boiling point and 184 °C (363 °F) - lit.

boiling range

g) Flash point 70 °C (158 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 23 %(V) flammability or Lower explosion limit: 1.3 %(V)

explosive limits

k) Vapour pressure 0.49 hPa (0.37 mmHg) at 20 °C (68 °F)

0.8 hPa (0.6 mmHg) at 20 °C (68 °F)

I) Vapour density 3.22 - (Air = 1.0)

m) Relative density 1.022 g/cm3 at 25 °C (77 °F)

n) Water solubility soluble

 Partition coefficient: n- log Pow: 0.91 octanol/water

p) Auto-ignition No data available temperature

q) Decomposition 190 °C (374 °F) -

temperature

r) Viscosity No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

Surface tension 42.12 mN/m at 25 °C (77 °F)

Relative vapour density 3.22 - (Air = 1.0)

Sigma-Aldrich - 242284 Page 6 of 10

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Oxidizing agents, Iron and iron salts., Zinc

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 250 mg/kg

LC50 Inhalation - Mouse - 4 h - 248 ppm

LD50 Dermal - Rabbit - 836 mg/kg

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Eves - Rabbit

Result: Severe eye irritation

Respiratory or skin sensitisation

May cause sensitisation by skin contact.

Germ cell mutagenicity

Laboratory experiments have shown mutagenic effects.

In vitro tests showed mutagenic effects

Carcinogenicity

This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

Limited evidence of carcinogenicity in animal studies

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Aniline)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Sigma-Aldrich - 242284 Page 7 of 10

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure. - Blood

Aspiration hazard

No data available

Additional Information

RTECS: BW6650000

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer., Cyanosis, Headache, Vomiting, Nausea, Incoordination., fatigue,

Dizziness, Drowsiness, Confusion., Weakness, Unconsciousness, Symptoms may be delayed.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 10.6 mg/l - 96.0 h

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 80 - 380 mg/l - 48 h

semi-static test EC50 - Daphnia magna (Water flea) - 0.16 mg/l - 48 h

Toxicity to algae EC50 - SELENASTRUM - 19 mg/l - 72 h

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 30 d

Result: 90 % - Readily biodegradable.

(OECD Test Guideline 301D)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1547 Class: 6.1 Packing group: II

Proper shipping name: Aniline

Sigma-Aldrich - 242284 Page 8 of 10

Reportable Quantity (RQ): 5000 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 1547 Class: 6.1

Proper shipping name: ANILINE

Marine pollutant:yes

IATA

UN number: 1547 Class: 6.1

Proper shipping name: Aniline

Packing group: II

Packing group: II

EMS-No: F-A, S-A

15. REGULATORY INFORMATION

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

CAS-No.

Revision Date

Aniline 62-53-3 1993-04-24

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No.

Revision Date

Aniline

62-53-3

1993-04-24

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

CAS-No. **Revision Date** Aniline 62-53-3 1993-04-24

Pennsylvania Right To Know Components

CAS-No. **Revision Date** Aniline 62-53-3 1993-04-24

New Jersey Right To Know Components

CAS-No. **Revision Date** Aniline 62-53-3 1993-04-24

California Prop. 65 Components

WARNING! This product contains a chemical known to the CAS-No. **Revision Date** State of California to cause cancer. 62-53-3 2007-09-28

Aniline

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity **Aquatic Chronic** Chronic aquatic toxicity Carcinogenicity Carc. Serious eye damage Eve Dam. Flammable liquids Flam. Liq. Combustible liquid. H227

H301 + H311 +

Toxic if swallowed, in contact with skin or if inhaled

H331

H301

H311 Toxic in contact with skin.

May cause an allergic skin reaction. H317 Causes serious eye damage. H318

Toxic if swallowed.

Toxic if inhaled. H331

Sigma-Aldrich - 242284 Page 9 of 10 H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

HMIS Rating

Health hazard: 3
Chronic Health Hazard: *
Flammability: 2
Physical Hazard 0

NFPA Rating

Health hazard: 3
Fire Hazard: 2
Reactivity Hazard: 0

Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.3 Revision Date: 12/04/2014 Print Date: 01/12/2015

Sigma-Aldrich - 242284 Page 10 of 10