Material Safety Data Sheet

Version 5.0 Revision Date 12/13/2012 Print Date 01/03/2013

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sodium arsenite solution

Product Number : 35000 Brand : Fluka

Supplier : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052 Emergency Phone # (For : (314) 776-6555

both supplier and

manufacturer)

Preparation Information : Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Toxic by inhalation., Toxic by ingestion, Carcinogen

GHS Classification

Acute toxicity, Oral (Category 3)
Acute toxicity, Inhalation (Category 3)
Acute aquatic toxicity (Category 2)

GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H301 + H331 Toxic if swallowed or if inhaled

H401 Toxic to aquatic life.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

P311 Call a POISON CENTER or doctor/ physician.

HMIS Classification

Health hazard: 2
Chronic Health Hazard: *
Flammability: 0
Physical hazards: 0

NFPA Rating

Health hazard: 1
Fire: 0
Reactivity Hazard: 0

Potential Health Effects

Inhalation Toxic if inhaled. May cause respiratory tract irritation.

Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation. **Ingestion** Toxic if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component		Classification	Concentration
Sodium dioxoarsena	te		
CAS-No. EC-No. Index-No.	7784-46-5 232-070-5 033-002-00-5	Acute Tox. 2; Acute Tox. 3; Acute Tox. 2; Carc. 1A; Aquatic Acute 1; Aquatic Chronic 1; H350, H300 + H310, H331, H410	0.1 - 1 %

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Not flammable or combustible.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Nature of decomposition products not known.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Fluka - 35000 Page 2 of 7

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis			
Remarks	Substance li	Substance listed; for more information see OSHA document 1910.1017					
	See 1910.10	See 1910.1018					
Sodium dioxoarsenate	7784-46-5	TWA	0.01 mg/m3	USA. ACGIH Threshold Limit Values (TLV)			
		Lung cancer Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed human carcinogen varies					
		С	0.002 mg/m3	USA. NIOSH Recommended Exposure Limits			
	Potential Occupational Carcinogen OSHA considers 'Inorganic Arsenic' to mean copper acetoarsenite & all inorganic compounds containing arsenic except ARSINE. See Appendix A 15 minute ceiling value						

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid

Colour no data available

Safety data

pH no data available
Melting no data available

point/freezing point

Boiling point 100 °C (212 °F) at 1,013 hPa (760 mmHg)

Fluka - 35000 Page 3 of 7

Flash point no data available Ignition temperature no data available Auto-ignition no data available

temperature

Lower explosion limit no data available
Upper explosion limit no data available
Vapour pressure no data available
Density no data available
Water solubility completely miscible
Partition coefficient: no data available

Partition coefficient:

n-octanol/water

Relative vapor

density

no data available

Odour no data available
Odour Threshold no data available

Evaporation rate no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

no data available

Materials to avoid

Strong oxidizing agents, Strong acids

Hazardous decomposition products

Other decomposition products - no data available

Hazardous decomposition products formed under fire conditions. - Nature of decomposition products not known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

no data available

Inhalation LC50

no data available

Dermal LD50

no data available

Other information on acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

Eyes: no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

Fluka - 35000 Page 4 of 7

no data available

Carcinogenicity

IARC: 1 - Group 1: Carcinogenic to humans (Sodium dioxoarsenate)

NTP: Known to be human carcinogen (Sodium dioxoarsenate)

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation Toxic if inhaled. May cause respiratory tract irritation.

Ingestion Toxic if swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Signs and Symptoms of Exposure

Exposure to arsenic compounds can cause:, exfoliative dermatitis, pigmentation of the skin, herpes, inflammation of nerves, nasal septum ulceration, dry mouth, metallic taste, Drowsiness, loss of appetite, Salivation, Nausea

Synergistic effects

no data available

Additional Information

RTECS: Not available

12. ECOLOGICAL INFORMATION

Toxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1686 Class: 6.1 Packing group: III Proper shipping name: Sodium arsenite, aqueous solutions

Reportable Quantity (RQ): 100 lbs

Marine Pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 1686 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: SODIUM ARSENITE, AQUEOUS SOLUTION

Marine Pollutant: No

IATA

UN number: 1686 Class: 6.1 Packing group: III Proper shipping name: Sodium arsenite, aqueous solution

15. REGULATORY INFORMATION

OSHA Hazards

Toxic by inhalation., Toxic by ingestion, Carcinogen

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

CAS-No. **Revision Date** 7784-46-5 2007-07-01

Sodium dioxoarsenate

SARA 313 Components The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. **Revision Date** Sodium dioxoarsenate 7784-46-5 2007-07-01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Sodium dioxoarsenate	CAS-No. 7784-46-5	Revision Date 2007-07-01
Pennsylvania Right To Know Components		
Water	CAS-No. 7732-18-5	Revision Date
Sodium dioxoarsenate	7784-46-5	2007-07-01
New Jersey Right To Know Components		
Water	CAS-No. 7732-18-5	Revision Date
Sodium dioxoarsenate	7784-46-5	2007-07-01

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of	CAS-No.	Revision Date
California to cause cancer.	7784-46-5	2007-09-28

Sodium dioxoarsenate

Fluka - 35000 Page 6 of 7

16. OTHER INFORMATION

Text of H-code(s) and R-phrase(s) mentioned in Section 3

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

Carc. Carcinogenicity

H300 + H310 Fatal if swallowed or in contact with skin

H331 Toxic if inhaled. H350 May cause cancer.

H410 Very toxic to aquatic life with long lasting effects.

Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Fluka - 35000 Page 7 of 7