# SIGMA-ALDRICH

# **Material Safety Data Sheet**

Version 3.4 Revision Date 09/04/2012 Print Date 03/10/2014

1. PRODUCT AND COMPANY IDENTIFICATION			
Product name	:	Nitrate Reagent B	
Product Number Brand	:	39441 Fluka	
Supplier	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA	
Telephone	:	+1 800-325-5832	
Fax	:	+1 800-325-5052	
Emergency Phone # (For both supplier and manufacturer)	:	(314) 776-6555	
Preparation Information	:	Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956	

# 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

#### **OSHA Hazards**

Target Organ Effect, Corrosive

#### **Target Organs**

Teeth., Kidney

#### **GHS Classification**

Acute toxicity, Inhalation (Category 5) Acute toxicity, Dermal (Category 5) Skin corrosion (Category 1A) Serious eye damage (Category 1) Skin sensitization (Category 1) Acute aquatic toxicity (Category 3)

#### GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s)	
H313 + H333	May be harmful in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H402	Harmful to aquatic life.
Precautionary statement(s)	
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/ physician.
HMIS Classification	

Health hazard: Chronic Health Hazard: Flammability:	3 * 0
Physical hazards:	0
NFPA Rating Health hazard: Fire:	3 0
Reactivity Hazard:	0

#### Potential Health Effects

Inhalation	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
Skin	Causes skin burns.
Eyes	Causes eye burns.
Ingestion	May be harmful if swallowed.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

:

Synonyms

Sulfanilic acid 4-Aminobenzenesulfonic acid

Component		Classification	Concentration
Acetic acid			
CAS-No. EC-No. Index-No.	64-19-7 200-580-7 607-002-00-6	Flam. Liq. 3; Skin Corr. 1A; H226, H314	30 - 50 %

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

# 4. FIRST AID MEASURES

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# **5. FIREFIGHTING MEASURES**

#### Conditions of flammability

Not flammable or combustible.

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

# 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

#### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

#### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis	
Acetic acid	64-19-7	TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)	
Remarks	Eye & Upper	r Respirato	bry Tract irritation F	Pulmonary function	
		STEL	15 ppm	USA. ACGIH Threshold Limit Values (TLV)	
	Eye & Upper	r Respirato	bry Tract irritation F	Pulmonary function	
		TWA	10 ppm 25 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
	The value in	The value in mg/m3 is approximate.			
		TWA	10 ppm 25 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	
		TWA	10 ppm 25 mg/m3	USA. NIOSH Recommended Exposure Limits	
		ST	15 ppm 37 mg/m3	USA. NIOSH Recommended Exposure Limits	

#### Personal protective equipment

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

# Eye protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Appearance

••	
Form	clear, liquid
Colour	light brown
Safety data	
рН	no data available
Melting point/freezing point	no data available
Boiling point	no data available
Flash point	no data available
Ignition temperature	no data available
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Vapour pressure	no data available
Density	no data available
Water solubility	no data available
Partition coefficient: n-octanol/water	no data available
Relative vapour density	no data available
Odour	no data available
Odour Threshold	no data available
Evaporation rate	no data available

# **10. STABILITY AND REACTIVITY**

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of hazardous reactions** no data available

Conditions to avoid no data available

Materials to avoid Strong oxidizing agents

#### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - no data available

# **11. TOXICOLOGICAL INFORMATION**

# Acute toxicity

Oral LD50 no data available

Inhalation LC50 no data available

Dermal LD50 no data available

# Other information on acute toxicity no data available

Skin corrosion/irritation no data available

Serious eye damage/eye irritation Eyes: no data available

Respiratory or skin sensitization no data available

#### Germ cell mutagenicity

no data available

#### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

no data available

# Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System) no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System) no data available

Aspiration hazard

#### Potential health effects

	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
Skin	May be harmful if swallowed. Causes skin burns. Causes eye burns.

Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea

Synergistic effects

no data available

#### Additional Information RTECS: Not available

# **12. ECOLOGICAL INFORMATION**

#### Toxicity

no data available

#### Persistence and degradability

no data available

# **Bioaccumulative potential** no data available

Mobility in soil no data available

PBT and vPvB assessment

no data available

#### Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

# **13. DISPOSAL CONSIDERATIONS**

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

EMS-No: F-A, S-B

#### Contaminated packaging

Dispose of as unused product.

# **14. TRANSPORT INFORMATION**

#### DOT (US)

UN number: 2790 Class: 8 Packing group: III Proper shipping name: Acetic acid solution Marine pollutant: No Poison Inhalation Hazard: No

#### IMDG

UN number: 2790 Class: 8 Packing group: III Proper shipping name: ACETIC ACID, SOLUTION Marine pollutant: No

ΙΑΤΑ

UN number: 2790 Class: 8 Packing group: III Proper shipping name: Acetic acid solution

# **15. REGULATORY INFORMATION**

#### **OSHA Hazards**

Target Organ Effect, Corrosive

#### SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

#### Massachusetts Right To Know Components

Acetic acid	CAS-No. 64-19-7	Revision Date 1993-04-24
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Water	7732-18-5	
Acetic acid	64-19-7	1993-04-24
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Water	7732-18-5	
Acetic acid	64-19-7	1993-04-24

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **16. OTHER INFORMATION**

#### Text of H-code(s) and R-phrase(s) mentioned in Section 3

Flam. Liq.	Flammable liquids
H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
Skin Corr.	Skin corrosion

#### **Further information**

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.