

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Zinc oxide

Product Number : 14439

Brand : Sigma-Aldrich

Supplier : Sigma-Aldrich  
3050 Spruce Street  
SAINT LOUIS MO 63103  
USA

Telephone : +1 800-325-5832

Fax : +1 800-325-5052

Emergency Phone # (For both supplier and manufacturer) : (314) 776-6555

Preparation Information : Sigma-Aldrich Corporation  
Product Safety - Americas Region  
1-800-521-8956

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

##### OSHA Hazards

No known OSHA hazards

##### GHS Classification

Skin irritation (Category 3)  
Eye irritation (Category 2B)  
Acute aquatic toxicity (Category 1)

##### GHS Label elements, including precautionary statements

Pictogram



Signal word : Warning

Hazard statement(s)

H316 : Causes mild skin irritation.  
H320 : Causes eye irritation.  
H400 : Very toxic to aquatic life.

Precautionary statement(s)

P273 : Avoid release to the environment.  
P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### HMIS Classification

Health hazard: 0  
Flammability: 0  
Physical hazards: 0

#### NFPA Rating

Health hazard: 0  
Fire: 0  
Reactivity Hazard: 0

## Potential Health Effects

<b>Inhalation</b>	May be harmful if inhaled. May cause respiratory tract irritation.
<b>Skin</b>	May be harmful if absorbed through skin. May cause skin irritation.
<b>Eyes</b>	May cause eye irritation.
<b>Ingestion</b>	May be harmful if swallowed.

---

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula	: OZn
Molecular Weight	: 81.39 g/mol

Component	Concentration
<b>Zinc oxide</b>	
CAS-No.	1314-13-2
EC-No.	215-222-5
Index-No.	030-013-00-7

---

## 4. FIRST AID MEASURES

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

---

## 5. FIREFIGHTING MEASURES

### Conditions of flammability

Not flammable or combustible.

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

### Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Zinc/zinc oxides

---

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

### Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

---

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

**Conditions for safe storage**

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Components	CAS-No.	Value	Control parameters	Basis
Zinc oxide	1314-13-2	TWA	5 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
Remarks	metal fume fever			
		STEL	10 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	metal fume fever			
		TWA	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	15 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	10 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	5 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		STEL	10 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	5 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	5 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	10 mg/m3	USA. NIOSH Recommended Exposure Limits
		C	15 mg/m3	USA. NIOSH Recommended Exposure Limits

**Personal protective equipment**

**Respiratory protection**

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Hand protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: > 480 min

Material tested: Dermatrill® (Aldrich Z677272, Size M)

Splash protection  
Material: Nitrile rubber  
Minimum layer thickness: 0.11 mm  
Break through time: > 30 min  
Material tested: Dermatrill® (Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374  
If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Eye protection**

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin and body protection**

impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

---

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

### **Appearance**

Form	powder
Colour	white

### **Safety data**

pH	no data available
Melting point/freezing point	no data available
Boiling point	no data available
Flash point	not applicable
Ignition temperature	no data available
Auto-ignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Vapour pressure	no data available
Density	5.610 g/cm <sup>3</sup>
Water solubility	no data available
Partition coefficient: n-octanol/water	no data available
Relative vapor density	no data available
Odour	no data available
Odour Threshold	no data available
Evaporation rate	no data available

---

## **10. STABILITY AND REACTIVITY**

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of hazardous reactions**

no data available

**Conditions to avoid**

no data available

**Materials to avoid**

Strong oxidizing agents

**Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Zinc/zinc oxides

Other decomposition products - no data available

---

**11. TOXICOLOGICAL INFORMATION****Acute toxicity****Oral LD50**

LD50 Oral - mouse - 7,950 mg/kg

**Inhalation LC50**

LC50 Inhalation - mouse - 2,500 mg/m<sup>3</sup>

**Dermal LD50**

no data available

**Other information on acute toxicity**

no data available

**Skin corrosion/irritation**

Skin - rabbit - Mild skin irritation - 24 h

**Serious eye damage/eye irritation**

Eyes - rabbit - Mild eye irritation - 24 h

Eyes - rabbit - Mild eye irritation - 24 h

**Respiratory or skin sensitization**

no data available

**Germ cell mutagenicity**

Genotoxicity in vitro - Hamster - Embryo  
Unscheduled DNA synthesis

Genotoxicity in vitro - Hamster - Embryo  
Morphological transformation.

Genotoxicity in vitro - Hamster - Embryo  
Sister chromatid exchange

Genotoxicity in vivo - guinea pig - Inhalation  
Unscheduled DNA synthesis

**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity**

no data available

### Teratogenicity

Developmental Toxicity - rat - Oral

Specific Developmental Abnormalities: Homeostasis Effects on Newborn: Stillbirth. Effects on Newborn: Growth statistics (e.g., reduced weight gain).

no data available

### Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

### Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

### Aspiration hazard

no data available

### Potential health effects

<b>Inhalation</b>	May be harmful if inhaled. May cause respiratory tract irritation.
<b>Ingestion</b>	May be harmful if swallowed.
<b>Skin</b>	May be harmful if absorbed through skin. May cause skin irritation.
<b>Eyes</b>	May cause eye irritation.

### Signs and Symptoms of Exposure

Zinc oxide dust or fume can irritate the respiratory tract. Prolonged skin contact can produce a severe dermatitis called oxide pox. Exposure to high levels of dust or fume can cause metallic taste, marked thirst, coughing, fatigue, weakness, muscular pain, and nausea followed by fever and chills. Severe overexposure may result in bronchitis or pneumonia with a bluish tint to the skin., prolonged or repeated exposure can cause:, Reversible liver enzyme abnormalities., Diarrhoea

### Synergistic effects

no data available

### Additional Information

RTECS: ZH4810000

---

## 12. ECOLOGICAL INFORMATION

### Toxicity

Toxicity to fish	LC50 - Oncorhynchus mykiss (rainbow trout) - 1.1 mg/l - 96.0 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 0.098 mg/l - 48 h

### Persistence and degradability

no data available

### Bioaccumulative potential

no data available

### Mobility in soil

no data available

### PBT and vPvB assessment

no data available

### Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life.

---

## 13. DISPOSAL CONSIDERATIONS

### Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

**Contaminated packaging**

Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****DOT (US)**

Not dangerous goods

**IMDG**

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F  
 Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)  
 Marine Pollutant: Marine pollutant

**IATA**

UN number: 3077 Class: 9 Packing group: III  
 Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Zinc oxide)

**Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

---

**15. REGULATORY INFORMATION****OSHA Hazards**

No known OSHA hazards

**SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
Zinc oxide	1314-13-2	2007-03-01

**SARA 311/312 Hazards**

No SARA Hazards

**Massachusetts Right To Know Components**

	CAS-No.	Revision Date
Zinc oxide	1314-13-2	2007-03-01

**Pennsylvania Right To Know Components**

	CAS-No.	Revision Date
Zinc oxide	1314-13-2	2007-03-01

**New Jersey Right To Know Components**

	CAS-No.	Revision Date
Zinc oxide	1314-13-2	2007-03-01

**California Prop. 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

**16. OTHER INFORMATION****Further information**

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.  
 The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

