# SIGMA-ALDRICH

sigma-aldrich.com

# SAFETY DATA SHEET

Version 4.6 Revision Date 07/30/2014 Print Date 05/05/2015

# **1. PRODUCT AND COMPANY IDENTIFICATION**

| 1.1 | Product identifiers<br>Product name  | :    | Nitric acid solution   |
|-----|--------------------------------------|------|--|
|     | Product Number<br>Brand<br>Index-No. | -    | 51155<br>Fluka<br>007-004-00-1                                     |
|     | CAS-No.                              | :    | 7697-37-2  |
| 1.2 | Relevant identified uses of          | f th | e substance or mixture and uses advised against                    |
|     | Identified uses                      | :    | Laboratory chemicals, Manufacture of substances                    |
| 1.3 | Details of the supplier of the       | he   | safety data sheet  |
|     | Company                              | :    | Sigma-Aldrich<br>3050 Spruce Street<br>SAINT LOUIS MO 63103<br>USA |
|     | Telephone<br>Fax                     | :    | +1 800-325-5832<br>+1 800-325-5052                                 |
| 1.4 | Emergency telephone nun              | nbe  | r  |

#### Emergency Phone # : (314) 776-6555

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing liquids (Category 3), H272 Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



| Signal word                         | Danger  |
|-------------------------------------|---|
| Hazard statement(s)<br>H272<br>H314 | May intensify fire; oxidiser.<br>Causes severe skin burns and eye damage.     |
| Precautionary statement(s)          |   |
| P210                                | Keep away from heat.  |
| P220                                | Keep/Store away from clothing/ combustible materials.                         |
| P221                                | Take any precaution to avoid mixing with combustibles.                        |
| P264                                | Wash skin thoroughly after handling.  |
| P280                                | Wear protective gloves/ protective clothing/ eye protection/ face protection. |
| P301 + P330 + P331                  | IF SWALLOWED: rinse mouth. Do NOT induce vomiting.                            |
| P303 + P361 + P353                  | IF ON SKIN (or hair): Remove/ Take off immediately all contaminated           |

|                    | clothing. Rinse skin with water/ shower.  |
|--------------------|---|
| P304 + P340        | IF INHALED: Remove victim to fresh air and keep at rest in a position                 |
|                    | comfortable for breathing.  |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove                   |
|                    | contact lenses, if present and easy to do. Continue rinsing.                          |
| P310               | Immediately call a POISON CENTER or doctor/ physician.                                |
| P321               | Specific treatment (see supplemental first aid instructions on this label).           |
| P363               | Wash contaminated clothing before reuse.  |
| P370 + P378        | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. |
| P405               | Store locked up.  |
| P501               | Dispose of contents/ container to an approved waste disposal plant.                   |
|                    |   |

. .

. . .

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures

| Formula          | : | HNO3        |
|------------------|---|-------------|
| Molecular Weight | : | 63.01 g/mol |

# Hazardous components

| Component                      |  | Classification                                       | Concentration |
|--------------------------------|--|--|---------------|
| Nitric acid                    |  |  |               |
| CAS-No.<br>EC-No.<br>Index-No. | 7697-37-2<br>231-714-2<br>007-004-00-1 | Ox. Liq. 3; Skin Corr. 1A; Eye<br>Dam. 1; H272, H314 | 10 - 30 %     |

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3** Indication of any immediate medical attention and special treatment needed no data available

## **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture no data available

## 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

#### 6.2 Environmental precautions Do not let product enter drains.

**6.3** Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

# 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking.Normal measures for preventive fire protection.Keep away from heat and sources of ignition. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### Components with workplace control parameters

| Component   | CÁS-No.   | Value                      | Control parameters        | Basis  |
|-------------|-----------|----------------------------|---------------------------|--|
| Nitric acid | 7697-37-2 | TWA                        | 2 ppm                     | USA. ACGIH Threshold Limit Values<br>(TLV)   |
|             | Remarks   | Eye & Uppe<br>Dental erosi | r Respiratory Tract<br>on | t irritation   |
|             |           | STEL                       | 4 ppm                     | USA. ACGIH Threshold Limit Values<br>(TLV)   |
|             |           | Eye & Uppe                 | r Respiratory Tract       | tirritation  |
|             |           | Dental erosi               | on                        |  |
|             |           | ST                         | 4 ppm<br>10 mg/m3         | USA. NIOSH Recommended<br>Exposure Limits  |
|             |           | TWA                        | 2 ppm<br>5 mg/m3          | USA. NIOSH Recommended<br>Exposure Limits  |
|             |           | TWA                        | 2 ppm<br>5 mg/m3          | USA. Occupational Exposure Limits<br>(OSHA) - Table Z-1 Limits for Air<br>Contaminants |
|             |           | The value in               | mg/m3 is approxi          | mate.  |

| TWA  |                   | USA. OSHA - TABLE Z-1 Limits for<br>Air Contaminants - 1910.1000 |
|------|-------------------|--|
| STEL | 4 ppm<br>10 mg/m3 | USA. OSHA - TABLE Z-1 Limits for<br>Air Contaminants - 1910.1000 |

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### **Eye/face protection**

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Do not let product enter drains.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

| a) | Appearance      | Form: clear, liquid Colour: colourless |
|----|-----------------|--|
| b) | Odour           | pungent                                |
| c) | Odour Threshold | no data available                      |
| d) | рН              | no data available                      |
|    |                 |  |

 e) Melting point/freezing no data available point

| f)  | Initial boiling point and boiling range            | 100 °C (212 °F)              |
|-----|--|------------------------------|
| g)  | Flash point  | no data available            |
| h)  | Evapouration rate                                  | no data available            |
| i)  | Flammability (solid, gas)                          | no data available            |
| j)  | Upper/lower<br>flammability or<br>explosive limits | no data available            |
| k)  | Vapour pressure                                    | 23 hPa (17 mmHg)             |
| I)  | Vapour density                                     | no data available            |
| m)  | Relative density                                   | 1.147 g/cm3 at 20 °C (68 °F) |
| n)  | Water solubility                                   | completely miscible          |
| o)  | Partition coefficient: n-<br>octanol/water         | no data available            |
| p)  | Auto-ignition<br>temperature                       | no data available            |
| q)  | Decomposition<br>temperature                       | no data available            |
| r)  | Viscosity  | no data available            |
| s)  | Explosive properties                               | no data available            |
| t)  | Oxidizing properties                               | no data available            |
| Oth | or safety information                              |                              |

# 9.2 Other safety information no data available

#### **10. STABILITY AND REACTIVITY**

- 10.1 Reactivity no data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3** Possibility of hazardous reactions no data available
- **10.4 Conditions to avoid** no data available
- **10.5** Incompatible materials Metals, Strong bases, sodium hypochlorite
- Hazardous decomposition products
   Hazardous decomposition products formed under fire conditions. nitrogen oxides (NOx)
   Other decomposition products no data available
   In the event of fire: see section 5

# **11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

# Acute toxicity

no data available

Dermal: no data available

no data available

#### Skin corrosion/irritation

no data available

Serious eye damage/eye irritation no data available

Respiratory or skin sensitisation no data available

#### Germ cell mutagenicity

no data available

### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

no data available no data available

# Specific target organ toxicity - single exposure no data available

# Specific target organ toxicity - repeated exposure

no data available

# Aspiration hazard

no data available

#### **Additional Information**

RTECS: Not available

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Liver - Irregularities - Based on Human Evidence Liver - Irregularities - Based on Human Evidence (Nitric acid)

#### **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

no data available

- 12.2 Persistence and degradability no data available
- **12.3 Bioaccumulative potential** no data available
- **12.4 Mobility in soil** no data available

## 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Other adverse effects

no data available

# **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### **Contaminated packaging**

Dispose of as unused product.

# **14. TRANSPORT INFORMATION**

|     | DOT (US)<br>UN number: 2031 Class: 8<br>Proper shipping name: Nitric acid<br>Reportable Quantity (RQ): 4000 lbs<br>Marine pollutant: No<br>Poison Inhalation Hazard: No | Packing group: I | I                      |        |                             |
|-----|---|------------------|------------------------|--------|-----------------------------|
|     | IMDG<br>UN number: 2031 Class: 8<br>Proper shipping name: NITRIC ACID<br>Marine pollutant: No   | Packing group: I | II                     | EMS-No | : F-A, S-B                  |
|     | IATA<br>UN number: 2031 Class: 8<br>Proper shipping name: Nitric acid<br>IATA Passenger: Not permitted for transport  | Packing group: I | II                     |        |                             |
| . R | EGULATORY INFORMATION   |                  |                        |        |                             |
|     | SARA 302 Components   |                  |                        |        |                             |
|     | Nitric acid   |                  | CAS-No.<br>7697-37-2   |        | Revision Date<br>2007-07-01 |
|     | SARA 313 Components   |                  |                        |        |                             |
|     | Nitric acid   |                  | CAS-No.<br>7697-37-2   |        | Revision Date<br>2007-07-01 |
|     | SARA 311/312 Hazards<br>Acute Health Hazard, Chronic Health Hazard  |                  |                        |        |                             |
|     | Massachusetts Right To Know Components  |                  |                        |        |                             |
|     | Nitric acid   |                  | CAS-No.<br>7697-37-2   |        | Revision Date<br>2007-07-01 |
|     | Pennsylvania Right To Know Components   |                  |                        |        |                             |
|     | Water   |                  | CAS-No.<br>7732-18-5   |        | Revision Date               |
|     | Nitric acid   |                  | 7697-37-2              |        | 2007-07-01                  |
|     | New Jersey Right To Know Components   |                  |                        |        |                             |
|     |   |                  | CAS-No.                |        | Revision Date               |
|     | Water<br>Nitric acid  |                  | 7732-18-5<br>7697-37-2 |        | 2007-07-01                  |
|     |   |                  |                        |        |                             |

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

15.

# **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

| Eye Dam.   | Serious eye damage                       |
|------------|--|
| H272       | May intensify fire; oxidiser.            |
| H314       | Causes severe skin burns and eye damage. |
| H318       | Causes serious eye damage.               |
| Ox. Liq.   | Oxidizing liquids                        |
| Skin Corr. | Skin corrosion                           |

## **HMIS Rating**

| Chronic Health Hazard: * |   |
|--------------------------|---|
| Flammability: 0          | ) |
| Physical Hazard 2        | 2 |
| NFPA Rating              |   |

| Health hazard:     | 3 |
|--------------------|---|
| Fire Hazard:       | 0 |
| Reactivity Hazard: | 0 |

#### **Further information**

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

#### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.6

Revision Date: 07/30/2014

Print Date: 05/05/2015