Sigma-Aldrich.

SAFETY DATA SHEET

Version 6.18 Revision Date 05/01/2025 Print Date 05/02/2025

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : Glycerol Product Number : G5516 Brand : Sigma CAS-No. : 56-81-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Laboratory chemicals, Synthesis of substances
Uses advised against	:	The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	:	+1 314 771-5765
Fax	:	+1 800 325-5052
Emergency telephone		

1.4 Emergency telephone

Emergency Phone #	: 800-424-9300 CHEMTREC (USA) +1-703-
	527-3887 CHEMTREC (International) 24
	Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

Other hazards

None known. Sigma - G5516

Page 1 of 14



GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

	CAS No./Unique ID	Concentration (% w/w)	Trade secret	
glycerine	56-81-5*	>= 80 - <= 100	TSC	

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled	:	After inhalation: fresh air.
In case of skin contact	:	In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.
In case of eye contact	:	After eye contact: rinse out with plenty of water. Remove contact lenses.
If swallowed	:	After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.
Most important symptoms and effects, both acute and delayed	:	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Protection of first-aiders	:	For personal protection see section 8.
Notes to physician	:	No data available

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water Foam Carbon dioxide (CO2) Dry powder
Unsuitable extinguishing media	:	For this substance/mixture no limitations of extinguishing agents are given.

Sigma - G5516

Page 2 of 14



Specific hazards during fire fighting	:	Combustible.
		Vapors are heavier than air and may spread along floors.
		Forms explosive mixtures with air on intense heating.
		Development of hazardous combustion gases or vapours possible in the event of fire.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	No data available
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.
Special protective equipment for fire- fighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Advice for non-emergency personnel: Do not breathe vapors, aerosols. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.
Environmental precautions	:	Do not let product enter drains.
Methods and materials for containment and cleaning up	:	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H ⁺ , Merck Art. No. 101595). Dispose of properly. Clean up affected area.

Sigma - G5516

Page 3 of 14



SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.			
Further information on storage conditions	:	Tightly closed.	
Storage class	:	10, Combustible liquids	
Recommended storage temperature	:	Recommended storage temperature see product label.	
Further information on storage stability	:	hygroscopic	
Packaging material	:	Suitable material: Amber Glass Bottle/Jar, LDPE Bottle/Jar	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
glycerine	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1

Engineering measures : No data available

Personal protective equipment

Respiratory protection	:	required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter : Filter A-(P2) type:

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Sigma - G5516

Page 4 of 14



Hand protection Material Break through time Glove thickness Protective index Manufacturer	:	Nitrile rubber 480 min 0.11 mm Full contact KCL 741 Dermatril® L
Material Break through time Glove thickness Protective index Manufacturer	::	Nitrile rubber 480 min 0.11 mm Splash contact KCL 741 Dermatril® L
Remarks	:	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: www.kcl.de).
Eye protection	:	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Hygiene measures	:	Change contaminated clothing. Wash hands after working with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: viscous
Color	: clear
Odor	: odorless
Odor Threshold	: Not applicable
рН	: ca. 5 (68 °F / 20 °C) Concentration: 100 g/l (External MSDS)
Melting point/ range	: 68 °F / 20 °C

Sigma - G5516

Page 5 of 14



Boiling point/boiling range	:	360 °F / 182 °C (27 hPa)
Flash point	:	390 °F / 199 °C (ca. 1,013 hPa) Method: ISO 2719, Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Flammability (liquids)	:	No data available
Burning rate	:	No data available
Self-ignition	:	698 °F / 370 °C
Upper explosion limit / Upper flammability limit	:	Upper flammability limit 19 %(V) (449 °F / 232 °C) (1013 hPa)
Lower explosion limit / Lower flammability limit	:	Lower flammability limit 2.7 %(V) (1013 hPa)
Vapor pressure	:	< 0.001 hPa (68 °F / 20 °C)
Relative vapor density	:	3.18 (Air = 1.0)
Relative density	:	No data available
Density	:	1.25 g/mL
Solubility(ies) Water solubility	:	1,000 g/l miscible (77 °F / 25 °C)
Partition coefficient: n- octanol/water	:	log Pow: -1.75 (77 °F / 25 °C) pH: 7.4 Method: OECD Test Guideline 107 Bioaccumulation is not expected.
Autoignition temperature	:	698 °F / 370 °C
Decomposition temperature	:	> 554 °F / > 290 °C
Viscosity Viscosity, dynamic	:	1,412 mPa.s (68 °F / 20 °C) Method: OECD Test Guideline 114
ma - G5516		612 mPa.s (86 °F / 30 °C)

Sigma - G5516

Page 6 of 14



		Method: OECD Test Guideline 114
		14.8 mPa.s (212 °F / 100 °C) Method: OECD Test Guideline 114
Viscosity, kinematic	:	No data available
Flow time	:	No data available
Explosive properties	:	Not classified as explosive.
Oxidizing properties	:	none
Surface tension	:	ca. 63.4 mN/m, 1,000 g/l, 68 °F / 20 °C
Molecular weight	:	92.09 g/mol
Particle characteristics Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Forms explosive mixtures with air on intense heating.
		A range from approx. 15 Kelvin below the flash point is to be rated as critical.
Chemical stability	:	The product is chemically stable under standard ambient conditions (room temperature) .
Possibility of hazardous reactions		Risk of explosion with: halogens Strong oxidizing agents peroxi compounds hydrogen peroxide Nitriles perchloric acid with Lead oxides Nitric acid with sulfuric acid Risk of ignition or formation of inflammable gases or vapours with: potassium permanganate hydrides calcium hypochlorite Fluorine with Lead oxides

Sigma - G5516

Page 7 of 14



		Exothermic reaction with: Oxides of phosphorus chromium(VI) oxide phosphorus halides Acetic anhydride with phosphorous oxichloride with Nitrobenzene
Conditions to avoid	:	Strong heating.
Incompatible materials	:	No data available
Hazardous decomposition products	:	In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 27,200 mg/kg Remarks: (ECHA) LC50 Inhalation - Rat - male and female - 4 h - > 5,850 mg/l - aerosol

Remarks: (ECHA) LD50 Dermal - Guinea pig - male and female - 56,750 mg/kg Remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 24 h Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation - 7 Days Remarks: (ECHA)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: (IUCLID) Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Sigma - G5516

Page 8 of 14



Method: OECD Test Guideline 476 Result: negative Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: unscheduled DNA synthesis assay Test system: rat hepatocytes Method: OECD Test Guideline 482 Result: negative Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male - Oral - 28 Days - NOAEL (No observed adverse effect level) - > 1,600 mg/kg Remarks: (ECHA)

RTECS: MA8050000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Kidney - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

Sigma - G5516

Page 9 of 14



SECTION 12. ECOLOGICAL INFORMATION

Components:		
glycerine:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l End point: mortality Exposure time: 96 h Test Type: static test Remarks: (ECHA)
Persistence and degra	dab	ility
Components:		
glycerine:		
Biodegradability	:	aerobic Inoculum: activated sludge Concentration: 226 mg/l Result: Readily biodegradable. Biodegradation: 94 % Exposure time: 1 d Remarks: (ECHA)
Biochemical Oxygen Demand (BOD)	:	870 mg/g Incubation time: 5 d Remarks: (External MSDS)
Chemical Oxygen Demand (COD)	:	1,160 mg/g Remarks: (External MSDS)
ThOD	:	1,217 mg/g Remarks: (Lit.)
BOD/ThOD	:	71 % Remarks: (Lit.)

Bioaccumulative potential

Components:

glycerine:

Partition coefficient: n- : log Pow: -1.75 (77 °F / 25 °C) octanol/water

pH: 7.4 Method: OECD Test Guideline 107 Remarks: Bioaccumulation is not expected.

Mobility in soil

No data available

Sigma - G5516

Page 10 of 14



Other adverse effects

Product:

Ozone-Depletion Potential :	Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
-----------------------------	---

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National regulation

49 CFR Road

Not regulated as a dangerous good

Poison Inhalation Hazard : No

Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ. Sigma - $\mathsf{G5516}$

Page 11 of 14



SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Chronic Health Hazard
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

glycerine 56-81-5 >= 90 - <= 100 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know				
glycerine	56-81-5			
Pennsylvania Right To Know				
glycerine	56-81-5			
Maine Chemicals of High Concern				
Product does not contain any listed chemicals				
Vermont Chemicals of High Concern				
Product does not contain any listed chemicals				

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule. Sigma - $\mathsf{G5516}$

Page 12 of 14



No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-
		1 Limits for Air Contaminants
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, OPPTS Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Decomposition Temperature; SARA Superfund Amendments Accelerating and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above Sigma - G5516

Page 13 of 14



product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 05/01/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Sigma - G5516

Page 14 of 14

