

# SAFETY DATA SHEET

Version 6.7 Revision Date 09/09/2024 Print Date 01/25/2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Mycophenolic Acid-D3

Product Number : M-180 Brand : Cerilliant

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332

Acute toxicity, Dermal (Category 4), H312 Eye irritation (Category 2A), H319

Reproductive toxicity (Category 1B), H360

Cerilliant - M-180

Page 1 of 14



Short-term (acute) aquatic hazard (Category 3), H402 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### GHS Label elements, including precautionary statements 2.2

Pictogram



Signal Word	Danger
Hazard Statements	
H225	Highly flammable liquid and vapor.
H302 + H312 + H332	Harmful if swallowed, in contact with skin or if inhaled.
H319	Causes serious eye irritation.
H360	May damage fertility or the unborn child.
H412	Harmful to aquatic life with long lasting effects.
	Training to aquatic me with long lasting chects.
Precautionary Statements	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing mist or vapors.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel
1301 1 1312 1 1330	unwell. Rinse mouth.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated
1303 1 1301 1 1333	clothing. Rinse skin with water/ shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable
	for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue
	rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant
	foam to extinguish.
D.400 DOOF	

Store in a well-ventilated place. Keep cool.

Dispose of contents/ container to an approved waste disposal

Store locked up.

Cerilliant - M-180

P405

P501

P403 + P235

Page 2 of 14



# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Molecular weight : 41.05 g/mol

Component		Classification	Concentration					
Acetonitrile								
CAS-No. EC-No. Index-No. Registration number	75-05-8 200-835-2 608-001-00-3 01-2119471307-38- XXXX	Flam. Liq. 2; Acute Tox. 4; Eye Irrit. 2A; H225, H302, H332, H312, H319	>= 90 - <= 100 %					
Mycophenolic acid-D3								
CAS-No.	1185242-90-3	Acute Tox. 4; Muta. 2; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H302, H341, H360, H372, H400, H410 M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 10	>= 0.1 - < 1 %					

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

### **General advice**

Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Cerilliant - M-180

Page 3 of 14

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

# Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

# 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### **5.4** Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb® ). Dispose of properly. Clean up affected area.

## 6.4 Reference to other sections

For disposal see section 13.

Cerilliant - M-180

Page 4 of 14



# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

# Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

## **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

### **Storage conditions**

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Storage stability Recommended storage temperature

-70 °C

### Storage class

Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Acetonitrile	75-05-8	TWA	20 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Not classifiable as a human carcinogen Danger of cutaneous absorption		
		TWA	20 ppm 34 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	40 ppm 70 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		PEL	40 ppm 70 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		Skin		

Cerilliant - M-180 Page 5 of 14



STEL	60 ppm 105 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		

## 8.2 Exposure controls

# **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## Personal protective equipment

### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

## Skin protection

required

### **Body Protection**

Flame retardant antistatic protective clothing.

## **Respiratory protection**

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented. required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

## **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

## **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid

Color: colorless

b) Odor ether-like

c) Odor Threshold No data availabled) pH No data available

e) Melting point/ range: -45.7 °C (-50.3 °F) at 1,013 hPa

point/freezing point

f) Initial boiling point 81.0 - 82.0 °C 177.8 - 179.6 °F at 1013.3 hPa

and boiling range

g) Flash point 2.0 °C (35.6 °F) - closed cup

Cerilliant - M-180 Page 6 of 14



h) Evaporation rate 5.8

i) Flammability (solid, No data available

gas)

j) Upper/lower Upper explosion limit: 16 %(V) flammability or Lower explosion limit: 3 %(V)

explosive limits

k) Vapor pressure 73.18 hPa at 15 °C (59 °F)

121.44 hPa at 25 °C(77 °F) 413.23 hPa at 55 °C(131 °F) 98.64 hPa at 20 °C(68 °F)

I) Vapor density 1.42 - (Air = 1.0)

m) Density 0.78 g/cm3 at 20 °C (68 °F)

Relative density No data available n) Water solubility completely soluble

o) Partition coefficient: log Pow: -0.54 at 25 °C (77 °F)

n-octanol/water

p) Autoignition 524.0 °C (975.2 °F)

temperature

q) Decomposition No data available

temperature

r) Viscosity No data available

s) Explosive properties Not explosive

t) Oxidizing properties The substance or mixture is not classified as oxidizing.

# 9.2 Other safety information

Surface tension 29.0 mN/m at 20.0 °C (68.0 °F)

Relative vapor 1.42 - (Air = 1.0)

density

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Vapors may form explosive mixture with air.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

No data available

## 10.4 Conditions to avoid

Warming.

### 10.5 Incompatible materials

acids, Bases, Oxidizing agents, Reducing agents, Alkali metals

Cerilliant - M-180

\_\_\_\_

Page 7 of 14



# 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **Mixture**

## **Acute toxicity**

Oral: No data available

Inhalation: No data available
Dermal: No data available
Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

Remarks: Mixture causes serious eye irritation.

## Respiratory or skin sensitization

No data available

## Germ cell mutagenicity

No data available

### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## **Reproductive toxicity**

May harm the unborn child.

May impair fertility.

### Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

# 11.2 Additional Information

Treat as cyanide poisoning., Always have on hand a cyanide first-aid kit, together with proper instructions., The onset of symptoms is generally delayed pending conversion to cyanide., Nausea, Vomiting, Diarrhea, Headache, Dizziness, Rash, Cyanosis, excitement, depression, Drowsiness, impaired judgment, Lack of coordination, stupor, death Other dangerous properties can not be excluded.

Cerilliant - M-180

Page 8 of 14



Handle in accordance with good industrial hygiene and safety practice.

## **Components**

#### **Acetonitrile**

### **Acute toxicity**

LD50 Oral - Mouse - male and female - 617 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Mouse - male and female - 4 h - 6.022 mg/l - vapor

(OECD Test Guideline 403)

Acute toxicity estimate Dermal - 1,500 mg/kg

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye irritation.

(OECD Test Guideline 405)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

## Respiratory or skin sensitization

Buehler Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

## Germ cell mutagenicity

Test Type: Ames test

Test system: S. typhimurium

Result: negative Remarks: (ECHA)

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Result: Positive results were obtained in some in vitro tests.

Remarks: (National Toxicology Program) Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells

Result: negative

Remarks: Sister chromatid exchange Test system: Saccharomyces cerevisiae

Result: positive

Remarks: Cytogenetic analysis

(ECHA)

Cerilliant - M-180

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Result: negative

Method: OECD Test Guideline 474 Species: Mouse - male and female

Result: negative **Carcinogenicity** 

No evidence of carcinogenicity in animal studies.

## Reproductive toxicity

Animal testing did not show any effects on fertility.

# Specific target organ toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

## Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

# **Aspiration hazard**

No aspiration toxicity classification

## Mycophenolic acid-D3

### **Acute toxicity**

LD50 Oral - Rat - 352 mg/kg

Remarks: Behavioral: Muscle weakness.

Behavioral: Ataxia.

Diarrhea (RTECS)

(in analogy to similar products)

The value is given in analogy to the following substances: Mycophenolic acid

Inhalation: No data available Dermal: No data available

No data available

### Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitization

No data available

## Germ cell mutagenicity

Suspected of causing genetic defects.

### Carcinogenicity

No data available

# Reproductive toxicity

May damage the unborn child.

Cerilliant - M-180



# Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

Ingestion - Causes damage to organs through prolonged or repeated exposure. - Immune system

The value is given in analogy to the following substances: Mycophenolic acid

### **Aspiration hazard**

No data available

## **SECTION 12: Ecological information**

### 12.1 Toxicity

### **Mixture**

No data available

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

No data available

### **Components**

### **Acetonitrile**

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead

minnow) - 1,640 mg/l - 96 h

Remarks: (ECHA)

Toxicity to algae static test NOEC - Phaeodactylum tricornutum - 400 mg/l - 72

n

(ISO 10253)

static test ErC50 - Phaeodactylum tricornutum - 9,696 mg/l -

72 h

(ISO 10253)

Toxicity to bacteria

Toxicity to flow-through test NOEC - Oryzias latipes - 102 mg/l - 21 d

fish(Chronic toxicity) (OECD Test Guideline 204)

Cerilliant - M-180 Page 11 of 14



# Mycophenolic acid-D3

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green

algae) - 0.068 mg/l - 96 h (OECD Test Guideline 201)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances:

Mycophenolic acid

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

# **SECTION 14: Transport information**

DOT (US)

UN number: 1648 Class: 3 Packing group: II

Proper shipping name: AcetonitrileSOLUTION

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1648 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: ACETONITRILESOLUTION

**IATA** 

UN number: 1648 Class: 3 Packing group: II

Proper shipping name: AcetonitrileSOLUTION

# **SECTION 15: Regulatory information**

## **CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

Cerilliant - M-180

Page 12 of 14



### **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

# **SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Fire Hazard

**Hazards** Acute Health Hazard

**SARA 313** : The following components are subject to reporting

levels established by SARA Title III, Section 313:

Acetonitrile 75-05-8 >= 90 - <= 100 %

**US State Regulations** 

**Massachusetts Right To Know** 

Acetonitrile 75-05-8

Pennsylvania Right To Know

Acetonitrile 75-05-8

**Maine Chemicals of High Concern** 

Product does not contain any listed chemicals

**Vermont Chemicals of High Concern** 

Product does not contain any listed chemicals

**Washington Chemicals of High Concern** 

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:


TSCA : Product contains substance(s) not listed on TSCA

inventory.

**TSCA list** 

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.



### **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.7 Revision Date: 09/09/2024 Print Date: 01/25/2025

Cerilliant - M-180

