# **Material Safety Data Sheet**

Version 5.0 Revision Date 10/09/2013 Print Date 06/10/2015

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : o-Phthaldialdehyde-(DNPH)2 solution

Product Number : CRM47032 Brand : Supelco

Supplier : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052 Emergency Phone # (For : (314) 776-6555

both supplier and

manufacturer)

Preparation Information : Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

# 2. HAZARDS IDENTIFICATION

# **Emergency Overview**

# **OSHA Hazards**

Flammable liquid, Target Organ Effect, Harmful by ingestion., Harmful by skin absorption., Irritant

### **Target Organs**

Central nervous system, Liver, Kidney, Blood, Lungs, Eyes, Skin

#### **GHS Classification**

Flammable liquids (Category 2)
Acute toxicity, Oral (Category 4)
Acute toxicity, Inhalation (Category 4)
Acute toxicity, Dermal (Category 5)
Eye irritation (Category 2A)

# GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.
H302 + H332 Harmful if swallowed or if inhaled
H313 May be harmful in contact with skin.
H319 Causes serious eye irritation.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

**HMIS Classification** 

Health hazard: 2 Chronic Health Hazard: \* Flammability: 3 Physical hazards: 0

**NFPA** Rating

Health hazard: 2 Fire: 3 Reactivity Hazard: 0

#### **Potential Health Effects**

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.Skin Harmful if absorbed through skin. Causes skin irritation.

**Eyes** Causes eye irritation. **Ingestion** Harmful if swallowed.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component		Classification	Concentration
Acetonitrile			
CAS-No.	75-05-8	Flam. Liq. 2; Acute Tox. 4; Eye	70 - 90 %
EC-No.	200-835-2	Irrit. 2; H225, H302 + H312 +	
Index-No.	608-001-00-3	H332, H319	
Registration number	01-2119471307-38-XXXX		
Dimethyl sulfoxide			
CAS-No.	67-68-5		30 - 50 %
EC-No.	200-664-3		

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

# 4. FIRST AID MEASURES

# General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 5. FIREFIGHTING MEASURES

### **Conditions of flammability**

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

# **Hazardous combustion products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx), Sulphur oxides

#### **Further information**

Use water spray to cool unopened containers.

Supelco - CRM47032 Page 2 of 7

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

# Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature: 2 - 8 °C

Handle and store under inert gas.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis		
Acetonitrile	75-05-8	TWA	20 ppm	USA. ACGIH Threshold Limit Values (TLV)		
Remarks	Lower Respiratory Tract irritation Not classifiable as a human carcinogen Danger of cutaneous absorption					
		TWA	20 ppm 34 mg/m3	USA. NIOSH Recommended Exposure Limits		
	Forms cyani	Forms cyanide in the body.				
		TWA	40 ppm 70 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
	The value in mg/m3 is approximate.					
		TWA	40 ppm 70 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000		
		STEL	60 ppm 105 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000		
Dimethyl sulfoxide	67-68-5	TWA	250 ppm	USA. Workplace Environmental Exposure Levels (WEEL)		

# Personal protective equipment

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Supelco - CRM47032 Page 3 of 7

# **Hand protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

# Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# **Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

# **Appearance**

Form liquid

no data available Colour

Safety data

pН no data available no data available Melting

point/freezing point

**Boiling point** no data available

Flash point 5.6 °C (42.1 °F) - closed cup

Ignition temperature no data available Auto-ignition no data available temperature

Lower explosion limit no data available Upper explosion limit no data available Vapour pressure no data available no data available Density

Water solubility no data available

n-octanol/water

Partition coefficient:

no data available

Relative vapour

no data available

density

Odour no data available Odour Threshold no data available no data available Evapouration rate

# 10. STABILITY AND REACTIVITY

# **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

Vapours may form explosive mixture with air.

Supelco - CRM47032 Page 4 of 7

### Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

### Materials to avoid

no data available

# **Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx), Sulphur oxides Other decomposition products - no data available

#### 11. TOXICOLOGICAL INFORMATION

# **Acute toxicity**

#### Oral LD50

no data available

#### Inhalation LC50

no data available

#### **Dermal LD50**

no data available

# Other information on acute toxicity

no data available

#### Skin corrosion/irritation

no data available

# Serious eye damage/eye irritation

Eyes: no data available

# Respiratory or skin sensitisation

no data available

#### Germ cell mutagenicity

no data available

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

## Reproductive toxicity

no data available

# **Teratogenicity**

no data available

# Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

# Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

### **Aspiration hazard**

no data available

Inhalation

#### Potential health effects

May be harmful if inhaled. Causes respiratory tract irritation.

**Ingestion** Harmful if swallowed.

**Skin** Harmful if absorbed through skin. Causes skin irritation.

**Eyes** Causes eye irritation.

# Signs and Symptoms of Exposure

Treat as cyanide poisoning., Always have on hand a cyanide first-aid kit, together with proper instructions., The onset of symptoms is generally delayed pending conversion to cyanide., Headache, Dizziness, Rash, Cyanosis, excitement, depression, Drowsiness

# Synergistic effects

no data available

# Additional Information

RTECS: Not available

### 12. ECOLOGICAL INFORMATION

# **Toxicity**

no data available

# Persistence and degradability

no data available

# Bioaccumulative potential

no data available

# Mobility in soil

no data available

# PBT and vPvB assessment

no data available

### Other adverse effects

no data available

# 13. DISPOSAL CONSIDERATIONS

# **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

# Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1648 Class: 3 Packing group: II

Proper shipping name: Acetonitrile, solution

Reportable Quantity (RQ): 7143 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1648 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: ACETONITRILE, SOLUTION

Marine pollutant: No

**IATA** 

UN number: 1648 Class: 3 Packing group: II

Proper shipping name: Acetonitrile, solution

# 15. REGULATORY INFORMATION

Supelco - CRM47032 Page 6 of 7

#### **OSHA Hazards**

Flammable liquid, Target Organ Effect, Harmful by ingestion., Harmful by skin absorption., Irritant

# **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Acetonitrile CAS-No. Revision Date 75-05-8 2007-07-01

# SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

	CAS-No.	<b>Revision Date</b>
Acetonitrile	75-05-8	2007-07-01
Pennsylvania Right To Know Components		
	CAS-No.	<b>Revision Date</b>
Acetonitrile	75-05-8	2007-07-01
Dimethyl sulfoxide	67-68-5	2007-03-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Acetonitrile	75-05-8	2007-07-01
Dimethyl sulfoxide	67-68-5	2007-03-01

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **16. OTHER INFORMATION**

# Text of H-code(s) and R-phrase(s) mentioned in Section 3

Acute Tox. Acute toxicity
Eye Irrit. Eye irritation
Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour.

H302 + H312 + Harmful if swallowed, in contact with skin or if inhaled

H332

H319 Causes serious eye irritation.

#### **Further information**

Copyright 2013 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Supelco - CRM47032 Page 7 of 7