

# SAFETY DATA SHEET

Version 6.9 Revision Date 12/07/2023 Print Date 09/07/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Oxalyl chloride

Product Number : 75760
Brand : Aldrich
CAS-No. : 79-37-8

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #: 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Chemicals which, in contact with water, emit flammable gases (Category 1), H260

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Aldrich - 75760

Page 1 of 11



Pictogram



Signal Word Danger

**Hazard Statements** 

H260 In contact with water releases flammable gases which may

ignite spontaneously.

H301 + H331 Toxic if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

**Precautionary Statements** 

P223 Do not allow contact with water.

P231 + P232 Handle under inert gas. Protect from moisture.

P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

P335 + P334 Brush off loose particles from skin. Immerse in cool water/ wrap

in wet bandages.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam to extinguish.

P402 + P404 Store in a dry place. Store in a closed container.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Reacts violently with water.

Contact with water liberates toxic gas.

Corrosive to the respiratory tract.

Lachrymator.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Ethanedioyl dichloride

Aldrich - 75760

Page 2 of 11



Component	Classification	Concentration
oxalyl chloride		
	1; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; H260, H301, H331, H314, H318	<= 100 %

·	>= 0.1 - < 1
•	ox. 1; Skin Corr. Dam. 1; H280, H314, H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

## **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

## In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Aldrich - 75760

Page 3 of 11



# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2) Dry powder

# Unsuitable extinguishing media

Foam Water

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Hydrogen chloride gas

Phosaene

Carbon oxides

Hydrogen chloride gas

Combustible.

May not get in touch with: Water

Development of hazardous combustion gases or vapours possible in the event of fire.

#### **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

## 6.4 Reference to other sections

For disposal see section 13.

Aldrich - 75760



Page 4 of 11

### **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

## Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep workplace dry. Do not allow product to come into contact with water.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Never allow product to get in contact with water during storage.

Store under inert gas. Moisture sensitive.

# Storage class

Storage class (TRGS 510): 4.3: Hazardous materials, which set free flammable gases upon contact with water

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingredients with workplace control parameters



Component	CAS-No.	Value	Control parameters	Basis
carbonyl chloride	75-44-5	TWA	0.1 ppm 0.4 mg/m3	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
		TWA	0.1 ppm 0.4 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		С	0.02 ppm	USA. ACGIH Threshold Limit Values (TLV)
		С	0.2 ppm 0.8 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	0.1 ppm 0.4 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	0.1 ppm 0.4 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

### 8.2 Exposure controls

## **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

# **Personal protective equipment**

# Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

# Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 30 min

Material tested:Butoject® (KCL 898)

# **Body Protection**

protective clothing

### Respiratory protection

Recommended Filter type: Filter type B

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387

Aldrich - 75760



Aillipore

and other accompanying standards relating to the used respiratory protection system.

# Control of environmental exposure

Do not let product enter drains. Risk of explosion.

## **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

b) Odorc) Odor Thresholdd) pHNo data availableNo data available

e) Melting point/range: -10 - -8 °C (14 - 18 °F) - lit.

No data available

199.98 hPa at 20 °C (68 °F)

point/freezing point

f) Initial boiling point 62 - 65 °C 144 - 149 °F - lit. and boiling range

g) Flash point ()No data availableh) Evaporation rate No data availablei) Flammability (solid, No data available

) Flammability (solid, gas)

gas)

j) Upper/lower flammability or explosive limits

k) Vapor pressure

explosive littles

I) Vapor density No data available

m) Density 1.5 g/cm3 at 20 °C (68 °F) - lit.

Relative density No data available

n) Water solubility No data available

o) Partition coefficient: No data available
n-octanol/water

n-octanoi/water

p) Autoignition No data available

temperature

q) Decomposition No data available

temperature

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties none

# 9.2 Other safety information

No data available

Aldrich - 75760

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Reacts violently with water. Contact with water liberates toxic gas.

### 10.2 Chemical stability

sensitive to moisture

## 10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

Water

Exothermic reaction with:

Alcohols

alkalines

Oxidizing agents

Risk of explosion with:

Alkali metals

dimethyl sulfoxide

#### 10.4 Conditions to avoid

Do not allow water to enter container. Light.

Exposure to moisture.

Moisture.

# 10.5 Incompatible materials

Strong oxidizing agents

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

### Acute toxicity

Acute toxicity estimate Oral - 100.1 mg/kg

(Calculation method)

Acute toxicity estimate Oral - 100.1 mg/kg

(Expert judgment)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute toxicity estimate Inhalation - 4 h - 2.22 mg/l - vapor(Calculation method)

LC50 Inhalation - Rat - 4 h - 2.43 mg/l - vapor

Remarks: (ECHA)

Inhalation: Irritating to respiratory system.

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, Inhalation may lead to the formation of oedemas in the respiratory tract.

Aldrich - 75760

Page 8 of 11



Dermal: No data available

Skin corrosion/irritation

Remarks: Causes skin burns.

(ECHA)

**Serious eye damage/eye irritation** Remarks: Causes serious eye damage.

## Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

No data available

# Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

# **Reproductive toxicity**

No data available

# Specific target organ toxicity - single exposure

Corrosive to the respiratory tract.

## Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### 11.2 Additional Information

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Decomposition of the substance with tissue moisture.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

Aldrich - 75760





# 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

Reacts with water to form toxic decomposition products.

The following may develop after reaction of the product with water:

hydrochloric acid

Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

DOT (US)

UN number: 3129 Class: 4.3 (8) Packing group: I

Proper shipping name: Water-reactive liquid, corrosive, n.o.s. (oxalyl chloride)

Reportable Quantity (RQ): 5000 lbs

Poison Inhalation Hazard: No.

**IMDG** 

UN number: 3129 Class: 4.3 (8) Packing group: I EMS-No: F-G, S-N Proper shipping name: WATER-REACTIVE LIQUID, CORROSIVE, N.O.S. (oxalyl chloride)

**IATA** 

UN number: 3129 Class: 4.3 (8) Packing group: I

Proper shipping name: Water-reactive liquid, corrosive, n.o.s. (oxalyl chloride)

IATA Passenger: Not permitted for transport

Aldrich - 75760

Page 10 of 11



## **SECTION 15: Regulatory information**

## **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

## **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Acute Health Hazard

# **Massachusetts Right To Know Components**

trichloroacetyl chloride	CAS-No. 76-02-8	Revision Date 1989-08-11
carbonyl chloride	75-44-5	2007-03-01
Pennsylvania Right To Know Components trichloroacetyl chloride	CAS-No. 76-02-8	Revision Date 1989-08-11
carbonyl chloride	75-44-5	2007-03-01

#### **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for integral use only

for internal use only.
The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the product ordered. For further information please contact misbranding@sial.com.

Version: 6.9

Revision Date: 12/07/2023

Print Date: 09/07/2024

Aldrich - 75760

