

SAFETY DATA SHEET

Version 8.7 Revision Date 08/06/2024 Print Date 08/07/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	:	Diethylene glycol dimethyl ether
Product Number Brand Index-No.	:	M14102 SIGALD 603-139-00-0
CAS-No.	:	111-96-6
		*** • • • • • • • • • • • • • • • • • •

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses
Processing aid, Solvent, For industrial use only.Intermediate
This product is not intended for consumer use.The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax		+1 314 771-5765 +1 800 325-5052
Emergency telephone		
Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Reproductive toxicity (Category 1B), H360

For the full text of the H-Statements mentioned in this Section, see Section 16.

Hours/day; 7 Days/week

SIGALD - M14102

1.4

Page 1 of 11



2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Danger
Hazard Statements H226 H360	Flammable liquid and vapor. May damage fertility or the unborn child.
Precautionary Statements	
P201 P202	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243 P280	Take precautionary measures against static discharge. Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

Substances Synonyms	:	2-Methoxyethyl ether 'Diglyme' Dimethyldiglycol Bis(2-methoxyethyl) ethe	er	
Formula Molecular weight CAS-No. EC-No. Index-No.	:	C ₆ H ₁₄ O ₃ 134.17 g/mol 111-96-6 203-924-4 603-139-00-0		

SIGALD - M14102

Page 2 of 11



Diethyleneglycol dimethylether		
	Flam. Liq. 3; Repr. 1B; H226, H360	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

- **4.1 Description of first-aid measures** No data available
- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

- 5.1 Extinguishing media No data available
- **5.2** Special hazards arising from the substance or mixture Carbon oxides Combustible.
- 5.3 Advice for firefighters No data available
- **5.4 Further information** No data available

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** For personal protection see section 8.
- 6.2 Environmental precautions No data available
- 6.3 Methods and materials for containment and cleaning up No data available
- **6.4** Reference to other sections For disposal see section 13.

SIGALD - M14102

Page 3 of 11



SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities No data available

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Diethyleneglycol dimethylether	111-96-6	PEL	1 ppm 5.5 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
	Remarks	Skin		
		STEL	5 ppm 27 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		Skin		

Derived No Effect Level (DNEL)

Application Area Routes of		Health effect	Value			
	exposure					
Workers	Inhalation	Long-term systemic effects	26.8 mg/m3			
Workers	Skin contact	Long-term systemic effects	2.08mg/kg BW/d			
Consumers	Inhalation	Long-term systemic effects	6.67 mg/m3			
Consumers	Skin contact	Long-term systemic effects	1.04mg/kg BW/d			
Consumers	Ingestion	Long-term systemic effects	1.04mg/kg BW/d			

Predicted No Effect Concentration (PNEC)

Compartment	Value	
Water	9.43 mg/l	
Soil	1.72 mg/kg	
Sea water	0.64 mg/l	
Fresh water	6.4 mg/l	
Sea sediment	2.74 mg/kg	
Fresh water sediment	27.4 mg/kg	
Onsite sewage treatment plant	50 mg/l	

SIGALD - M14102

Page 4 of 11



8.2 Exposure controls

Personal protective equipment

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact

Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 30 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Prevent product from entering drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: clear, liquid Color: colorless
b)	Odor	ether-like
c)	Odor Threshold	No data available
d)	рН	at 20 °C (68 °F)neutral

e) Melting Melting point/ range: -64 °C (-83 °F) - lit.

SIGALD - M14102

Page 5 of 11



point/freezing point

f)	Initial boiling point and boiling range	162 °C 324 °F - lit.					
g)	Flash point	57 °C (135 °F) - closed cup					
h)	Evaporation rate	No data available					
i)	Flammability (solid, gas)	No data available					
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 17.4 %(V)					
k)	Vapor pressure	3.99 hPa at 20 °C (68 °F)					
I)	Vapor density	4.62 - (Air = 1.0)					
m)	Density	0.943 g/cm3 at 25 °C (77 °F) - lit.					
	Relative density	No data available					
n)	Water solubility	soluble					
o)	Partition coefficient: n-octanol/water	log Pow: -0.36 at 25 °C (77 °F) - Bioaccumulation is not expected., (External MSDS)					
p)	Autoignition temperature	not auto-flammable					
q)	Decomposition temperature	> 165 °C (> 329 °F) -					
r)	Viscosity	No data available					
s)	Explosive properties	No data available					
t)	Oxidizing properties	none					
Otl	Other safety information						

Relative vapor 4.62 - (Air = 1.0) density

SECTION 10: Stability and reactivity

10.1 Reactivity No data available

9.2

- **10.2 Chemical stability** Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** No data available

SIGALD - M14102

Page 6 of 11



10.5 Incompatible materials Strong oxidizing agents

10.6 Hazardous decomposition products In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 5,400 mg/kg Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Ataxia. Respiratory disorder (RTECS) LC50 Inhalation - Rat - male and female - 7 h - > 11 mg/l - vapor

(OECD Test Guideline 403) Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 24 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: unscheduled DNA synthesis assay Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 482 Result: negative Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative

Test Type: Chromosome aberration test Species: Rat Cell type: Bone marrow Application Route: inhalation (vapor) Method: OECD Test Guideline 475 Result: negative

Carcinogenicity

SIGALD - M14102

Page 7 of 11



- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

May damage the unborn child. May damage fertility.

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: KN3339000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 8,569 mg/l - 96 h Remarks: (IUCLID)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - 943 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	semi-static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 10,000 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC20 - activated sludge - 1,067 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Daphnia magna (Water flea) - 320 mg/l - 21 d (OECD Test Guideline 211)

SIGALD - M14102

Page 8 of 11



12.2 Persistence and degradability

Biodegradability

aerobic - Exposure time 28 d Result: 67 % - Inherently biodegradable. (OECD Test Guideline 302B)

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

- **12.5 Results of PBT and vPvB assessment** PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects**

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods No data available

SECTION 14: Transport information

DOT (US)

UN number: 3271 Class: 3 Proper shipping name: Ethers, n.o.s. Reportable Quantity (RQ): Poison Inhalation Hazard: No Packing group: III

IMDG

UN number: 3271 Class: 3 Packing group: III EMS-No: F-E, S-D Proper shipping name: ETHERS, N.O.S. (Diethyleneglycol dimethylether) (Diethyleneglycol dimethylether)

ΙΑΤΑ

UN number: 3271 Class: 3 Packing group: III Proper shipping name: Ethers, n.o.s. (Diethyleneglycol dimethylether) (Diethyleneglycol dimethylether)

SIGALD - M14102

Page 9 of 11



SECTION 15: Regulatory information

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Fire Hazard Chronic Health Hazard				
SARA 313	: The following components are subject to reporting levels established by SARA Title III, Section 313:					
		Diethyleneglyc 111-96-6 >= 90 - <= 100 ° ol dimethylether	%			
US State Regulations						
Massachusetts Right To	Kı	now				
No components a	re	subject to the Massachusetts Right to Know Act.				
Massachusetts Right To						
		subject to the Massachusetts Right to Know Act.				
Pennsylvania Right To k						
Diethyleneglycol dimethylether 111-96-6						
Pennsylvania Right To Know						
Diethyleneglycol	Diethyleneglycol dimethylether 111-96-6					
Maine Chemicals of High Concern						
Product does not contain any listed chemicals						
Vermont Chemicals of H	-					
Product does not	со	ntain any listed chemicals				
-	Washington Chemicals of High Concern Product does not contain any listed chemicals					
New Jersey Right To Kn	ow	I				
Diethyleneglycol	din	nethylether 111-96-6				
The ingredients of this p	oro	duct are reported in the following inventories	:			
TSCA	:	All substances listed as active on the TSCA invento	ory			

TSCA list

The following substance(s) is/are subject to a Significant New Use Rule: Diethyleneglycol dimethylether 111-96-6 See 40 CFR § 721.10229; Final SIGALD - M14102

Page 10 of 11



The following substance(s) is/are subject to TSCA 12(b) export notification requirements: Diethyleneglycol dimethylether 111-96-6

SECTION 16: Other information

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 8.7 Revision Date: 08/06/2024 Print Date: 08/07/2024

SIGALD - M14102

Page 11 of 11

