

SAFETY DATA SHEET

| SEC | TION 1: Identification | of t | he substance/mixture and of the company/undertaking | |
|--|--|------|---|--|
| 1.1 | .1 Product identifiers | | | |
| | Product name | : | Methyl Red solution | |
| | Product Number Brand | : | 08714 Sigma-Aldrich | |
| 1.2 Relevant identified uses of the substance or mixture and uses a | | | of the substance or mixture and uses advised against | |
| | Identified uses | : | Laboratory chemicals, Synthesis of substances | |
| | Uses advised against | : | The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma. | |
| 1.3 | 1.3 Details of the supplier of the safety data sheet | | f the safety data sheet | |
| | Company | : | Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES | |
| | Telephone Fax | : | +1 314 771-5765 +1 800 325-5052 | |
| 1.4 | Emergency telephone | • | | |
| | Emergency Phone # | : | 800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Eye irritation (Category 2A), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

Hours/day; 7 Days/week

2.2 GHS Label elements, including precautionary statements

Sigma-Aldrich - 08714

Page 1 of 12



| Pictogram | |
|--|---|
| Signal Word | Danger |
| Hazard Statements H225 H319 | Highly flammable liquid and vapor. Causes serious eye irritation. |
| Precautionary Statements P210 | Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. |
| P233 P240 P241 P242 P243 P264 P280 P303 + P361 + P353 | Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection. IF ON SKIN (or hair): Take off immediately all contaminated |
| P305 + P351 + P338 | clothing. Rinse skin with water/ shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337 + P313 P370 + P378 | If eye irritation persists: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. |
| P403 + P235 P501 | Store in a well-ventilated place. Keep cool. Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Formula | : | $C_{15}H_{15}N_3O_2$ |
|------------------|---|----------------------|
| Molecular weight | : | 269.3 g/mol |

| Component | | Classification | Concentration |
|--------------|-------------------|------------------------------|---------------|
| ethanol | | | |
| CAS-No. | 64-17-5 | Flam. Liq. 2; Eye Irrit. 2A; | >= 50 - < 70 |
| EC-No. | 200-578-6 | H225, H319 | % |
| Index-No. | 603-002-00-5 | Concentration limits: | |
| Registration | 01-2119457610-43- | >= 50 %: Eye Irrit. 2A, | |
| number | XXXX | H319; | |

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - 08714

Page 2 of 12



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Sigma-Aldrich - 08714

Page 3 of 12



SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Sigma-Aldrich - 08714

Page 4 of 12



| Component | CAS-No. | Value | Control parameters | Basis |
|-----------|---------|--|--------------------------|--|
| ethanol | 64-17-5 | TWA | 1,000 ppm 1,900 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| | | STEL | 1,000 ppm | USA. ACGIH Threshold Limit Values (TLV) |
| | Remarks | Confirmed animal carcinogen with unknown relevance to humans | | en with unknown relevance to |
| | | TWA | 1,000 ppm 1,900 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | PEL | 1,000 ppm 1,900 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.2 mm Break through time: 30 min Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Flame retardant antistatic protective clothing.

Sigma-Aldrich - 08714

Page 5 of 12



Respiratory protection

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | a) | Appearance | Form: clear, liquid Color: dark red | |
|-----------------------|----|--|--|--|
| | b) | Odor | No data available | |
| | c) | Odor Threshold | No data available | |
| | d) | рН | No data available | |
| | e) | Melting point/freezing point | No data available | |
| | f) | Initial boiling point and boiling range | No data available | |
| | g) | Flash point | 21 °C (70 °F) | |
| | h) | Evaporation rate | No data available | |
| | i) | Flammability (solid, gas) | No data available | |
| | j) | Upper/lower flammability or explosive limits | No data available | |
| | k) | Vapor pressure | No data available | |
| | I) | Vapor density | No data available | |
| | m) | Density | No data available | |
| | | Relative density | No data available | |
| | n) | Water solubility | No data available | |
| | o) | Partition coefficient: n-octanol/water | No data available | |
| | p) | Autoignition temperature | No data available | |
| | q) | Decomposition | No data available | |
| Sigma-Aldrich - 08714 | | | | |

Page 6 of 12



temperature

- r) Viscosity No data available
- s) Explosive properties Not classified as explosive.
- t) Oxidizing properties none
- 9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity Vapors may form explosive mixture with air.

- **10.2 Chemical stability** Reacts with air to form peroxides. The product is chemically stable under standard ambient conditions (room temperature) .
- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** Avoid moisture. Warming.
- **10.5 Incompatible materials** Peroxides
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity Oral: No data available

Inhalation: No data available

Symptoms: Possible symptoms:, mucosal irritations Dermal: No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation Remarks: Mixture causes serious eye irritation.

Respiratory or skin sensitization No data available

Sigma-Aldrich - 08714

Page 7 of 12



Germ cell mutagenicity

No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

Weakness, Confusion., Drowsiness, Unconsciousness, May cause convulsions., Methyl alcohol may be fatal or cause blindness if swallowed., Cannot be made non-poisonous. Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Kidney - Irregularities - Based on Human Evidence

Components

ethanol

Acute toxicity

LD50 Oral - Rat - male and female - 10,470 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4 h - 124.7 mg/l - vapor (OECD Test Guideline 403) Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 24 h (OECD Test Guideline 404)

Serious eye damage/eye irritation Eyes - Rabbit Result: Causes serious eye irritation.

Sigma-Aldrich - 08714

Page 8 of 12



(OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Methanol

Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Result: negative Method: OECD Test Guideline 478 Species: Mouse - male Result: Positive results were obtained in some in vivo tests.

Carcinogenicity

No data available

Reproductive toxicity No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available

12.4 Mobility in soil No data available

- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available

Sigma-Aldrich - 08714

Page 9 of 12



12.7 Other adverse effects

No data available

Components

ethanol

| d | noi | |
|---|--|--|
| | Toxicity to fish | flow-through test LC50 - Pimephales promelas (fathead minnow) - 15,300 mg/l - 96 h (US-EPA) |
| | Toxicity to daphnia and other aquatic invertebrates | static test LC50 - Ceriodaphnia dubia (water flea) - 5,012 mg/l - 48 h Remarks: (ECHA) |
| | Toxicity to algae | static test ErC50 - Chlorella vulgaris (Fresh water algae) - 275 mg/l - 72 h (OECD Test Guideline 201) |
| | Toxicity to bacteria | static test IC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209) |
| | Toxicity to fish(Chronic toxicity) | semi-static test NOEC - Danio rerio (zebra fish) - 250 mg/l - 120 h Remarks: (ECHA) |
| | Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity) | semi-static test NOEC - Daphnia magna (Water flea) - 9.6 mg/l - 9 d Remarks: (ECHA) |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 1170 Class: 3 Proper shipping name: Ethanol solutions Reportable Quantity (RQ):

Packing group: II

Sigma-Aldrich - 08714

Page 10 of 12



IMDG

UN number: 1170 Class: 3 Packing group: II Proper shipping name: ETHANOL SOLUTION

ΙΑΤΑ

UN number: 1170 Class: 3 Packing group: II Proper shipping name: Ethanol solution

SECTION 15: Regulatory information

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

| SARA 311/312 Hazards | : | Fire Hazard Acute Health Hazard Chronic Health Hazard | | | |
|--------------------------------------|---|---|--|--|--|
| SARA 313 | : | This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. | | | |
| US State Regulations | | | | | |
| Massachusetts Right To Know | | | | | |
| ethanol | | 64-17-5 | | | |
| water | | 7732-18-5 | | | |
| Pennsylvania Right To Know | | | | | |
| ethanol | | 64-17-5 | | | |
| Maine Chemicals of High Concern | | | | | |
| water | | 7732-18-5 | | | |
| Vermont Chemicals of High Concern | | | | | |
| water | | 7732-18-5 | | | |
| Washington Chemicals of High Concern | | | | | |
| water | | 7732-18-5 | | | |
| | | | | | |

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

Sigma-Aldrich - 08714

Page 11 of 12

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



EMS-No: F-E, S-D

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.9 Revision Date: 09/06/2024 Print Date: 09/07/2024

Sigma-Aldrich - 08714

Page 12 of 12

