sigma-aldrich.com

# SAFETY DATA SHEET

Version 3.20 Revision Date 06/02/2016 Print Date 12/12/2016

# **1. PRODUCT AND COMPANY IDENTIFICATION**

1.1	Product identifiers Product name	:	Chloroform
	Product Number Brand Index-No.	:	372978 Sigma-Aldrich 602-006-00-4
	CAS-No.	:	67-66-3

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone Fax	-	+1 800-325-5832 +1 800-325-5052

#### 1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

# 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 3), H331 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Carcinogenicity (Category 2), H351 Reproductive toxicity (Category 2), H361 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 Specific target organ toxicity - repeated exposure (Category 1), Liver, Kidney, H372 Acute aquatic toxicity (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

•	5
Hazard statement(s)	
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.

Danger

H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H372	Causes damage to organs (Liver, Kidney) through prolonged or repeated
	exposure.
H402	Harmful to aquatic life.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear eye protection/ face protection.
P280	Wear protective gloves.
P281	Use personal protective equipment as required.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
	Rinse mouth.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P311	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.1 Substances

Synonyms	:	Trichloromethane
		Methylidyne trichloride

Formula	:	CHCI3
Molecular weight	:	119.38 g/mol
CAS-No.	:	67-66-3
EC-No.	:	200-663-8
Index-No.	:	602-006-00-4

# Hazardous components

Component	Classification	Concentration
Chloroform		
	Acute Tox. 4; Acute Tox. 3; Skin Irrit. 2; Eye Irrit. 2A; Carc. 2; Repr. 2; STOT SE 3; STOT RE 1; Aquatic Acute 3; H302, H315, H319, H331, H336, H351, H361, H372, H402	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# **4.2** Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

# **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

#### **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information No data available

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

### Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis			
			parameters				
Chloroform	67-66-3	TWA	10.000000 ppm	USA. ACGIH Threshold Limit Values			
				(TLV)			
	Remarks		Central Nervous System impairment				
			Liver damage				
			Embryo/fetal damage				
				with unknown relevance to humans			
		ST	2.000000 ppm	USA. NIOSH Recommended			
			9.780000	Exposure Limits			
			mg/m3				
			Potential Occupational Carcinogen				
		See Appen					
		С	50.000000 ppm	USA. Occupational Exposure Limits			
			240.000000	(OSHA) - Table Z-1 Limits for Air			
			mg/m3	Contaminants			
			The value in mg/m3 is approximate.				
			Ceiling limit is to be determined from breathing-zone air samples.				
		TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)			
		Control Nor					
			Central Nervous System impairment Liver damage				
			Embryo/fetal damage				
				with unknown relevance to humans			
		ST	2 ppm	USA. NIOSH Recommended			
		01	9.78 mg/m3	Exposure Limits			
		Potential O	ccupational Carcino				
		See Appen					
		C	50 ppm	USA. Occupational Exposure Limits			
		-	240 mg/m3	(OSHA) - Table Z-1 Limits for Air			
			- 3	Contaminants			
		The value i	n mg/m3 is approxi				
			Ceiling limit is to be determined from breathing-zone air samples.				
		TWA	2 ppm	USA. OSHA - TABLE Z-1 Limits for			
			9.78 mg/m3	Air Contaminants - 1910.1000			
		PEL	2 ppm	California permissible exposure			
			9.78 mg/m3	limits for chemical contaminants			
			J	(Title 8, Article 107)			

#### 8.2 Exposure controls

# Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

°F)

#### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid, clear Colour: colourless
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: -63 °C (-81 °F)
f)	Initial boiling point and boiling range	60.5 - 61.5 °C (140.9 - 142.7 °F)
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	213.3 hPa (160.0 mmHg) at 20.0 °C (68.0
l) Sigma-Aldric	Vapour density h - 372978	No data available

m)	Relative density	1.492 g/mL at 25 °C (77 °F)
n)	Water solubility	No data available
o)	Partition coefficient: n- octanol/water	log Pow: 1.97
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Oth	er safety information	
	Surface tension	27.1 mN/m at 20.0 °C (68.0 °F)

# 10. STABILITY AND REACTIVITY

# 10.1 Reactivity

9.2

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions. Contains the following stabiliser(s): 2-Methyl-2-butene (>=0.001 - <=0.015 %)

- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5** Incompatible materials Strong oxidizing agents, Strong bases, Magnesium, Sodium/sodium oxides, Lithium

#### **10.6 Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas Other decomposition products - No data available In the event of fire: see section 5

# **11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

# Acute toxicity

No data available

LD50 Oral - Rat - 908 mg/kg Remarks: Behavioral:Change in motor activity (specific assay). Behavioral:Ataxia. Lungs, Thorax, or Respiration:Respiratory stimulation.

Inhalation: No data available

LOEC Inhalation - Rat - male - 6 h - 500 ppm

LD50 Dermal - Rabbit - > 20,000 mg/kg

No data available

#### Skin corrosion/irritation

Skin - Rabbit Result: Irritating to skin. - 24 h

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Irritating to eyes. - 24 h

# Respiratory or skin sensitisation

Did not cause sensitisation on laboratory animals.

#### Germ cell mutagenicity

Laboratory experiments have shown mutagenic effects.

#### Carcinogenicity

Carcinogenicity - Rat - Oral Tumorigenic:Carcinogenic by RTECS criteria. Leukaemia

The National Cancer Institute (NCI) has found clear evidence for carcinogenicity. Limited evidence of a carcinogenic effect.

IARC:	2B - Group 2B: Possib	ly carcinogenic to humans	(Chloroform)
<i>ii</i> (100.	2D 0100p 2D. 1 00010	ly ouron ogerne to numuno i	

NTP: Reasonably anticipated to be a human carcinogen (Chloroform)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

Suspected of damaging the unborn child. Suspected human reproductive toxicant

#### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

#### Specific target organ toxicity - repeated exposure

The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1. - Liver, Kidney

# Aspiration hazard

No data available

#### Additional Information

RTECS: FS9100000

Vomiting, Gastrointestinal disturbance, Exposure to and/or consumption of alcohol may increase toxic effects.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

# **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

Develotones and deared	
Toxicity to algae	EC50 - No information available 500.00 mg/l - 24 h
	NOEC - Daphnia magna (Water flea) - 120 mg/l - 11 d
	Immobilization EC50 - Daphnia magna (Water flea) - 51.6 mg/l - 48 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 79.00 mg/l - 24 h
	NOEC - Oncorhynchus mykiss (rainbow trout) - 24 mg/l - 96 h
	NOEC - Oryzias latipes - 122 mg/l - 10 d
	LC50 - Danio rerio (zebra fish) - 121 mg/l - 96 h
	LC50 - other fish - 97 mg/l - 96 h
	LC100 - Leuciscus idus (Golden orfe) - 220 mg/l - 48 h
Toxicity to fish	LC50 - Leuciscus idus (Golden orfe) - 162 mg/l - 48 h

#### **12.2 Persistence and degradability** No data available

#### 12.3 Bioaccumulative potential

Bioaccumulation

Lepomis macrochirus (Bluegill) - 14 d - 0.11 mg/l

Bioconcentration factor (BCF): 6

### 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

# **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### Product

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

# **14. TRANSPORT INFORMATION**

EMS-No:	F-A, S-A
by SARA Title III,	
	Revision Date 2008-11-03
000	2000 11 00
by SARA Title III,	Section 313:
AS-No.	Revision Date
AS-No.	
AS-No.	Revision Date
4Ś-No. *-66-3	Revision Date 2008-11-03
AŚ-No. 7-66-3 AS-No.	Revision Date
AŚ-No. 7-66-3 AS-No.	Revision Date 2008-11-03 Revision Date
4	Ś-No.

Chloroform	67-66-3	2008-11-03
New Jersey Right To Know Components	CAS-No.	Revision Date
Chloroform	67-66-3	2008-11-03
<b>California Prop. 65 Components</b> WARNING! This product contains a chemical known to the State of California to cause cancer. Chloroform	CAS-No. 67-66-3	Revision Date 2011-09-01
WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. Chloroform	CAS-No. 67-66-3	Revision Date 2011-09-01

# **16. OTHER INFORMATION**

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Aquatic Acute Carc.	Acute toxicity Acute aquatic toxicity Carcinogenicity
Eye Irrit.	Eye irritation
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H402	Harmful to aquatic life.
Repr.	Reproductive toxicity
Skin Irrit.	Skin irritation
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure

# **HMIS Rating**

Health hazard: Chronic Health Hazard:	2 *
Flammability:	0
Physical Hazard	0
NFPA Rating	
Health hazard:	3
Fire Hazard:	0

0

Fire Hazard:	
Reactivity Hazard:	

#### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

**Preparation Information** Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.20

Revision Date: 06/02/2016

Print Date: 12/12/2016