

SAFETY DATA SHEET

according to the OSHA
Hazard Communication Standard

Version 6.12
Revision Date 07/14/2026
Print Date 07/15/2026

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : 4-Nitroaniline

Product Number : 185310
Brand : Aldrich
Index-No. : 612-012-00-9
CAS-No. : 100-01-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Restrictions on use : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 SPRUCE ST
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765
Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-
527-3887 CHEMTREC (International) 24
Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Acute toxicity (Oral)	: Category 3
Acute toxicity (Inhalation)	: Category 3
Acute toxicity (Dermal)	: Category 3
Specific target organ toxicity - repeated exposure	: Category 2
Short-term (acute) aquatic hazard	: Category 3
Long-term (chronic) aquatic hazard	: Category 3

Other hazards

None known.

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.
H373 May cause damage to organs through prolonged or repeated exposure.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing.
Response:
P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.
P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.

P314 Get medical advice/ attention if you feel unwell.
P362 Take off contaminated clothing and wash before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

CAS-No. : 100-01-6

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
4-Nitroaniline	100-01-6*	>= 90 - <= 100	-

* Indicates that the identifier is a CAS No.

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : First aiders need to protect themselves.
Show this safety data sheet to the doctor in attendance.
- If inhaled : After inhalation: fresh air. Immediately call in physician.
If breathing stops: immediately apply artificial respiration, if necessary also oxygen.
- In case of skin contact : In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.
Call a physician immediately.
- In case of eye contact : After eye contact: rinse out with plenty of water.
Call in ophthalmologist.
Remove contact lenses.
- If swallowed : If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available

within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

Most important symptoms and effects, both acute and delayed	: The most important known symptoms and effects are described in the labelling (see section 2 GHS label elements) and/or in section 11
Protection of first-aiders	: For personal protection see section 8.
Notes to physician	: No data available

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water Foam Carbon dioxide (CO ₂) Dry powder
------------------------------	--

Unsuitable extinguishing media	: For this substance/mixture no limitations of extinguishing agents are given.
--------------------------------	--

Specific hazards during fire fighting	: Combustible.
---------------------------------------	----------------

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO _x)
-------------------------------	---

Specific extinguishing methods	: No data available
--------------------------------	---------------------

Further information	: Suppress (knock down) gases/vapours/mists with a water spray jet.
---------------------	---

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters : Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel:
Avoid generation and inhalation of dusts in all circumstances.
Avoid substance contact.
Ensure adequate ventilation.
Evacuate the danger area, observe emergency procedures, consult an expert.
Advice for emergency responders:
Wear appropriate personal protective equipment, as indicated in Section 8.

Environmental precautions : Do not let product enter drains.

Methods and materials for containment and cleaning up : Cover drains. Collect, bind, and pump off spills.
Observe possible material restrictions (see sections 7 and 10).
Take up carefully. Dispose of properly. Clean up affected area.
Avoid generation of dusts.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2 GHS label elements

Advice on safe handling : Work under hood. Do not inhale substance/mixture.

Further information on storage conditions : Tightly closed.
Dry.
Keep in a well-ventilated place.
Keep locked up or in an area accessible only to qualified or authorised persons.

Storage class : 6.1A, Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

Recommended storage temperature : Recommended storage temperature see product label.

Further information on storage stability : Moisture sensitive.

Packaging material : Suitable material: Amber Glass Bottle/Jar

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
4-Nitroaniline	100-01-6	TWA	3 mg/m ³	ACGIH
		TWA	3 mg/m ³	NIOSH REL
		TWA	1 ppm 6 mg/m ³	OSHA Z-1

Engineering measures : No data available

Personal protective equipment

Respiratory protection : required when dusts are generated.
Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: : Filter A-(P2)

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Full contact
Manufacturer : KCL 741 Dermatril® L

Material : Nitrile rubber
Break through time : 480 min

Glove thickness : 0.11 mm
Protective index : Splash contact
Manufacturer : KCL 741 Dermatril® L

Remarks : This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Safety glasses

Skin and body protection : protective clothing

Hygiene measures : Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : crystalline

Colour : yellow

Odour : Ammonia odor

Odour Threshold : No data available
pH : 7.0

Melting point/ range : 295 - 300 °F / 146 - 149 °C
Method: lit.

Boiling point/boiling range : 500 °F / 260 °C (133 hPa)
Method: lit.

Flash point : 415.4 °F / 213.0 °C
Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Aldrich - 185310

Page 7 of 15

Flammability (liquids)	: No data available
Burning rate	: No data available
Self-ignition	: 356.0 °F / 180.0 °C
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: 0.005 hPa (77.0 °F / 25.0 °C)
Relative vapour density	: No data available
Relative density	: No data available
Density	: 1.44 g/cm ³
Solubility(ies)	
Water solubility	: slightly soluble
Partition coefficient: n- octanol/water	: log Pow: 1.39
	log Pow: 5
Autoignition temperature	: 356 °F / 180 °C
Decomposition temperature	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Flow time	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: 138.12 g/mol
Particle characteristics	
Particle size	: No data available

SECTION 10. STABILITY AND REACTIVITY

Aldrich - 185310

Page 8 of 15

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

**Millipore
Sigma**

Reactivity	: Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.
Chemical stability	: The product is chemically stable under standard ambient conditions (room temperature) .
Possibility of hazardous reactions	: Risk of ignition or formation of inflammable gases or vapours with: Organic Substances magnesium Nitric acid Exothermic reaction with: sulfuric acid Risk of explosion with: Sodium hydroxide organic nitro compounds Ether Violent reactions possible with: strong reducing agents Bases Acid chlorides Acid anhydrides Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!
Conditions to avoid	: Strong heating.
Incompatible materials	: rubber various plastics
Hazardous decomposition products	: In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 750.0 mg/kg

LC50 Inhalation - 4 h - 0.51 mg/l - dust/mist

LD50 Dermal - Guinea pig - > 500.0 mg/kg

No data available

Skin corrosion/irritation

Remarks: No data available

Aldrich - 185310

Page 9 of 15

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available

11.2 Additional Information

RTECS: BY7000000

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer., Exposure to and/or consumption of alcohol may increase toxic effects., Headache, Unconsciousness, Cough, chest pain, Difficulty in breathing, Drowsiness, Nausea, Cyanosis, Ataxia., Diarrhoea, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., p-Nitroaniline is readily absorbed by inhalation, ingestion, or skin absorption. It is a strong methemoglobin former. Cyanosis is the first manifestation of toxicity.

Liver -

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****4-Nitroaniline:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 85.7
- 142 mg/l
Exposure time: 96.0 h

Aldrich - 185310

Page 10 of 15

LC50 (Leuciscus idus (Golden orfe)): 35 mg/l
Exposure time: 48.0 h

LC50 (Danio rerio (zebra fish)): 87.6 mg/l
Exposure time: 96.0 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 17.00 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Algae): 68.00 mg/l
Exposure time: 24 h

Persistence and degradability

Components:

4-Nitroaniline:

Biodegradability : Remarks: No data available

Bioaccumulative potential

Components:

4-Nitroaniline:

Bioaccumulation : Species: Danio rerio (zebra fish)
Bioconcentration factor (BCF): 4.4
Exposure time: 96 h
Concentration: 0.028 mg/l

Partition coefficient: n-octanol/water : log Pow: 1.39

log Pow: 5

Mobility in soil

Components:

4-Nitroaniline:

Stability in soil : Remarks: No data available

Other adverse effects

No data available

Endocrine disrupting properties

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 1661
Proper shipping name : Nitroanilines
Class : 6.1
Packing group : II
Labels : Division 6.1 - Toxic substances
Packing instruction (cargo aircraft) : 676
Packing instruction (passenger aircraft) : 669

IMDG-Code

UN number : UN 1661
Proper shipping name : NITROANILINES (o-, m-, p-)

Class : 6.1
Packing group : II
Labels : 6.1
EmS Code : F-A, S-A
Marine pollutant : no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number : UN 1661
Proper shipping name : Nitroanilines

Class : 6.1

Packing group : II
Labels : Division 6.1 - Toxic substances
ERG Code : 153
Marine pollutant : no
Poison Inhalation Hazard : No

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
4-Nitroaniline	100-01-6	5000	5000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

4-Nitroaniline 100-01-6 $\geq 90 - \leq 100$ %

US State Regulations

Massachusetts Right To Know

4-Nitroaniline 100-01-6

Pennsylvania Right To Know

4-Nitroaniline 100-01-6

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The components of this product are reported in the following inventories:

US TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall

not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 07/14/2026

US / EN