# **SAFETY DATA SHEET**

Version 4.16 Revision Date 07/25/2018 Print Date 11/10/2018

#### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Dimethyl sulfoxide

Product Number : D8418 Brand : Sigma

CAS-No. : 67-68-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

## 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram none
Signal word Warning

Hazard statement(s)

H227 Combustible liquid.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P280 Wear protective gloves/ eye protection/ face protection.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to

extinguish.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Rapidly absorbed through skin.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Synonyms : DMSO

Methyl sulfoxide

Formula :  $C_2H_6OS$ Molecular weight : 78.13 g/mol CAS-No. : 67-68-5 EC-No. : 200-664-3

Registration number : 01-2119431362-50-XXXX

**Hazardous components** 

Component	Classification	Concentration
Dimethyl sulfoxide		
	Flam. Liq. 4; H227	90 - 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

## **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

# **6. ACCIDENTAL RELEASE MEASURES**

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, mist or gas. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Sigma - D8418 Page 2 of 8

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Store under inert gas. hygroscopic

Storage class (TRGS 510): 10: Combustible liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Dimethyl sulfoxide	67-68-5	TWA	250 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

#### 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

# Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm Break through time: 38 min

Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Sigma - D8418 Page 3 of 8

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

> a) Appearance Form: liquid, clear

Colour: colourless

b) Odour sulphurous

Odour Threshold No data available d) рН Not applicable

Melting point/freezing

Melting point/range: 16 - 19 °C (61 - 66 °F)

Initial boiling point and boiling range

189 °C (372 °F)

g) Flash point 87 °C (189 °F) - closed cup - ASTM D 93

h) Evaporation rate No data available Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 42 %(V) flammability or Lower explosion limit: 3.5 %(V)

explosive limits

0.55 hPa (0.41 mmHg) at 20 °C (68 °F) Vapour pressure

4 hPa (3 mmHg) at 50 °C (122 °F)

Vapour density 2.70 - (Air = 1.0)I)

m) Relative density 1.1 g/mL

n) Water solubility completely miscible Partition coefficient: nlog Pow: -1.349

octanol/water

**Auto-ignition** 300 - 302 °C (572 - 576 °F)

temperature q) Decomposition

> 190 °C (> 374 °F) -

temperature

No data available r) Viscosity

**Explosive properties** Not explosive

The substance or mixture is not classified as oxidizing. Oxidizing properties

9.2 Other safety information

> Solubility in other Alcohol - soluble solvents Diethylether - soluble

43.5 mN/m at 20 °C (68 °F) Surface tension

Relative vapour density 2.70 - (Air = 1.0)

# 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

Sigma - D8418 Page 4 of 8

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Heat, flames and sparks.

#### 10.5 Incompatible materials

Acid chlorides, Phosphorus halides, Strong acids, Strong oxidizing agents, Strong reducing agents

#### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides Other decomposition products - No data available

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 14,500 mg/kg

LC50 Inhalation - Rat - 4 h - 40250 ppm

LD50 Dermal - Rabbit - > 5,000 mg/kg

No data available

#### Skin corrosion/irritation

Mild skin irritation

#### Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

Mouse

lymphocyte

Cytogenetic analysis

Mouse

lymphocyte

Mutation in mammalian somatic cells.

Rat

Cytogenetic analysis

Mouse

DNA damage

#### Carcinogenicity

Carcinogenicity - Rat - Oral

Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Skin and Appendages: Other: Tumors.

Carcinogenicity - Mouse - Oral

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Leukaemia Skin and Appendages: Other: Tumors.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or egual to 0.1% is on OSHA's

list of regulated carcinogens.

# Reproductive toxicity

Reproductive toxicity - Rat - Intraperitoneal

Effects on Fertility: Abortion.

Reproductive toxicity - Rat - Intraperitoneal

Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).

Reproductive toxicity - Rat - Subcutaneous

Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants). Effects on Fertility: Litter size (e.g.; # fetuses per litter; measured before birth).

Reproductive toxicity - Mouse - Oral

Effects on Fertility: Pre-implantation mortality (e.g., reduction in numbe corpora lutea). Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Musculoskeletal system.

Developmental Toxicity - Mouse - Intraperitoneal

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Musculoskeletal system.

## Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

#### Additional Information

RTECS: PV6210000

Exposure to large amounts can cause:, redness of skin, Itching, burning, sedation, Headache, Nausea, Dizziness To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Eyes - Eye disease - Based on Human Evidence

Eyes - Eye disease - Based on Human Evidence

#### 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 34,000 mg/l - 96 h

LC50 - Oncorhynchus mykiss (rainbow trout) - 35,000 mg/l - 96 h

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 24,600 mg/l - 48 h

(OECD Test Guideline 202)

EC50 - Pseudokirchneriella subcapitata (green algae) - 17,000 mg/l - 72 h Toxicity to algae

(OECD Test Guideline 201)

#### 12.2 Persistence and degradability

Biodegradability Result: 31 % - According to the results of tests of biodegradability this product

> is not readily biodegradable. (OECD Test Guideline 301D)

#### 12.3 Bioaccumulative potential

No data available

#### Mobility in soil 12.4

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

Stability in water - 0.12 - 1.2 h at 30 °C

Remarks: Hydrolyses readily.

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### **Product**

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

# Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

NA-Number: 1993 Class: NONE Packing group: III Proper shipping name: Combustible liquid, n.o.s. (Dimethyl sulfoxide)

Reportable Quantity (RQ): Poison Inhalation Hazard: No

**IMDG** 

Not dangerous goods

IATA

Not dangerous goods

#### 15. REGULATORY INFORMATION

# **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know Components

Dimethyl sulfoxide CAS-No. Revision Date 2007-03-01

**New Jersey Right To Know Components** 

Dimethyl sulfoxide CAS-No. Revision Date 67-68-5 2007-03-01

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## 16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Flam. Liq. Flammable liquids H227 Combustible liquid.

Sigma - D8418 Page 7 of 8

#### Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.16 Revision Date: 07/25/2018 Print Date: 11/10/2018

Sigma - D8418 Page 8 of 8