SAFETY DATA SHEET

Issuing Date 01-March-2016

Revision Date 01-March-2016

Revision Number 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	Item Nos. E58, E59, E61, E62, E64, E66, E67, E68, E72	
Product Name	Enoz Old Fashioned Moth Balls	
Other means of identification	EPA Reg. No. 1475-74	
Synonyms	These products are pesticides registered by U.S. EPA. It is a violation of Federal law to use these products in a manner inconsistent with the product label.	
Recommended use of the chemical and restrictions on use		
Recommended Use	Insecticide/Larvicide	

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name	Willert Home Products, Inc.
Supplier Address	4044 Park Avenue,
	Saint Louis, Missouri 63110 USA
Supplier Phone Number	Phone:314-772-2822 (8:30 AM to 4:30 PM CST)
Supplier Email	whpcustomerservice@willert.com
Emergency telephone number	CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Acute toxicity – Oral	Category 4
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Aspiration toxicity	Category 1
Flammable solids	Category 2

GHS Label elements, including precautionary statements

Emergency Overview

Signal word

Danger

Hazard statements

Harmful if swallowed May cause genetic defects May cause cancer May be fatal if swallowed and enters airways Flammable solids



Appearance White crystalline

Physical State Solid

Odor Naphthalenic

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Keep away from heat/sparks/open flames/hot surfaces. - No smoking Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Ingestion Rinse mouth IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not Applicable

Other information

- Very toxic to aquatic life with long lasting effects
- Prolonged or repeated contact may dry skin and cause irritation

Interactions with Other Chemicals Use of alcoholic beverages may enhance toxic effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Naphthalene	91-20-3	99.95	N/A

4. FIRST AID MEASURES

First aid measures

General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.	
Eye Contact	If symptoms persist, call a physician. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if applicable, and continue flushing. Keep eye wide open while rinsing. Do not rub affected area.	
Skin Contact	Wash skin with soap and water. Removal of solidified molten material from skin requires medical assistance.	
Inhalation	Move to fresh air. If not breathing, give artificial respiration. Administer oxygen if breathing is difficult and you are trained.	
Ingestion	Do NOT induce vomiting. Rinse mouth. Clean mouth with water and afterwards drink plenty of water. Never give anything by mouth to an unconscious person. Aspiration hazard if swallowed - can enter lungs and cause damage. If vomiting occurs, lean victim forward to reduce the risk of aspiration. Call a physician or Poison Control Center immediately.	
Protection of First-aiders	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.	
Most important symptoms and effects, both acute and delayed		
Most Important Symptoms/Effects	Difficulty in breathing. Coughing and/ or wheezing. Dizziness.	
Indication of any immediate medical attention and special treatment needed		
Notes to Physician	Treat symptomatically. Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances	

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical, CO₂, sand, earth, water spray or regular foam. Water spray, fog or regular foam.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

Some may burn rapidly with flare burning effect. Powders, dusts, shavings, borings, turnings or cuttings may explode or burn with explosive violence. Substance may be transported in a molten form

Uniform Fire Code	FLAMMABLE SOLID: ORGANIC
	Toxic: Solid

Hazardous Combustion Products	
Carbon oxides.	

<u>Explosion Data</u> Sensitivity to Mechanical Impact	No
Sensitivity to Static Discharge	Yes

Protective Equipment and Precautions for Firefighters

Move containers from fire area if you can do it without risk.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with eyes. Ensure adequate ventilation. Use personal protective equipment. Evacuate personnel to safe areas. Refer to Section 8 Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.	
Other Information	Refer to protective measures listed in Sections 7 and 8. Ventilate the area.	
Environmental precautions		
Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent product from entering drains.	
Methods and material for containment and cleaning up		
Methods for Containment	Prevent further leakage or spillage if safe to do so.	
Methods for Cleaning Up	Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material.	

7. HANDLING AND STORAGE

Precautions for safe handling

Handling	Do not breathe vapors, mist or gas	
Conditions for safe storage, including any incompatibilities		
Storage	Keep away from heat and sources of ignition. Keep containers tightly closed in a cool, well- ventilated place. Keep in properly labeled containers.	
Incompatible Products	None known based on information supplied.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Naphthalene	STEL: 15 ppm	TWA: 10 ppm	IDLH: 250 ppm
91-20-3	TWA: 10 ppm	TWA: 50 mg/m ³	TWA: 10 ppm
	S*	(vacated) TWA: 10 ppm	TWA: 50 mg/m ³
		(vacated) TWA: 50 mg/m ³	STEL: 15 ppm
		(vacated) STEL: 15 ppm	STEL: 75 mg/m ³
		(vacated) STEL: 75 mg/m ³	-

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Other Exposure Guidelines	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962
	(11th Cir., 1992).

Appropriate engineering controls

Engineering Measures	Showers Eyewash stations Ventilation systems
Individual protection measures, suc	h as personal protective equipment
Eye/Face Protection	Tightly fitting safety goggles.
Skin and Body Protection	Wear protective gloves/clothing. Long sleeved clothing. Chemical resistant apron. Impervious gloves. Antistatic boots
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Prop	perties		
Physical State	Solid		
Appearance	Crystalline	Odor	Naphthalenic
Color	White	Odor Threshold	No information available

	9. PHYSICAL AND CHE	EMICAL PROPERTIES
Property	Values	Remarks/ Method
pH	No data available	None known
Melting/freezing point	No data available	None known
Boiling Point/Range	No data available	None known
Flash Point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	No data available	None known
Water Solubility	Insoluble in water.	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/wat	er	None known
Autoignition temperature		None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity		None known
Explosive Properties	No data available	
Oxidizing Properties	No data available	
Other Information		
Softening Point	No data available	

No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

VOC Content (%)

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	There is no data available for this product. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema Pulmonary edema can be fatal
Eye Contact	There is no data available for this product.

Skin Contact	There is no data available f	There is no data available for this product.		
Ingestion	components) Potential for a	There is no data available for this product. May be harmful if swallowed. (based o components) Potential for aspiration if swallowed. May cause lung damage if swa Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallow enters airways		
Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation	

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Naphthalene	-	> 20 g/kg (Rabbit)	> 340 mg/m³(Rat)1 h
91-20-3			

Information on toxicologic	al effects			
Symptoms	Difficulty in b symptoms.	preathing. Coughing and/	or wheezing. Asthma-like and/ or	skin allergy-like
Delayed and immediate eff	ects as well as chronic	effects from short and	long-term exposure	
Sensitization	No informati	on available.		
Mutagenic Effects	There is no o	There is no data available for this product Contains a known or suspected mutagen		
Carcinogenicity	The table be	low indicates whether ea	ch agency has listed any ingredie	nt as a carcinogen.
Chemical Name	ACGIH	IARC	NTP	OSHA
Naphthalene 91-20-3		Group 2A Group 2B	Reasonably Anticipated	Х

IARC: (International Agency for Research on Cancer) Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans NTP: (National Toxicity Program) Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen OSHA: (Occupational Safety & Health Administration) X - Present

Reproductive Toxicity STOT - single exposure	No information available No information available. No information available.
STOT - repeated exposure	
Chronic Toxicity	No known effect based on information supplied. Contains a known or suspected mutagen Possible risks of irreversible effects. Contains a known or suspected carcinogen Aspiration may cause pulmonary edema and pneumonitis. May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects.
Target Organ Effects	May affect the genetic material in germ cells (sperm and eggs). Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Blood. Central nervous system (CNS). Kidney. Liver.
Aspiration Hazard	No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 501.00 mg/kg

12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a severe marine pollutant according to DOT

Ecotoxicity

Very toxic to aquatic life with long lasting effects

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods

Should not be released into the environment. Dispose of in accordance with local regulations Dispose of in accordance with all applicable national environmental laws and regulations

Contaminated Packaging

US EPA Waste Number

U165

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Naphthalene	U165	Included in waste streams:		U165
91-20-3		F024, F025, F034, F039,		
		K001, K035, K060, K087,		
		K145		

Dispose of in accordance with local regulations.

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Naphthalene			Toxic waste	
91-20-3			waste number F025	
			Waste description:	
			Condensed light ends, spent	
			filters and filter aids, and	
			spent desiccant wastes from	
			the production of certain	
			chlorinated aliphatic	
			hydrocarbons, by free radical	
			catalyzed processes. These	
			chlorinated aliphatic	
			hydrocarbons are those	
			having carbon chain lengths	
			ranging from one to and	
			including five, with varying	
			amounts and positions of	
			chlorine substitution.	

California Hazardous Waste Codes 232

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Naphthalene	Toxic
91-20-3	

14. TRANSPORT INFORMATION

<u>DOT</u>	Proper Shipping Name Hazard Class Reportable Quantity (RQ) (RQ/% in mixture) Marine Pollutant Description Emergency Response Guide Number	Consumer commodity ORM-D 100 lb This product contains a chemical which is listed as a severe marine pollutant according to DOT Consumer commodity, ORM-D 133
<u>TDG</u>	UN-No Proper Shipping Name Hazard Class Packing Group Description	UN1334 NAPHTHALENE, REFINED 4.1 III UN1334, NAPHTHALENE, REFINED, 4.1, PG III
<u>MEX</u>	UN-No Proper Shipping Name Hazard Class Packing Group Description	UN1334 Naphthalene, refined 4.1 III UN1334, Naphthalene, refined, 4.1, III
<u>ICAO</u>	UN-No Proper Shipping Name Hazard Class Packing Group Description	UN1334 Naphthalene, refined 4.1 III UN1334,Naphthalene, refined,4.1,PG III
<u>IATA</u>	UN-No Proper Shipping Name Hazard Class Packing Group Description	UN1334 Naphthalene, refined 4.1 III UN1334, Naphthalene, refined, 4.1, PG III
<u>IMDG</u>	i/IMO_ UN-No Proper Shipping Name Hazard Class Packing Group EmS No. Marine Pollutant Description	UN1334 Naphthalene, refined 4.1 III F-A, S-G Product is a marine pollutant according to the criteria set by IMDG/IMO UN1334, Naphthalene, refined, 4.1, PG III
<u>RID</u>	UN-No Proper Shipping Name Hazard Class Packing Group Classification Code Description	UN1334 Naphthalene, refined 4.1 III F1 UN1334, Naphthalene, refined, 4.1, III
ADR	UN-No	UN1334

14. TRANSPORT INFORMATION

Proper Shipping Name	Naphthalene, refined
Hazard Class	4.1
Packing Group	III
Classification Code	F1
Description	UN1334 Naphthalene, refined, 4.1, III

<u>ADN</u>

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL	All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

<u>FIFRA</u>

This product is a pesticide registered by the Environmental Protection Agency and is subject to certain labeling requirements under Federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: WARNING. May be fatal if inhaled. Do not breathe dust or vapors. Harmful if swallowed and harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before use.

EPA Pesticide Registration Number: 1475-74

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Naphthalene - 91-20-3	91-20-3	99.95	0.1

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

			Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
--	--	--	---------------	--------------------------------	------------------------	---------------------------	-------------------------------

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Naphthalene 91-20-3	100 lb	Х	X	х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Cher	mical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Na	phthalene	100 lb		RQ 100 lb final RQ
	91-20-3			RQ 45.4 kg final RQ
				RQ 0.454 kg final RQ

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65	
Naphthalene - 91-20-3	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Naphthalene	Х	X	Х
91-20-3			

International Regulations

Mexico - Grade

Moderate risk, Grade 2

Chemical Name	Carcinogen Status	Exposure Limits
Naphthalene		Mexico: TWA 10 ppm
		Mexico: TWA 50 mg/m ³
		Mexico: STEL 15 ppm
		Mexico: STEL 75 mg/m ³

Canada

WHMIS Hazard Class B4 Flammable solid D1B Toxic materials D2A Very toxic materials



16. OTHER INFORMATION

		16. OTHER INFORM	ATION	
<u>NFPA</u>	Health Hazard 2	Flammability 2	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazard * 2	Flammability 2	Physical Hazard 0	Personal Protection X
Chronic Hazard Star Legend *Indicates a chronic health hazard.				
Prepared By	23 British Latham, N	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501		
Revision Date	01-March	01-March-2016		
Revision Note	No inform	nation available		

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet