

Report Date 09-Jan-16

Page 1 of 4

1. Identification

Product Name	: OMNI BRAND IMIDACLOPRID 2F T&O
Synonyms	: None
Product Use	: Imidacloprid insecticide
Manufacturer/Supplier	: Helena Chemical Company
Address	: 225 Schilling Blvd. Collierville, TN 38017
General Information	: 901-761-0050
Transportation Emergency Number	: CHEMTREC:800-424-9300

2. Hazard Identification



Signal Word	: Warning
Skin Irritation	: Not classified as hazardous under 29 CFR 1910.1200 (2012)
Eye Irritation	: Not classified as hazardous under 29 CFR 1910.1200 (2012)
Acute Toxicity Oral	: LD50 1,030 mg/kg (female rat)
Acute Toxicity Dermal	: Not classified as hazardous under 29 CFR 1910.1200 (2012)
Hazard Categories	: Oral/Inhalation Toxicity-4/4
Hazard Statement	: Harmful if swallowed
	Harmful if inhaled

3. Composition / Information on Ingredients

Component	CAS Number	Weight %
Imidacloprid	138261-41-3	22.6 (min)
Sodium Bentonite	1302-78-9	1.5 (max)
Propylene glycol	57-55-6	5.0
Other ingredients deemed not to be hazardous	Proprietary	Balance

4. First Aid Measures

	 Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
Inhalation	: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	 Call a poison control center or doctor immediately for treatment advice. Rinse mouth with water. Do not induce vomiting. Do not give anything by mouth if unconscious.
Indication of Immediate Medical Attention and Special Treatment Needed	: In the event of an adverse response, treatment should be directed toward control of the symptoms.



Safety Data Sheet

Report Date 09-Jan-16

Page 2 of 4

Extinguishing Media	: Use water spray, carbon dioxide (CO2), alcohol-resistant foam or dry chemical extinguishing agents.
Specific Hazards Arising from the Chemical	: May emit hydrogen chloride, hydrogen cyanide (hydrocyanic acid), carbon monoxide, nitrogen oxides (NOx) under fire conditions.
Special Fire Fight Proc	: Keep out of smoke. Cool exposed containers with water spray. Fight fire from upwind position. Use self-contained breathing apparatus and full protective clothing. Do not allow runoff from fire fighting to enter drains or water courses.

6.	Accidental Release Measure	es
	Personal Precautions	: Isolate area and keep unauthorized people away. Avoid breathing vapors and skin contact.
	Protective Equipment	: Splashproof goggles or face shield, impervious gloves, impervious apron and footwear. Respiratory protection not normally needed. Eyewash and emergency shower should be available in work area.
	Emergency Procedures	: Do not allow product to enter streams, sewers or other waterways. Do not allow product to contact vegetation.
	Methods and Materials for Containment and Cleanup	: Take up with absorbent material, such as sand, diatomaceous earth or vermiculite. Keep in suitable closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations. Contaminated soil may have to be removed and disposed.

7. Handling and Storage	
Precautions for Safe Handling	: Use only outdoors or in a well-ventilated area. Avoid breathing fumes/vapors. Handle and open container in a manner as to prevent spillage. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin or on clothing. Keep container tightly closed. Do not ingest or inhale. Use with adequate ventilation. Keep away from heat, sparks and flame.
Conditions for Safe Storage	: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Store in a cool, dry place. Do not store diluted spray.

8. Exposure Controls / Personal Protection

TLV/PEL	: Sodium bentonite: PEL = 5 mg/m3 (respirable fraction). Imidacloprid: no TLV or PEL established.
Appropriate Engineering Controls	: Maintain exposure levels below the exposure limit through the use of general
	and local exhaust ventilation.
Personal Protective Equipment	: Splashproof goggles or face shield, impervious gloves, impervious apron and
	footwear. Respiratory protection not normally needed. Eyewash and emergency
	shower should be available in work area.

9. Physical and Chemical Properties

	: White opaque thick liquid; aromatic-like odor. : >100 Degrees C.
Boiling Point, ^o F	
Melting Point(Freezing point), °C	: No data available
Vapor Pressure, mm Hg @ 20 °C	: 9x10(-10) mPa (25 Deg. C.)
Vapor Density	: No data available
Solubility in Water	: Dispersible
Molecular Formula	: Not applicable, formulated mixture.
Density, g/mL @ 25 °C	: 1.11



Safety Data Sheet

Report Date 09-Jan-16

Page 3 of 4

Evaporation Rate(Butyl Acetate =	: No data available
1) Octanol/Water Partition	: Log P=0.57@21 Deg. C. (imidacloprid)
Coefficient	: 5.0 to 7.0 @ 25 Deg. C.
Flammable Limits (approximate	
volume % in air) Auto-ignition Temperature Decomposition temperature	

10. Stability and Reactivity

Reactivity	: Not reactive
Chemical Stability	: Stable
Hazardous Decomposition	: Under fire or other extreme conditions: Hydrogen chloride, hydrogen cyanide
Products	(hydrocyanic acid), carbon monoxide, nitrogen oxides.
Hazardous Polymerization	: Will not occur
Conditions to Avoid	: Excessive heat. For imidacloprid, strong exothermal reaction may occur at
	temperatures above 200 Degrees C.
Incompatible Materials	: None known

11. Toxicological Information

• • • •	 : 1,030 mg/kg (female rat). Harmful if swallowed. : 5,000 mg/kg (rabbit). Not classified as hazardous under 29 CFR 1910.1200 (2012).
Acute Toxicity Inhalation LC50	: >2.03 mg/L/4 hours (male rats). Harmful if inhaled.
Likely Routes of Exposure	: Ingestion, inhalation
Skin Irritation	: Not classified as hazardous under 29 CFR 1910.1200 (2012).
Eye Irritation	: Not classified as hazardous under 29 CFR 1910.1200 (2012).
Skin Sensitization	: No skin sensitizing reaction in Guinea pigs.
Carcinogenic	: Not listed by IARC, NTP or OSHA.
Chronic Effects	: In chronic dietary studies in rats and dogs exposed to imidacloprid, the target organs were the thyroid and/or liver.
Other Hazards	: Not a reproductive toxicant, not teratogenic, not genotoxic, not mutagenic.

12. Ecological Information

Ecotoxicity	: This product is highly toxic to bees exposed to direct treatment or residues in blooming crops, plants or weeds. Toxic to wildlife and highly toxic to aquatic invertebrates.
Persistence and Degradability	: The time required for 50% of the field-applied Imidacloprid to dissipate (DT50) can range from approximately 80 days to 2 years. Classified as persistent in soil.
Bioaccumulative Potential	: Low bioaccumulative potential.
Mobility in Soil	: Low mobility at low application rate and with aging.
Other Adverse Effects	: Imidacloprid was found to be hydrolysis stable with a half-life >1 year at pH 5 and 7. Imidacloprid has a photolysis half-life of 39 days at the soil surface, with a range of 26.5-229 days when incorporated into the soil.



Safety Data Sheet

Report Date 09-Jan-16

Page 4 of 4

Waste Disposal Method : This material must be disposed of according to Federal, State or Local procedures under the Resource Conservation and Recovery Act.

14. Transport Information

UN Proper Shipping Name Transport Hazard Class UN Identification Number Packaging Group	: None
	: Marine Pollutant per EU criteria but not listed on Appendix B to 49 CFR 172.101.
Transport in Bulk Special Precautions for	: Not regulated : If shipped by air (IATA) or vessel (IMDG), ship as: UN3082, Environmentally
Transportation Freight Classification	Hazardous Substance, Liquid, n.o.s., (Imidacloprid), 9, PG III, Marine Pollutant : Pesticides, NOI, Insecticides, Other than Poison (NMFC Item 155050, Sub 11, Class 70)

15. Regulatory Information

National Fire Protection Association Rating S.A.R.A Title III Hazard Classification (Yes/No)	: Health: :	•	Fire: 1 (4-Extreme,	Reactivity: 1 3-High, 2-Moderate, 1-Slight, 0-Minimum)		
(Immediate(Acute) H					
	Delayed (Chronic) Health: Y Sudden Release of N					
		ssure:				
		Fire: N				
	Rea	active: N				
FIFRA Information	: This Chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labelling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:					
EPA Registration Number						
FIFRA Signal Word FIFRA Label Statement	: Caution					
FIFRA Label Statement	: Keep out of reach of children. : Harmful if inhaled.					
FIFRA Label Statement	: Harmful if swallowed.					
FIFRA Label Statement FIFRA Label Statement	: Avoid breathing spray : Remove and wash cor		a before use			
FIFRA Label Statement	: Wash thoroughly with		0			
FIFRA Label Statement	: drinking, chewing gum	•	-	-		

16. Other Information

Data of Preparation/Revision : 07-January-2016