# **Kovac Solution**



### **Product Description**

Product Name: Recommended Use: Synonyms: Distributor:

Section 1

Kovac Solution Science education applications Kovac's Reagent Carolina Biological Supply Company 2700 York Road, Burlington, NC 27215 1-800-227-1150 800-227-1150 (8am-5pm (ET) M-F) 800-424-9300 (Transportation Spill Response 24 hours)

Chemical Information: Chemtrec:

#### **Hazard Identification**

Classification of the chemical in accordance with paragraph (d) of §1910.1200;



Section 2



Flammable liquid and vapor. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation. May cause drowsiness or dizziness.

#### **GHS Classification:**

Skin Corrosion/Irritation Category 1A, Serious Eye Damage/Eye Irritation Category 1, Flammable Liquid Category 3, Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3, Acute Toxicity - Oral Category 4

Section 3	<b>Composition / Information on Ing</b>	gredients
Chemical Name	CAS #	<u>%</u>
1-Butanol	71-36-3	75
Water Hydrogen Chloride	7732-18-5 7647-01-0	15.7 9.3

#### **Section 4**

### First Aid Measures

#### **Emergency and First Aid Procedures**

Inhalation:	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Eyes:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
	to do. Continue rinsing.
Skin Contact:	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
Ingestion:	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

#### Section 5

## **Firefighting Procedures**

Extinguishing Media:Use dry chemical, CO2 or appropriate foam.Fire Fighting Methods and Protection:Firefighters should wear full protective equipment and NIOSH approved self-contained<br/>breathing apparatus.Fire and/or Explosion Hazards:Fire or excessive heat may produce hazardous decomposition products.Hazardous Combustion Products:Carbon dioxide, Carbon monoxide, Hydrogen chloride

Section 6	Spill or Leak Procedures
Steps to Take in Case Material Is Released or Spilled:	Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits.
Methods for Clean-up	Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area. If this material is released into a work area, evacuate the area immediately.
Section 7	Handling and Storage

Handling:	Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed.
	Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting//
	equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe
	dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do no eat, drink or smoke when using this
	product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye
	protection/face protection.
Storage:	Store in a well-ventilated place. Keep container tightly closed. Store locked up. Keep Refrigerated.
Storage Code:	Red - Flammables. Store in approved flammable containers. Store away from oxidizing materials.

### **Section 8**

## **Protection Information**

	ACGIH		<u>OSHA PEL</u>	
Chemical Name	<u>(TWA)</u>	<u>(STEL)</u>	<u>(TWA)</u>	<u>(STEL)</u>
1-Butanol	20 ppm TWA	N/A	100 ppm TWA; 300	N/A
			mg/m3 TWA	
Hydrogen Chloride	N/A	2 ppm (Ceiling)	N/A	5 ppm (Ceiling)
Control Parameters				
Engineering Measures:			s, or other engineering c	
	necessary when handling	ng or using this produ	ct to avoid overexposure	Э.
Personal Protective Equipment (PPE):	Lab coat, apron, eye wa	ash, safety shower.		
Respiratory Protection:	Respiratory protection r	may be required to av	oid overexposure when	handling this
			is the preferred means of	
			ailable or sufficient to el	
Respirator Type(s):	NIOSH approved air purifying respirator with organic vapor/acid gas cartridge.			
Eye Protection:	Wear chemical splash goggles when handling this product. Have an eye wash station			
	available.	geggiee mien naman	9e presses : e a	eye maen etallen
Skin Protection:		earing chemically res	istant gloves, an apron a	and other protective
okin i roteotion.			e. Inspect gloves for che	
			tive equipment regularly	
	•	un milu soap and wat	er before eating, drinking	, and when leaving
0.	work.	January Dutid with		
Gloves:	Nitrile, Natural rubber, I	veoprene, Butyl rubb	ər	

### Section 9

### **Physical Data**

Formula: See section 3
Molecular Weight: No data available
Appearance: Yellow Colorless Liquid
Odor: Moderate Strong Sweet Rancid
Odor Threshold: No data available
pH: No data available
Melting Point: No data available -90 C
Boiling Point: No data available
Flash Point: Estimated > 37 C
Flammable Limits in Air: 1-Butanol: 1.4 - 11.2

Vapor Pressure: No data available Evaporation Rate (BuAc=1): No data available Vapor Density (Air=1): No data available Specific Gravity: No data available Solubility in Water: Slightly Soluble Log Pow (calculated): No data available Autoignition Temperature: No data available Decomposition Temperature: No data available Viscosity: No data available Percent Volatile by Volume: 87%

Section 10		Re	activity Data			
Reactivity: Chemical Stability: Conditions to Avoid: Incompatible Material Hazardous Decompose Hazardous Polymeriz	sition Products:	Mildly reactive - See below Stable under normal conditions. Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Reaction with water is exothermic. Strong oxidizing agents, Alkali and Alkaline Metals, Halogens, Mineral acids, Water- reactive materials, Water, Caustics (bases), Oxidizing materials, Acetic anhydride, Amines, Alkanolamines, Isocyanates, Copper, Metals Hydrogen chloride, Carbon dioxide, Carbon monoxide Will not occur				
Section 11		Toxicit	y Data			
Routes of Entry Symptoms (Acute): Delayed Effects:		stion, eye or skin contact. s System Disorders, Head le		, Respiratory Irritation		
Acute Toxicity: Chemical Name 1-Butanol		<b>CAS Number</b> 71-36-3	<b>Oral LD50</b> Oral LD50 Rat 790 mg/kg	Dermal LD50	Inhalation LC50 INHALATION LC50 Rat 8000 PPM 4H	
Water		7732-18-5	Oral LD50 Rat 90000 mg/kg		PPM 4H	
Hydrogen Chloride		7647-01-0	Oral LD50 Rabbit 900 mg/kg		INHALATION LC50 Rat 3700 PPM 30M INHALATION LC50 Mouse 1108 PPM 1H INHALATION LC50 Rat 45000 MG/M3 5M INHALATION LC50 Rat 8300 MG/M3	
Carcinogenicity: Chemical Name		CAS Number	IARC	NTP	OSHA	
Hydrogen Chloride		7647-01-0	Not listed	Not listed	Not listed	
Chronic Effects: Mutagenicity:	No evidence of	a mutagenic effect.				

No evidence of a teratogenic effect (birth defect).

Central Nervous System, Kidneys, Liver

No evidence of a sensitization effect. No evidence of negative reproductive effects.

No data available

Teratogenicity:

Sensitization:

Reproductive: Target Organ Effects: Acute:

Chronic:

Section 12	Ecological Data				
Overview:	Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife.				
Mobility: Persistence: Bioaccumulation: Degradability: Other Adverse Effects:	This material is expected to have moderate mobility in soil. It absorbs to most soil types. Evaporation into atmosphere, Evaporation into atmosphere, dissolved in water. No data No data No data				
Chemical Name	CAS Number	Eco Toxicity			
1-Butanol	71-36-3	96 HR LC50 PIMEPHALES PROMELAS 1910000 MG/L [STATIC] 96 HR LC50 LEPOMIS MACROCHIRUS 100000 - 500000 MG/L [STATIC]			
		96 HR LC50 PIMEPHALES PROMELAS 1740 MG/L [FLOW- THROUGH]			
		96 HR LC50 PIMEPHALES PROMELAS 1730 - 1910 MG/L [STATIC]			
		48 HR EC50 DAPHNIA MAGNA 1897 - 2072 MG/L [STATIC] 48 HR EC50 DAPHNIA MAGNA 1983 MG/L			
		72 HR EC50 DESMODESMUS SUBSPICATUS > 500 MG/L 96 HR EC50 DESMODESMUS SUBSPICATUS > 500 MG/L			
Water	7732-18-5	No data available			
Hydrogen Chloride	7647-01-0	96 HR LC50 GAMBUSIA AFFINIS 282 MG/L [STATIC]			
Section 13	Dis	posal Information			
Disposal Methods:		Dispose in accordance with all applicable Federal, State and Local regulations. Always			
Waste Disposal Code(s):	contact a permitted waste disposer (TSD) to assure compliance. If discarded, this product is considered a RCRA ignitable waste, D001. If discarded, this product is considered a RCRA corrosive waste, D002.				

### Section 14

### Transport Information

# Ground - DOT Proper Shipping Name: UN2924

Flammable Liquids, corrosive, N.O.S. (1-Butanol, Hydrochloric Acid) Class 3 P.G. II

#### Air - IATA Proper Shipping Name:

UN2924 Flammable Liquids, corrosive, N.O.S. (1-Butanol, Hydrochloric Acid) Class 3 P.G. II

Section 15	Regulatory Information					
TSCA Status:	All components in this product are on the TSCA Inventory.					
Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
1-Butanol	71-36-3	n-Butyl alcohol	No	5000 lb final RQ; 2270 kg final RQ	No	No
Hydrogen Chloride	7647-01-0	Hydrochloric acid	5000 lb RQ	5000 lb final RQ; 2270 kg final RQ	500 lb TPQ (gas only)	No
California Prop 65:		١	No California	Proposition 65 ing	redients	

# Section 16

Revised: 03/06/2025

Replaces: 04/10/2024

Printed: 03-07-2025

Additional Information

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary ACGIH	American Conference of Governmental Industrial Hygienists	NTP OSHA	National Toxicology Program Occupational Safety and Health Administration
CAS	Chemical Abstract Service Number	PEL	Permissible Exposure Limit
CERCLA	Comprehensive Environmental Response,	ppm	Parts per million
	Compensation, and Liability Act	RCRA	Resource Conservation and Recovery Act
DOT	U.S. Department of Transportation	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
N/A	Not Available	TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health