

## **SAFETY DATA SHEET**

Version 6.8 Revision Date 05/25/2021 Print Date 11/13/2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1 Product identifiers**

Product name: Ethyl Alcohol, pureProduct Number: 459836Brand: Sigma-AldrichIndex-No.: 603-002-00-5CAS-No.: 64-17-5

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765
Fax	: +1 800 325-5052

## **1.4 Emergency telephone**

Emergency Phone #	: 800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24
	Hours/day; 7 Days/week

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Eye irritation (Category 2A), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word



Danger

Hazard statement(s) H225

Highly flammable liquid and vapor.

Sigma-Aldrich - 459836

Page 1 of 11



H319	Causes serious eye irritation.
Precautionary statement(s)	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P264	Wash skin thoroughly after handling.
P280	Wear protective gloves/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **SECTION 3:** Composition/information on ingredients

#### 3.1 Substances

Synonyms	: Absolute alcohol
Formula Molecular weight CAS-No. EC-No. Index-No.	: C <sub>2</sub> H <sub>6</sub> O : 46.07 g/mol : 64-17-5 : 200-578-6 : 603-002-00-5

Component	Classification	Concentration
ethanol		
	Flam. Liq. 2; Eye Irrit. 2A; H225, H319 Concentration limits: >= 50 %: Eye Irrit. 2A, H319;	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - 459836

Page 2 of 11



## SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

## **5.3** Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

## 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Sigma-Aldrich - 459836

Page 3 of 11



## **SECTION 6:** Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains. Risk of explosion.

## 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

**6.4 Reference to other sections** For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

## Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Hygroscopic. Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

Ingredients with workplace control parameters

Sigma-Aldrich - 459836

Page 4 of 11



Component	CAS-No.	Value	Control parameters	Basis
ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	1,000 ppm 1,900 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		STEL	1,000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Confirmed humans	animal carcinoge	en with unknown relevance to
		TWA	1,000 ppm 1,900 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	1,000 ppm 1,900 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

## 8.2 Exposure controls

#### Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

#### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 120 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

#### **Body Protection**

Flame retardant antistatic protective clothing.

Sigma-Aldrich - 459836

Page 5 of 11



## **Respiratory protection**

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

## **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: colorless
b)	Odor	pungent
c)	Odor Threshold	0.1 ppm
d)	pН	7.0 at 10 g/l at 20 °C (68 °F)
e)	Melting point/freezing point	Melting point/range: -114 °C (-173 °F)
f)	Initial boiling point and boiling range	78 °C 172 °F
g)	Flash point	13 °C (55 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 13.5 %(V) Lower explosion limit: 2.5 %(V)
k)	Vapor pressure	0.57 hPa at 19.6 °C (67.3 °F)
I)	Vapor density	1.6
m)	Relative density	No data available
n)	Water solubility	1,000 g/l at 20 °C (68 °F) - completely miscible
0)	Partition coefficient: n-octanol/water	log Pow: -0.35 at 24 °C (75 °F) - Bioaccumulation is not expected.
p)	Autoignition temperature	455 °C (851 °F) at 1,013 hPa - DIN 51794
q)	Decomposition temperature	Distillable in an undecomposed state at normal pressure.
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Oth	ner safety informatio	n
	Conductivity	< 1 µS/cm
	Surface tension	72 75 mN/m at 20 °C (68 °F)

Surface tension 72.75 mN/m at 20 °C (68 °F)

Sigma-Aldrich - 459836

9.2

Page 6 of 11



#### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

Vapors may form explosive mixture with air.

## **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

#### **10.3** Possibility of hazardous reactions

Risk of explosion/exothermic reaction with: hydrogen peroxide perchlorates perchloric acid Nitric acid mercury(II) nitrate permanganic acid Nitriles peroxi compounds Strong oxidizing agents nitrosyl compounds Peroxides sodium Potassium halogen oxides calcium hypochlorite nitrogen dioxide metallic oxides uranium hexafluoride iodides Chlorine Alkali metals Alkaline earth metals alkali oxides Ethylene oxide silver with Nitric acid silver compounds with Ammonia potassium permanganate with conc. sulfuric acid Risk of ignition or formation of inflammable gases or vapours with: halogen-halogen compounds chromium(VI) oxide chromyl chloride Fluorine hvdrides Oxides of phosphorus platinum Sigma-Aldrich - 459836

Page 7 of 11



Nitric acid with potassium permanganate

# **10.4 Conditions to avoid** Warming.

Warming.

- **10.5 Incompatible materials** rubber, various plastics
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## **11.1 Information on toxicological effects**

## Acute toxicity

LD50 Oral - Rat - male and female - 10,470 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4 h - 124.7 mg/l (OECD Test Guideline 403) Dermal: No data available No data available

## Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 24 h (OECD Test Guideline 404)

## Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye irritation. (OECD Test Guideline 405)

## Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Methanol

## Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Sigma-Aldrich - 459836

Page 8 of 11



Test Type: dominant lethal test Species: Mouse

Application Route: Oral Method: OECD Test Guideline 478 Result: Positive results were obtained in some in vivo tests.

## Carcinogenicity

No data available

- IARC: 1 Group 1: Carcinogenic to humans (ethanol)
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure** No data available

**Specific target organ toxicity - repeated exposure** No data available

Aspiration hazard

No data available

## **11.2 Additional Information**

Repeated dose toxicity - Rat - male - Oral - NOAEL (No observed adverse effect level) - 1,730 mg/kg - LOAEL (Lowest observed adverse effect level) - 3,200 mg/kg

#### RTECS: KQ6300000

irritant effects, respiratory paralysis, Dizziness, narcosis, inebriation, euphoria, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

## **SECTION 12: Ecological information**

## **12.1 Toxicity**

Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - 15,300 mg/l  - 96 h (US-EPA)
Toxicity to daphnia and other aquatic invertebrates	static test LC50 - Ceriodaphnia dubia (water flea) - 5,012 mg/l - 48 h Remarks: (ECHA)
Toxicity to algae	static test ErC50 - Chlorella vulgaris (Fresh water algae) - 275 mg/l

Sigma-Aldrich - 459836

Page 9 of 11



- 72 h (OECD Test Guideline 201)

Toxicity to bacteria	static test IC50 - activated sludge - > 1,000 mg/l - 3 h
	(OECD Test Guideline 209)

## 12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 15 d
	Result: ca.95 % - Readily biodegradable.
	(OECD Test Guideline 301E)

Biochemical Oxygen	930 - 1,670 mg/g
Demand (BOD)	Remarks: (Lit.)
Theoretical oxygen	2,100 mg/g
demand	Remarks: (Lit.)

#### **12.3 Bioaccumulative potential**

Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

## **12.4 Mobility in soil**

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Other adverse effects

## SECTION 13: Disposal considerations

## **13.1 Waste treatment methods**

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

DOT (US)		
UN number: 1170 Class: 3 Proper shipping name: Ethanol Reportable Quantity (RQ): Poison Inhalation Hazard: No	Packing group: II	
IMDG UN number: 1170 Class: 3	Packing group: II	EMS-No: F-E, S-D
Proper shipping name: ETHANOL	racking group. II	
ΙΑΤΑ		
UN number: 1170 Class: 3 Proper shipping name: Ethanol	Packing group: II	

Sigma-Aldrich - 459836

Page 10 of 11



## SECTION 15: Regulatory information

#### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components		
	CAS-No.	Revision Date
ethanol	64-17-5	1993-04-24

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components		
ethanol	CAS-No.	Revision Date
	64-17-5	1993-04-24
New Jersey Right To Know Components		
ethanol	CAS-No.	Revision Date
	64-17-5	1993-04-24

## **SECTION 16: Other information**

## **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.8

Revision Date: 05/25/2021

Print Date: 11/13/2021

Sigma-Aldrich - 459836

Page 11 of 11

