#### 1. Identification

Product Identity: Acryl-Kote

Recommended Use: Water-borne floor polish

#### **Producer / Distributor**

Multi-Clean 600 Cardigan Road Shoreview, MN 55126

Telephone Number for Information: 651-481-1900 Emergency Telephone Number: 888-255-3924



# 2. Hazard Identification

#### GHS Classification:

Mild Skin Irritation-Category 3 Skin Sensitization-Category 1

## Label

## Symbols



Signal Word Warning

#### **Hazard Statements:**

Causes mild skin irritation. May cause allergic skin reaction

#### **Precautionary Statements:**

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wear protective gloves

Contaminated clothing should not be allowed out of the workplace

IF ON SKIN: Wash with plenty of water

If skin irritation or rash occurs. Get medical attention

Take off contaminated clothing and wash before reuse.

Get medical attention if you feel unwell.

Dispose of contents in accordance with local regulations.

#### 3. Composition/Information on Ingredients

 Ingredient
 CAS Number
 Percent by Weight

 Diethylene Glycol Monoethyl Ether
 111-90-0
 3 - 7

 Tributoxyethyl Phosphate
 78-51-3
 1 - 5

 Zinc Ammonia Carbonate Complex
 38714-47-5
 1 - 5

## 4. First-Aid Measures:

Inhalation: Move to fresh air. Get medical attention if symptoms occur

Ingestion: If Swallowed: Rinse mouth with water. Seek medical attention if symptoms occur

Eye Contact: Flush eyes with running water for several minutes. If irritation occurs, obtain medical attention.

Skin Contact: IF ON SKIN: Wash with plenty of water

If skin rash occurs: get medical attention

If skin irritation occurs: Seek medical attention. Removed contaminated clothing and wash before reuse

## 5. Fire Fighting Measures:

Suitable Extinguishing Media:Not ApplicableSpecial Fire Fighting Procedures:Not ApplicableUnusual Fire and Explosion HazardsNot Applicable

# 6. Accidental Release Measures:

Dike and contain spill with inert material (sand, earth, etc.). Collect spill with a mop, absorbent material (example: floor-dry) or vacuum. Thoroughly rinse affected area with water.

## 7. Handling and Storage:

Handling: Avoid contact with skin, eyes and clothing. Wash hands thoroughly after handling. Keep from freezing. Keep out of reach of children.

Storage: Maintain Temperature Minimum 40°F (4°C) - Maximum 100°F (38°C)

8. Exposure Controls / Personal Protection:

Exposure Limits:
Ingredients
CAS Number
Osha PEL
ACGIH TLV
None Listed
XXXX
XXX
XXX

**Exposure Controls:** 

Engineering Controls: Normal good ventilation is sufficient

**Personal Protective Equipment:** 

Eye Protection:Approved Safety Goggles or GlassesSkin Protection:Chemical Resistant Rubber GlovesRespiratory Protection:Not required, Avoid breathing spray mist

9. Physical and Chemical Properties:

Physical State: Liquid Appearance: Milky White Odor: Mild Acrylic

Specific Gravity (H2O = 1): 1.034 Vapor Pressure (MM HG): Not applicable Viscosity Not applicable

Solubility: Complete Vapor Density (Air = 1): Not applicable pH: 8 - 9

Flammability: None Auto Ign Temp Not applicable %volatile: 83%

Flash Point: None Decomposition Temp Not applicable LEL / UEL Not applicable

Boiling Point: > 212° F (100°C) Freezing Point Not applicable Evaporation Rate: Not applicable

10. Stability and Reactivity:

Chemical Stability: Stable

Possibility of Hazardous Reactions: None are known Incompatability (Materials to Avoid): None are known Hazardous Decomposition or By-products: None Hazardous Polymerization: Will not Occur

None are known

Conditions to Avoid: None

11. Toxicological Information:

Signs and Symptoms of Overexposure: May cause allergic skin reaction. Causes mild skin irritation

**Acute Effects:** 

Eye Contact: May cause eye irritation on direct or prolonged contact

**Skin Contact:** Causes mild irritation on contact **Inhalation:** No symptoms are known or expected

Ingestion: May be harmful if swallowed
Target Organ Effects: None are known
Chronic Effects: None are known

**Acute Toxicity Values:** 

Oral LD  $_{50}$  > 5000 mg/kg Dermal LD  $_{50}$  > 5000 mg/kg

Inhalation (Vapor) LC 50 Vapors Considered Non-Toxic

12. Ecological Information:

Persistence and Degradability: Not Available
Bio Accumulative Potential: Not Available
Mobility in Soil: Not Available
Aquatic Toxicity: Not Available

13. Disposal Considerations:

Solution may contain zinc. For material not used in normal use, Coagulate with ferric chloride or sulfate and then lime. Decant the clear liquid to a sanitary sewer. Dispose of the coagulum by sanitary landfill or incinerator. Follow all existing pollution control ordinances.

14. Transportation Information:

UN Number: None

Shipping Name: Buffing or Polishing Compound

Transport Hazard Class: None
Packing Group: None
Marine Pollutant: NO

## 15. Regulatory Information:

TSCA Status: All ingredients listed

Clean Water Act: None of the chemicals in this product are listed under the CWA

Clean Air Act: Glycol Ethers (Diethylene Glycol Monoethyl Ether(111-90-0)) is listed as a hazardous air pollutant (HAP)

**CERCLA Reportable Quantity: None** 

**SARA Title III Information:** 

Section 302 Extremely Hazardous Chemicals: None Listed Section 311 / 312 Hazard Category: Immediate Health

Section 313 Toxic Chemicals Glycol Ethers (Diethylene Glycol Monoethyl Ether(111-90-0))

State Regulations: None

International Regulations: None

# California Cleaning Product Right to Know Act of 2017 (SB 258)

Raw Material	CAS No	Function	List
Water	7732-18-5	Diluent	Not Applicable
Acrylic Copolymer	Withheld	Film Former	Not Applicable
Diethylene Glycol Monomethyl Ether	111-90-0	Solvent	Not Applicable
Styrene Acrylic Resin	Withheld	Dispersant	Not Applicable
Polypropylene Emulsion	Proprietary	Film Former	Not Applicable
tris(2-butoxyethyl) phosphate	78-51-3	Stabilizer	Not Applicable
Ethene Homopolymer	68441-17-8	Film Former	Not Applicable
Ethylene/Propylene Glycol Benzoate Blend	Withheld	Plasticizer	Not Applicable
Tripropylene Glycol Methyl Ether	025498-49-1	Solvent	Not Applicable
Isothiazolinone	26172-55-4	Biocide	Not Applicable
Polydimethylsiloxane Emulsion	Withheld	Defoaming Agent	Not Applicable
Fluorosurfactant	Proprietary	Wetting Agent	Not Applicable

## 16. Other Information:

Prepared By: Mike Tarvin

Telephone Number: 651-481-1900 Revision Date: 6/24/2022

Supersedes: 1/1/2020

This SDS applies to the following Part

Numbers

903373 903375 903377 The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.



