Form R04132

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NUMBER AND NAME: MARC 137 OVEN CLEANER & GRILL CLEANER

SDS DATE: 03/25/2022

SUPPLIER: Mid-American Research Chemical Corp. **ADDRESS:** P. O. Box 927 • Columbus, NE 68602-0927

E-MAIL: marc1@marc1.com WEBSITE: www.marc1.com

RECOMMENDED USE: Oven cleaner.

PREPARED BY: MARC

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION: Gases Under Pressure: Liquefied Gas. Corrosive to Metals. Skin Corrosive: Category 1. Eye Damage: Category 1. **HAZARD STATEMENT(S): DANGER:** Contains gas under pressure; may explode if heated. May be corrosive to metals. Causes severe skin burns and eye damage. This product contains the following percentage of chemicals of unknown toxicity: N/A. **PRECAUTIONARY STATEMENTS:** Keep away from heat, sparks, open flames, and hot surfaces. -No smoking. Do not spray on an open flame or other ignition



source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place. Do not breathe mists. Wash hands thoroughly after handling. Wear protective gloves and eye protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Dispose of contents and container in accordance with local, state, and national regulations. Absorb spillage to prevent material damage. HAZARDS NOT OTHERWISE CLASSIFIED: N/A.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS CHEMICAL NAME	CAS NO.	<u>%</u>
Potassium Hydroxide	1310-58-3	5-10
Propane	74-98-6	1-5
N-Butane	106-97-8	1-5

Specific percentages of composition have been withheld as a trade secret.

SECTION 4: FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately. INGESTION: Seek medical attention immediately. Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. INHALATION: If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. SKIN: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a poison center or doctor. ACUTE HEALTH HAZARDS: Causes severe burns. Inhalation of mist or vapors may cause respiratory irritation. If ingested, may cause burns in the mouth and throat, burning sensation in the throat and chest and may cause nausea and vomiting. GENERAL INFORMATION: Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. CHRONIC HEALTH HAZARDS: Dermatitis may occur due to long-term irritation. NOTE TO PHYSICIAN: The absence of visible signs or symptoms of burns does not reliably exclude the presence of actual tissue damage.

SECTION 5: FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Use appropriate media for surrounding fire. **UNSUITABLE EXTINGUISHING MEDIA:** N/A. **SPECIAL FIRE FIGHTING PROCEDURES:** Wear NIOSH approved Self-Contained Breathing Apparatus with a full-face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires. Use water spray only to cool exposed containers. Shut off all sources of ignition. **UNUSUAL FIRE AND EXPLOSION HAZARDS:** Contents under pressure. Exposure to temperatures above 120°F may cause bursting. Keep away from sparks, open flames, and hot surfaces. No smoking. Do not spray on an open flame or other ignition source. **HAZARDOUS COMBUSTION PRODUCTS:** Oxides of carbon.



Form R04132

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PROTECTIVE EQUIPMENT: Refer to section VIII for proper Personal Protective Equipment. **SPILL:** Dike area to contain spill. Dilute spill with large quantities of water and then neutralize with a dilute acid. Flush area with water until clean. **WASTE DISPOSAL:** Dispose of contents in accordance with federal, state, and local regulations. Do not dump in sewers. **RCRA STATUS:** Dispose of in accordance with all local, state and federal environmental rules and regulations. Check the pH of the waste to be disposed, if it is greater than 12.5 it must be handled as a RCRA hazardous waste. May be subject to disposal regulations: U.S. EPA 40 CFR 261. Hazardous waste Number(s): D002.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Keep away from heat, open flames, or other sources of ignition. Avoid contact with skin, eyes and clothing. Do not inhale mist or vapor. Store in a cool, dry area. Do not use or store with strong oxidizers. Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50 °C/122 °F. Pressurized container: Do not pierce or burn, even after use. **OTHER PRECAUTIONS:** Keep out of the reach of children. Read and follow the directions on the product label. They are the best guide to using the product in the most effective manner. The label also gives you the necessary safety precautions to protect your health. **INCOMPATIBILITY:** Organic materials, concentrated acids and metal. May react with certain food sugars.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
Potassium Hydroxide	Not Established	2 mg/m ³
Propane	1000 ppm	1000 ppm
N-Butane	Not Established	1000 ppm

ENGINEERING CONTROLS/VENTILATION: Local ventilation/exhaust adequate to maintain vapor concentrations below PEL/TLV. **RESPIRATORY PROTECTION:** Wear NIOSH/MSHA approved organic vapor respiratory protection. **PERSONAL PROTECTIVE EQUIPMENT:** Chemical resistant rubber or neoprene apron and chemically resistant boots to avoid skin and clothing contact. Safety glasses should be worn during use. **ADDITIONAL MEASURES:** Wear protective clothing to prevent repeated or prolonged contact with product. Wash hands and clothing in contact with product after use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White Foam **ODOR:** Lemon scent **ODOR THRESHOLD:** N/D

pH: >13

MELTING POINT/FREEZING POINT: N/D

INITIAL BOILING POINT AND BOILING RANGE: N/D

FLASH POINT: N/D EVAPORATION RATE: N/D

FLAMMABILITY (solid/gas): Not considered a flammable aerosol by OSHA (29CFR 1910.1200)

UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: N/D

EXPLOSIVE LIMITS: N/D

VAPOR PRESSURE (mm Hg): N/D VAPOR DENSITY (AIR=1): N/D

RELATIVE DENSITY (H2O=1): 1.06 - 1.10 @ 77°F (25°C)

SOLUBILITY(IES): 100% water

PARTITION COEFFICIENT: n-OCTANOL/WATER (KOW): N/D

AUTOIGNITION TEMPERATURE: N/D **DECOMPOSITION TEMPERATURE:** N/D

VISCOSITY: N/D

VOLATILE ORGANIC COMPOUNDS (VOC): 7%

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY: Chemically active metals and acids. CHEMICAL STABILITY: Stable. POSSIBLE HAZARDOUS REACTIONS: None known. CONDITIONS TO AVOID: Do not mix with other chemicals and avoid contact with incompatible materials. INCOMPATIBLE MATERIALS: organic materials, concentrated acids and metal. May react with certain food sugars. HAZARDOUS DECOMPOSITION PRODUCTS: Some metals can release oxides of phosphorus and release hydrogen gas which can be explosive.



Form R04132

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Potassium hydroxide (1310-58-3): LD50 (Oral, Rat) 273 mg/kg. ROUTES OF ENTRY: Eyes, Ingestion, Inhalation, Skin EYES: Causes severe burns, irritation, redness, tearing, pain, may result in loss of sight. INGESTION: Will cause extensive damage to tissue and may be fatal. INHALATION: May cause irritation (possibly severe), chemical burns, upper respiratory damage, and pulmonary edema. SKIN: Causes severe burns. Prolonged contact will destroy tissue. MEDICAL CONDITION AGGRAVATED: Asthma, bronchitis, emphysema and other lung diseases and chronic nose, sinus or throat conditions. Skin irritation may be aggravated in individuals with existing skin disorders. ACUTE HEALTH HAZARDS: Causes severe burns. Inhalation of mist or vapors may cause respiratory irritation. If ingested, may cause burns in the mouth and throat, burning sensation in the throat and chest and may cause nausea and vomiting. CHRONIC HEALTH HAZARDS: Dermatitis may occur due to long-term irritation. CARCINOGENICITY-- OSHA: No. ACGIH: No. NTP: No. IARC: No. OTHER: N/A.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: Avoid release to the environment. Potassium hydroxide (1310-58-3): LC50 (Gambusia affinis, 96hr) 80 mg/L. **PERSISTENCE AND DEGRADABILITY:** Not readily biodegradable. **BIOACCUMULATIVE POTENTIAL:** This product is not expected to bioaccumulate. **MOBILITY IN SOIL:** This product is mobile in soil. **OTHER ADVERSE EFFECTS:** None known.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Dispose of contents in accordance with federal, state, and local regulations. Do not dump in sewers. **RCRA STATUS:** Dispose of in accordance with all local, state and federal environmental rules and regulations. Check the pH of the waste to be disposed, if it is greater than 12.5 it must be handled as a RCRA hazardous waste. May be subject to disposal regulations: U.S. EPA 40 CFR 261. Hazardous waste Number(s): D002.

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (for ground/non-bulk containers)

CONTAINER SIZES(S): Aerosol Can

PROPER SHIPPING NAME: CLEANING COMPOUND

HAZARD CLASS: N/A
ID NUMBER: None
PACKING GROUP: None

LABEL STATEMENT: LIMITED QUANTITY

SECTION 15: REGULATORY INFORMATION

TSCA STATUS: All Chemicals are listed or exempt. CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): Sodium Hydroxide (1310-73-2) Reportable Quantity = 1,000 lbs; Potassium Hydroxide (1310-58-3) Reportable Quantity = 1,000 lbs. SARA 311/312 HAZARD CATEGORIES: Gas under pressure. Corrosive to metal. Skin corrosion or irritation. Serious eye damage or eye irritation. SARA 313 REPORTABLE INGREDIENTS: None. STATE REGULATIONS-- California Proposition 65: This product contains no known chemicals regulated by California Proposition 65. Potassium hydroxide (1310-58-3): Included on State Hazardous Substances Inventories, Right-to-Know lists and/or Air Quality or Air Pollutants lists for the following states: CA, IL, LA, MA, MN, NJ, NY, PA, RI. INTERNATIONAL REGULATIONS: Listed or exempt from listing/notification on the following chemical inventories: Domestic Substances List (DSL, Canada).

SECTION 16: OTHER INFORMATION

HMIS/NFPA Ratings: Health = 3; Flammability = 1; Reactivity = 1; Other = None; Protection = B.

N/A = Not Applicable, N/D = Not Determined, N/E = Not Established.

DISCLAIMER: To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.