

## SAFETY DATA SHEET

Version 6.11  
Revision Date 09/06/2024  
Print Date 09/07/2024

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : Potassium permanganate

Product Number : 399124  
Brand : SIGALD  
Index-No. : 025-002-00-9  
CAS-No. : 7722-64-7

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

**1.3 Details of the supplier of the safety data sheet**

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

**1.4 Emergency telephone**

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Oxidizing solids (Category 2), H272  
Acute toxicity, Oral (Category 4), H302  
Skin corrosion (Category 1), H314

SIGALD - 399124

Page 1 of 13

Serious eye damage (Category 1), H318  
 Reproductive toxicity (Category 2), H361  
 Specific target organ toxicity - repeated exposure, Inhalation (Category 2), Brain, H373  
 Short-term (acute) aquatic hazard (Category 1), H400  
 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Hazard Statements

H272	May intensify fire; oxidizer.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs (Brain) through prolonged or repeated exposure if inhaled.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat.
P220	Keep/Store away from clothing/ combustible materials.
P221	Take any precaution to avoid mixing with combustibles.
P260	Do not breathe dust.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal

plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Formula : KMnO<sub>4</sub>  
Molecular weight : 158.03 g/mol  
CAS-No. : 7722-64-7  
EC-No. : 231-760-3  
Index-No. : 025-002-00-9

Component	Classification	Concentration
<b>Potassium permanganate</b>		
	Ox. Sol. 2; Acute Tox. 4; Skin Corr. 1; Eye Dam. 1; Repr. 2; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H272, H302, H314, H318, H361, H373, H400, H410 M-Factor - Aquatic Acute: 10 M-Factor - Aquatic Chronic: 10	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

##### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

##### If inhaled

After inhalation: fresh air. Call in physician.

##### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

##### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

##### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

SIGALD - 399124

Page 3 of 13

#### **4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

### **SECTION 5: Firefighting measures**

#### **5.1 Extinguishing media**

##### **Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

##### **Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

#### **5.2 Special hazards arising from the substance or mixture**

Potassium oxides

Manganese/manganese oxides

Not combustible.

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

#### **5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **5.4 Further information**

Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

### **SECTION 6: Accidental release measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

#### **6.2 Environmental precautions**

Do not let product enter drains.

#### **6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### **6.4 Reference to other sections**

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Do not store near combustible materials.

#### Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Potassium permanganate	7722-64-7	C	5 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	0.1 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Not classifiable as a human carcinogen		
		TWA	0.02 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
		Not classifiable as a human carcinogen		

		TWA	1 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
		ST	3 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
		PEL	0.2 mg/m <sup>3</sup>	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

## 8.2 Exposure controls

### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatrill® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatrill® L

#### Body Protection

protective clothing

#### Respiratory protection

Recommended Filter type: Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

a) Appearance	Form: solid
b) Odor	No data available
c) Odor Threshold	No data available
d) pH	No data available
e) Melting point/freezing point	No data available
f) Initial boiling point and boiling range	No data available
g) Flash point	( )Not applicable
h) Evaporation rate	No data available
i) Flammability (solid, gas)	The product is not flammable.
j) Upper/lower flammability or explosive limits	No data available
k) Vapor pressure	No data available
l) Vapor density	No data available
m) Density	2.70 g/cm <sup>3</sup> at 20 °C (68 °F)
Relative density	No data available
n) Water solubility	No data available
o) Partition coefficient: n-octanol/water	No data available
p) Autoignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	The substance or mixture is classified as oxidizing with the category 2.

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Risk of explosion with:

powdered aluminium

Ammonia

ammonium compounds

arsenic

Dimethylformamide

acetic acid

Acetic anhydride

formaldehyde

oxidisable substances

Nitro compounds

phosphorus

pyridine

strong reducing agents

hydrochloric acid

sulfur

Titanium

sugars

ammonium nitrate

sulfuric acid

Combustible Liquids

Organic Substances

mineral acids

anhydrides

mineral wool

Alcohols

with

sulfuric acid

alkali salts

with

sulfuric acid

Risk of ignition or formation of inflammable gases or vapours with:

Acetaldehyde

Alcohols

antimony

Aldehydes

silanes

dimethyl sulfoxide

SIGALD - 399124

Page 8 of 13



Ethylene glycol  
ethanol  
Hydrogen fluoride  
organic solvent  
glycerol  
hydroxylamine  
Organic Substances  
oxalic acid  
sulfuric acid  
hydrogen sulphide  
hydrogen peroxide  
triethanolamine  
Esters  
glycerol  
with  
sulfuric acid  
sulfuric acid  
with  
Organic Substances  
Exothermic reaction with:  
Reducing agents  
Nitric acid  
carbides  
Generates dangerous gases or fumes in contact with:  
Hydrogen chloride gas

#### **10.4 Conditions to avoid**

no information available

#### **10.5 Incompatible materials**

No data available

#### **10.6 Hazardous decomposition products**

In the event of fire: see section 5

---

### **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

##### **Acute toxicity**

LD50 Oral - Rat - 750 mg/kg

Remarks: (RTECS)

Inhalation: No data available

LD50 Dermal - Rat - male and female - > 2,000 mg/kg  
(OECD Test Guideline 402)

##### **Skin corrosion/irritation**

Skin - Rabbit

Result: Corrosive after 4 hours or less of exposure

(OECD Test Guideline 404)

**Serious eye damage/eye irritation**

Remarks: Causes serious eye damage.

**Respiratory or skin sensitization**

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

**Germ cell mutagenicity**

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: In vivo micronucleus test

Species: Rat

Cell type: Bone marrow

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

**Carcinogenicity**

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

Inhalation - May cause damage to organs through prolonged or repeated exposure.

- Brain

**Aspiration hazard**

No data available

**11.2 Additional Information**

RTECS: SD6475000

Contact with skin can cause:, Edema, Necrosis, Effects due to ingestion may include:, methemoglobinemia, psychological disturbances, Vomiting, Nausea, Diarrhea

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

Toxicity to fish	semi-static test LC50 - <i>Poecilia reticulata</i> (guppy) - 0.47 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - <i>Daphnia magna</i> (Water flea) - 0.06 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - <i>Desmodesmus subspicatus</i> (green algae) - 0.8 mg/l - 72 h (OECD Test Guideline 201)  static test NOEC - <i>Desmodesmus subspicatus</i> (green algae) - 0.32 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC50 - activated sludge - 164 mg/l - 180 min (OECD Test Guideline 209)

### **12.2 Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

### **12.3 Bioaccumulative potential**

No data available

### **12.4 Mobility in soil**

No data available

### **12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### **12.6 Endocrine disrupting properties**

No data available

### **12.7 Other adverse effects**

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

---

## SECTION 14: Transport information

#### DOT (US)

UN number: 1490 Class: 5.1 Packing group: II  
Proper shipping name: Potassium permanganate  
Reportable Quantity (RQ): 100 lbs  
Poison Inhalation Hazard: No

#### IMDG

UN number: 1490 Class: 5.1 Packing group: II EMS-No: F-H, S-Q  
Proper shipping name: POTASSIUM PERMANGANATE  
Marine pollutant : yes

#### IATA

UN number: 1490 Class: 5.1 Packing group: II  
Proper shipping name: Potassium permanganate

---

## SECTION 15: Regulatory information

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Potassium permanganate	7722-64-7	100	100

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Reactivity Hazard  
Acute Health Hazard

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

Potassium permanganate	7722-64-7	>= 90 - <= 100 %
------------------------	-----------	------------------

## US State Regulations

### Massachusetts Right To Know

Potassium permanganate

7722-64-7

### Pennsylvania Right To Know

Potassium permanganate

7722-64-7

### Maine Chemicals of High Concern

Product does not contain any listed chemicals

### Vermont Chemicals of High Concern

Product does not contain any listed chemicals

### Washington Chemicals of High Concern

Product does not contain any listed chemicals

### The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

## SECTION 16: Other information

### Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 6.11

Revision Date: 09/06/2024

Print Date: 09/07/2024