

Buffer P3Version
4.1Revision Date:
06/03/2023Date of last issue: 01/12/2023
Date of first issue: 02/03/2017**SECTION 1. IDENTIFICATION**

Product name : Buffer P3

Manufacturer or supplier's detailsCompany : QIAGEN GmbH
QIAGEN Str. 1
D-40724 Hilden

Telephone : +49-(0)2103-29-0

Responsible Department : QIAGEN Inc.
19300 Germantown Road
Germantown, MD 20874, USA
Tel.: 800-426-8157
<http://support.qiagen.com>E-mail address : cpc@qiagen.com
Responsible/issuing personEmergency telephone : CHEMTREC
USA & Canada 1-800-424-9300
CHEMTREC: 1-800-424-9300**Recommended use of the chemical and restrictions on use**

Recommended use : Laboratory chemicals

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Skin corrosion : Category 1A

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H314 Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/
face protection.**Response:**

Buffer P3Version
4.1Revision Date:
06/03/2023Date of last issue: 01/12/2023
Date of first issue: 02/03/2017

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363 Wash contaminated clothing before reuse.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
acetic acid	64-19-7	>= 10 - < 20

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Remove contact lenses.
Protect unharmed eye.

If swallowed : If accidentally swallowed obtain immediate medical attention.
Rinse mouth with water.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : No information available.
Causes serious eye damage.
Causes severe burns.

Notes to physician : No information available.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards during fire : Do not allow run-off from fire fighting to enter drains or water

Buffer P3Version
4.1Revision Date:
06/03/2023Date of last issue: 01/12/2023
Date of first issue: 02/03/2017

- fighting : courses.
Exposure to decomposition products may be a hazard to health.
- Hazardous combustion products : potassium oxide
Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
- Further information : In the event of fire and/or explosion do not breathe fumes.
Special protective equipment : Wear self-contained breathing apparatus for firefighting if necessary for fire-fighters

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetic acid	64-19-7	TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH
		TWA	10 ppm 25 mg/m ³	NIOSH REL
		ST	15 ppm	NIOSH REL

Buffer P3Version
4.1Revision Date:
06/03/2023Date of last issue: 01/12/2023
Date of first issue: 02/03/2017

			37 mg/m3	
		TWA	10 ppm 25 mg/m3	OSHA Z-1
		TWA	10 ppm 25 mg/m3	OSHA P0

Personal protective equipment

Hand protection

Material : Protective gloves

Remarks : The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Eye protection : Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
Do not wear contact lenses.
Ensure that eyewash stations and safety showers are close to the workstation location.

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
acid-resistant protective clothing
Footwear protecting against chemicals

Hygiene measures : Keep away from food and drink.
Wash hands before breaks and at the end of workday.
Ensure adequate ventilation, especially in confined areas.
Avoid contact with the skin and the eyes.
When using do not eat, drink or smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : No data available

Odor : characteristic

Odor Threshold : No data available

pH : 5.5

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : > 158 °F / > 70 °C

Evaporation rate : No data available

Burning rate : No data available

Buffer P3Version
4.1Revision Date:
06/03/2023Date of last issue: 01/12/2023
Date of first issue: 02/03/2017Upper explosion limit / Upper
flammability limit : No data availableLower explosion limit / Lower
flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1.15 g/cm³Solubility(ies)
Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-
octanol/water : No data available

Autoignition temperature : not determined

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.
Chemical stability : No decomposition if stored and applied as directed.
Possibility of hazardous
reactions : Stable under recommended storage conditions.
Hazardous decomposition products formed under fire
conditions.
Keep away from oxidizing agents, and acidic or alkaline
products.

Conditions to avoid : No data available
Incompatible materials : No data available
Hazardous decomposition
products : No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified based on available information.

Product:

Buffer P3Version
4.1Revision Date:
06/03/2023Date of last issue: 01/12/2023
Date of first issue: 02/03/2017

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Components:**acetic acid:**

Acute oral toxicity : LD50 Oral (Rat): 3,310 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 1,112 mg/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks : Contact with eyes or skin causes irritation.

Remarks : Extremely corrosive and destructive to tissue.
Causes skin burns.**Serious eye damage/eye irritation**

Causes serious eye damage.

Product:

Remarks : Severe eye irritation

Remarks : May cause irreversible eye damage.

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Remarks : No data available

Components:**acetic acid:**

Remarks : May cause sensitization by inhalation and skin contact.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Buffer P3Version
4.1Revision Date:
06/03/2023Date of last issue: 01/12/2023
Date of first issue: 02/03/2017

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information**Product:**

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish :
Remarks: No data available

Toxicity to algae/aquatic plants :
Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Components:**acetic acid:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l
Exposure time: 96 h
Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 300.82 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Persistence and degradability

No data available

Buffer P3Version
4.1Revision Date:
06/03/2023Date of last issue: 01/12/2023
Date of first issue: 02/03/2017**Bioaccumulative potential****Product:**

Bioaccumulation : Remarks: No data available

Mobility in soil

No data available

Other adverse effects**Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82
Protection of Stratospheric Ozone - CAA Section 602 Class I
Substances
Remarks: This product neither contains, nor was
manufactured with a Class I or Class II ODS as defined by the
U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +
B).

Additional ecological
information : No data available**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Send to a licensed waste management company.
Dispose of as hazardous waste in compliance with local and
national regulations.

Contaminated packaging : Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 2790
Proper shipping name : ACETIC ACID SOLUTION
Class : 8
Packing group : III
Labels : 8

IATA-DGR

UN/ID No. : UN 2790
Proper shipping name : Acetic acid solution
Class : 8
Packing group : III
Labels : Corrosive
Packing instruction (cargo
aircraft) : 856
Packing instruction
(passenger aircraft) : 852

IMDG-Code

UN number : UN 2790
Proper shipping name : ACETIC ACID SOLUTION

Buffer P3Version
4.1Revision Date:
06/03/2023Date of last issue: 01/12/2023
Date of first issue: 02/03/2017

Class	: 8
Packing group	: III
Labels	: 8
EmS Code	: F-A, S-B
Marine pollutant	: no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

UN/ID/NA number	: UN 2790
Proper shipping name	: Acetic acid solution
Class	: 8
Packing group	: III
Labels	: CORROSIVE
ERG Code	: 153
Marine pollutant	: no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	: Skin corrosion or irritation Serious eye damage or eye irritation
-----------------------------	--

SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
-----------------	---

California List of Hazardous Substances

acetic acid	64-19-7
-------------	---------

California Permissible Exposure Limits for Chemical Contaminants

acetic acid	64-19-7
-------------	---------

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Buffer P3Version
4.1Revision Date:
06/03/2023Date of last issue: 01/12/2023
Date of first issue: 02/03/2017**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

SDS Number : 600000001325

Buffer P3

Version
4.1

Revision Date:
06/03/2023

Date of last issue: 01/12/2023
Date of first issue: 02/03/2017

Revision Date : 06/03/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8