SAFETY DATA SHEET

Version 4.10 Revision Date 07/14/2014 Print Date 04/29/2015

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : 1,2-Dimethoxyethane

Product Number : E27408
Brand : Sigma-Aldrich
Index-No. : 603-031-00-3

CAS-No. : 110-71-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Processing aid, Solvent, Intermediate, For

industrial use only.

Uses advised against : This product is not intended for consumer use.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Skin irritation (Category 2), H315

Reproductive toxicity (Category 1B), H360

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H360 May damage fertility or the unborn child.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

Sigma-Aldrich - E27408 Page 1 of 8

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P321 Specific treatment (see supplemental first aid instructions on this label).

P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for

extinction.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

May form explosive peroxides. May form explosive peroxides.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms : Monoglyme

Dimethylglycol mono-Glyme

Ethylene glycol dimethyl ether

Formula : C₄H₁₀O₂

Molecular Weight : 90.12 g/mol

CAS-No. : 110-71-4

EC-No. : 203-794-9

Index-No. : 603-031-00-3

Registration number : 01-2119485981-24-XXXX

Hazardous components

Component	Classification	Concentration			
Ethylene glycol dimethyl ether Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)					
	Flam. Liq. 2; Skin Irrit. 2; 1B: H225, H315, H360	Repr. 90 - 100 %			

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

Sigma-Aldrich - E27408 Page 2 of 8

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

no data available

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Sigma-Aldrich - E27408 Page 3 of 8

Derived No Effect Level (DNEL)

Delived No Elicot Level (DNEE)				
Application Area	Exposure routes	Health effect	Value	
Workers	Inhalation	Long-term systemic effects	3.1 mg/m3	
Workers	Skin contact	Long-term systemic effects	1.1mg/kg BW/d	
Consumers	Inhalation	Long-term systemic effects	1.5 mg/m3	
Consumers	Skin contact	Long-term systemic effects	0.23mg/kg BW/d	
Consumers	Ingestion	Long-term systemic effects	0.23mg/kg BW/d	

Predicted No Effect Concentration (PNEC)

Compartment	Value	
Soil	1.39 mg/kg	
Marine water	0.64 mg/l	
Fresh water	6.4 mg/l	
Marine sediment	2.57 mg/kg	
Fresh water sediment	25.7 mg/kg	
Onsite sewage treatment plant	20 mg/l	

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 30 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

impervious clothing, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Sigma-Aldrich - E27408 Page 4 of 8

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clear

Colour: colourless

b) Odour ether-like

c) Odour Threshold no data available

d) pH ca.7

e) Melting point/freezing

point

Melting point/range: -58 °C (-72 °F) - lit.

f) Initial boiling point and

boiling range

85 °C (185 °F) - lit.

g) Flash point -2 °C (28 °F) - closed cup

h) Evapouration rate no data availablei) Flammability (solid, gas) no data available

 i) Upper/lower flammability or explosive limits no data available

k) Vapour pressure 67 hPa (50 mmHg) at 20 °C (68 °F)

I) Vapour density 3.11 - (Air = 1.0)

m) Relative density 0.867 g/cm3 at 25 °C (77 °F)

n) Water solubility soluble

o) Partition coefficient: n-

octanol/water

log Pow: -0.21 - The preceding data, or interpretation of data, was determined using Quantitative Structure Activity Relationship (QSAR)

modeling.

p) Auto-ignition

temperature

no data available

q) Decomposition

temperature

no data available

r) Viscosity 0.5 mm2/s at 20 $^{\circ}$ C (68 $^{\circ}$ F) -

s) Explosive properties no data availablet) Oxidizing properties no data available

9.2 Other safety information

Relative vapour density 3.11 - (Air = 1.0)

10. STABILITY AND REACTIVITY

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

Test for peroxide formation before distillation or evaporation. Test for peroxide formation or discard after 1 year.

10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Oxidizing agents, Strong acids

Sigma-Aldrich - E27408 Page 5 of 8

10.6 Hazardous decomposition products

Other decomposition products - no data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - rat - 5,370 mg/kg

LC50 Inhalation - rat - 6 h - > 20 - < 63 mg/l

LD50 Dermal - rat - > 5,000 mg/kg

no data available

Skin corrosion/irritation

Skin - rabbit

Result: Irritating to skin.

Serious eye damage/eye irritation

Eves - rabbit

Result: No eye irritation

Respiratory or skin sensitisation

in vivo assay - mouse

Does not cause skin sensitisation.

(OECD Test Guideline 429)

Remarks: Information given is based on data obtained from similar substances.

Germ cell mutagenicity

Not mutagenic in Ames Test. Did not show mutagenic effects in animal experiments.

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Presumed human reproductive toxicant

May cause reproductive disorders.

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

No aspiration toxicity classification

Additional Information

RTECS: KI1451000

Liver - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 - Brachydanio rerio - > 5,000 mg/l - 96 h

Sigma-Aldrich - E27408 Page 6 of 8

Remarks: The data is estimated based on the component aquatic toxicity

classification.

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 4,000 mg/l - 48 h

(OECD Test Guideline 202)

semi-static test NOEC - Daphnia magna (Water flea) - 320 mg/l - 21 d

(OECD Test Guideline 202)

Remarks: Information given is based on data on the components and the

ecotoxicology of similar products.

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 48 d

Result: 16 % - According to the results of tests of biodegradability this product

is not readily biodegradable. (OECD Test Guideline 302B)

12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2252 Class: 3 Packing group: II

Proper shipping name: 1,2-Dimethoxyethane

Reportable Quantity (RQ): Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 2252 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: 1,2-DIMETHOXYETHANE

Marine pollutant: No

IATA

UN number: 2252 Class: 3 Packing group: II

Proper shipping name: 1,2-Dimethoxyethane

15. REGULATORY INFORMATION

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

Sigma-Aldrich - E27408 Page 7 of 8

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date

Ethylene glycol dimethyl ether 110-71-4 1993-04-24

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Ethylene glycol dimethyl ether CAS-No. Revision Date 110-71-4 1993-04-24

Pennsylvania Right To Know Components

CAS-No. Revision Date Ethylene glycol dimethyl ether 110-71-4 1993-04-24

New Jersey Right To Know Components

Ethylene glycol dimethyl ether CAS-No. Revision Date 110-71-4 1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H360 May damage fertility or the unborn child.

Repr. Reproductive toxicity

Skin Irrit. Skin irritation

HMIS Rating

Health hazard: 2
Chronic Health Hazard: *
Flammability: 3
Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0

Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.10 Revision Date: 07/14/2014 Print Date: 04/29/2015

Sigma-Aldrich - E27408 Page 8 of 8