# SAFETY DATA SHEET

Version 5.9 Revision Date 04/07/2017 Print Date 07/13/2017

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Acetic anhydride

Product Number : 242845
Brand : Sigma-Aldrich
Index-No. : 607-008-00-9

CAS-No. : 108-24-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

### 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 2), H330 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H330 Fatal if inhaled.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284	Wear respiratory protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Lachrymator., Reacts violently with water.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Registration number : 01-2119486470-36-XXXX

**Hazardous components** 

Component	Classification	Concentration
Acetic anhydride		
	Flam. Liq. 3; Acute Tox. 4;	90 - 100 %
	Acute Tox. 2; Skin Corr. 1B;	
	Eye Dam. 1; H226, H302,	
	H314, H330	

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

# If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Sigma-Aldrich - 242845 Page 2 of 9

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Reacts violently with water.

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich - 242845 Page 3 of 9

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis		
Acetic anhydride	108-24-7	TWA	1 ppm	USA. ACGIH Threshold Limit Values (TLV)		
	Remarks	Eye irritatio	Upper Respiratory Tract irritation Eye irritation			
		Not classifiable as a human carcinogen				
		TWA	1.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)		
		Upper Respiratory Tract irritation				
		Eye irritation				
			Not classifiable as a human carcinogen			
		TWA	5.000000 ppm	USA. Occupational Exposure Limits		
			20.000000	(OSHA) - Table Z-1 Limits for Air		
			mg/m3	Contaminants		
		The value in mg/m3 is approximate.				
		С	5.000000 ppm	USA. NIOSH Recommended		
			20.000000	Exposure Limits		
			mg/m3			
		STEL	3.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)		
		Upper Resi	Upper Respiratory Tract irritation			
		Eye irritation				
		Not classifiable as a human carcinogen				
		С	5 ppm	California permissible exposure		
			20 mg/m3	limits for chemical contaminants		
				(Title 8, Article 107)		

### 8.2 Exposure controls

# **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

### Personal protective equipment

# Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 60 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an

Sigma-Aldrich - 242845 Page 4 of 9

industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: colourless

b) Odour pungent

c) Odour Threshold No data availabled) pH No data available

e) Melting point/freezing

Melting point/range: -73 °C (-99 °F) - lit.

point

f) Initial boiling point and

138 - 140 °C (280 - 284 °F) - lit.

boiling range

g) Flash point 49 °C (120 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 10.3 %(V) flammability or Lower explosion limit: 2.7 %(V)

explosive limits

k) Vapour pressure 5 hPa (4 mmHg) at 20 °C (68 °F)

13 hPa (10 mmHg) at 36 °C (97 °F)

6.69 hPa (5.02 mmHg)

I) Vapour density 3.52 - (Air = 1.0)

m) Relative density 1.08 g/cm3
n) Water solubility slightly soluble
o) Partition coefficient: n- log Pow: ca.-0.27

octanol/water

316 °C (601 °F)

p) Auto-ignition temperature

q) Decomposition temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

# 9.2 Other safety information

Surface tension 32.7 mN/m at 20 °C (68 °F)

Sigma-Aldrich - 242845 Page 5 of 9

# 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Do not allow water to enter container because of violent reaction.

Heat, flames and sparks.

### 10.5 Incompatible materials

acids, Alcohols, Bases, Oxidizing agents, Reducing agents, Powdered metals

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

### 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 630 mg/kg

LC100 Inhalation - Rat - 6 h - 400 ppm

LD50 Dermal - Rabbit - 4,320 mg/kg

No data available

### Skin corrosion/irritation

Skin - in vitro assay Result: Causes burns.

# Serious eye damage/eye irritation

Eves - Rabbit

Result: Severe eye irritation

## Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

No data available

No data available

# Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

#### Additional Information

RTECS: AK1925000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish LC50 - Leuciscus idus melanotus - 265 mg/l - 48 h

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia (water flea) - 55 mg/l - 96 h

Toxicity to algae EC10 - Desmodesmus subspicatus (green algae) - 3,400 mg/l - 192 h

## 12.2 Persistence and degradability

Biodegradability Zahn-Wellens Test - Exposure time 5 d

Result: - Readily biodegradable. (OECD Test Guideline 302B)

#### 12.3 Bioaccumulative potential

No bioaccumulation is to be expected (log Pow <= 4).

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

### 13. DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

### Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1715 Class: 8 (3) Packing group: II

Proper shipping name: Acetic anhydride Reportable Quantity (RQ): 5000 lbs Poison Inhalation Hazard: No

**IMDG** 

UN number: 1715 Class: 8 (3) Packing group: II EMS-No: F-E, S-C

Proper shipping name: ACETIC ANHYDRIDE

Sigma-Aldrich - 242845 Page 7 of 9

IATA

Class: 8 (3) Packing group: II UN number: 1715

Proper shipping name: Acetic anhydride

#### 15. REGULATORY INFORMATION

## **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

## **Massachusetts Right To Know Components**

	CAS-No.	Revision Date
Acetic anhydride	108-24-7	2007-03-01

# Pennsylvania Right To Know Components

	CAS-No.	Revision Date
Acetic anhydride	108-24-7	2007-03-01

### **New Jersey Right To Know Components**

	CAS-No.	Revision Date
Acetic anhydride	108-24-7	2007-03-01

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

0 4 O A I

#### 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Eye Dam.	Serious eye damag

Flammable liquids Flam. Liq.

Flammable liquid and vapour. H226

Harmful if swallowed. H302

H314 Causes severe skin burns and eye damage.

Causes serious eye damage. H318

H330 Fatal if inhaled. Skin Corr. Skin corrosion

### **HMIS Rating**

Health hazard: 3 Chronic Health Hazard: Flammability: 2 Physical Hazard 0

#### NFPA Rating

Health hazard: 3 Fire Hazard: 2 Reactivity Hazard: 0

### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 242845 Page 8 of 9

Preparation Information Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.9 Print Date: 07/13/2017 Revision Date: 04/07/2017

Sigma-Aldrich - 242845 Page 9 of 9