

SAFETY DATA SHEET

Version 6.9 Revision Date 09/06/2024 Print Date 09/07/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	Ammonium chloride
	Product Number Brand Index-No. CAS-No.	:	A4514 SIGALD 017-014-00-8 12125-02-9
1.2	Relevant identified us	es	of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances
	Uses advised against	:	The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	-	+1 314 771-5765 +1 800 325-5052
Emergency telephone		
Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24

MilliporeSigma.

SECTION 2: Hazards identification

1.4

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Hours/day; 7 Days/week

Acute toxicity, Oral (Category 4), H302 Eye irritation (Category 2A), H319

For the full text of the H-Statements mentioned in this Section, see Section 16. SIGALD - A4514

Page 1 of 12



2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Warning
Hazard Statements H302 H319	Harmful if swallowed. Causes serious eye irritation.
Precautionary Statements P264 P270 P280 P301 + P312 + P330	Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye protection/ face protection. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 P501	If eye irritation persists: Get medical advice/ attention. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1	Substances Synonyms	:	Salmiac		
	Formula Molecular weight CAS-No. EC-No. Index-No.		H₄CIN 53.49 g/mol 12125-02-9 235-186-4 017-014-00-8		
	Component			Classification	Concentration
	ammonium chloride				
				Acute Tox. 4; Eye Irrit. 2A; H302, H319	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

SIGALD - A4514

Page 2 of 12



If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx) Hydrogen chloride gas Not combustible. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

SIGALD - A4514

Page 3 of 12



6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Dry.

Hygroscopic.

Storage class Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

SIGALD - A4514

Page 4 of 12



Component	CAS-No.	Value	Control parameters	Basis
ammonium chloride	12125-02- 9	TWA	10 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		STEL	20 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		TWA	10 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	20 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	10 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		STEL	20 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

SIGALD - A4514

Page 5 of 12



Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties -

a)	Appearance	Form: solid Color: white
b)	Odor	odorless
c)	Odor Threshold	Not applicable
d)	рН	5 - 5.5 at 25 °C (77 °F)
e)	Melting point/freezing point	Melting point/ range: 340 °C (644 °F) - lit.
f)	Initial boiling point and boiling range	520 °C 968 °F
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable Flammability (solids)
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	1.3 hPa at 160.4 °C (320.7 °F) 1.3 hPa at 30 °C(86 °F)
I)	Vapor density	No data available
m)	Density	1.53 g/cm3 at 25 °C (77 °F)
	Relative density	No data available
n)	Water solubility	372 g/l at 20 °C (68 °F)
o)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances

SIGALD - A4514

Page 6 of 12



- p) Autoignition > 400 °C (> 752 °F) Relative self-ignition temperature for solidsdoes not ignite
- q) Decomposition Not applicable temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties none
- **9.2 Other safety information** No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with: alkali hydroxides acids Risk of ignition or formation of inflammable gases or vapours with: halogen-halogen compounds alkalines alkaline substances Risk of explosion with: nitrates chlorates Heavy metal salts nitrites Hydrogen cyanide (hydrocyanic acid) Chlorine silver salt Strong oxidizing agents

10.4 Conditions to avoid

Exposure to moisture may affect product quality. no information available

10.5 Incompatible materials Aluminum, Lead, Iron, Copper, copper compounds

10.6 Hazardous decomposition products

In the event of fire: see section 5

SIGALD - A4514

Page 7 of 12



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 1,410 mg/kg (OECD Test Guideline 401) Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract. Inhalation: No data available Symptoms: Possible damages:, mucosal irritations LD50 Dermal - Rat - male and female - > 2,000 mg/kg Remarks: (ECHA) No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 24 h (Draize Test)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Eye irritation Remarks: (ECHA)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

In vivo tests did not show mutagenic effects Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster lung cells Metabolic activation: without metabolic activation Method: OECD Test Guideline 473 Result: positive

Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

SIGALD - A4514

Page 8 of 12



- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 90 d - NOAEL (No observed adverse effect level) - 1,695.7 mg/kg Remarks: Subchronic toxicity

RTECS: BP4550000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

The following applies to ammonium salts in general: after swallowing: local irritation symptoms, nausea, vomiting, diarrhoea. Systemic effect: after the uptake of very large qantities: drop in blood pressure, collapse, CNS disorders, spasms, narcotic conditions, respiratory paralysis, haemolysis.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Cyprinus carpio (Carp) - 209.00 mg/l - 96 h Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 101 mg/l - 48 h Remarks: (ECHA)
Toxicity to algae	static test ErC50 - Chlorella vulgaris (Fresh water algae) - 1,300 mg/l - 5 d Remarks: (ECHA)

SIGALD - A4514

Page 9 of 12



Toxicity to bacteria static test EC50 - activated sludge - 1,310 mg/l - 0.5 h (OECD Test Guideline 209)

Toxicity to daphniasemi-static test NOEC - Daphnia magna (Water flea) - 14.6 mg/l -and other aquatic21 dinvertebrates(ChronicRemarks: (ECHA)toxicity)

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment

 $\mathsf{PBT}/\mathsf{vPvB}$ assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 3077 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (ammonium chloride) Reportable Quantity (RQ): 5000 lbs Poison Inhalation Hazard: No

IMDG

Not dangerous goods

SIGALD - A4514

Page 10 of 12



Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

CERCLA Reportable Quantity

Components CAS-No. Component Calculated pro RQ (lbs) RQ (lbs)	duct						
ammonium chloride 12125-02-9 5000 5000							
SARA 304 Extremely Hazardous Substances Reportable Quantity							
This material does not contain any components with a section 304 EHS RQ.	does not contain any components with a section 304 EHS RQ.						
SARA 302 Extremely Hazardous Substances Threshold Planning Quanti	azardous Substances Threshold Planning Quantity						
material does not contain any components with a section 302 EHS TPQ.							
SARA 311/312 : Acute Health Hazard Hazards							
SARA 313 : The following components are subject to report levels established by SARA Title III, Section 313:							
ammonium 12125-02- >= 90 - <= 100 chloride 9)%						
US State Regulations							
Massachusetts Right To Know							
ammonium chloride 12125-02-9							
Pennsylvania Right To Know							
ammonium chloride 12125-02-9							
Maine Chemicals of High Concern							
Product does not contain any listed chemicals							
Vermont Chemicals of High Concern Product does not contain any listed chemicals							
Washington Chemicals of High Concern							
Product does not contain any listed chemicals							
The ingredients of this product are reported in the following inventorie	s:						
TSCA : All substances listed as active on the TSCA inven	tory						
TSCA list							

No substances are subject to a Significant New Use Rule.

SIGALD - A4514

Page 11 of 12



No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.9 Revision Date: 09/06/2024 Print Date: 09/07/2024

SIGALD - A4514

Page 12 of 12

