## SAFETY DATA SHEET

Version 5.9 Revision Date 09/21/2017 Print Date 05/26/2018

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Bromine

Product Number : 207888
Brand : Sigma-Aldrich
Index-No. : 035-001-00-5

CAS-No. : 7726-95-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

### 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Inhalation (Category 2), H330

Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318 Acute aquatic toxicity (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P284 Wear respiratory protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Immediately call a POISON CENTER or

doctor/ physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Formula : Br<sub>2</sub>

Molecular weight : 159.81 g/mol CAS-No. : 7726-95-6 EC-No. : 231-778-1 Index-No. : 035-001-00-5

### **Hazardous components**

Component	Classification	Concentration
Bromine		
	Acute Tox. 2; Skin Corr. 1A; Eye Dam. 1; Aquatic Acute 1; H314, H330, H400	90 - 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Sigma-Aldrich - 207888 Page 2 of 9

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Container explosion may occur under fire conditions.

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

May intensify fire; oxidizer.

### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Do not store in polyethylene containers. Handle and open container with care.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
Bromine	7726-95-6	TWA	0.100000 ppm	USA. ACGIH Threshold Limit Values
				(TLV)
	Remarks	Upper Respiratory Tract irritation		
		Lower Respiratory Tract irritation		
		Lung damage		
		TWA	0.1 ppm	USA. ACGIH Threshold Limit Values
				(TLV)
		Upper Respiratory Tract irritation		
		Lower Respiratory Tract irritation		

Sigma-Aldrich - 207888 Page 3 of 9

Lung damag	Lung damage				
STEL	0.200000 ppm	USA. ACGIH Threshold Limit Values (TLV)			
Upper Resp	Upper Respiratory Tract irritation				
	Lower Respiratory Tract irritation Lung damage				
STEL	0.2 ppm	USA. ACGIH Threshold Limit Values (TLV)			
Upper Resp	Upper Respiratory Tract irritation				
	Lower Respiratory Tract irritation Lung damage				
· · · · · · · · · · · · · · · · · · ·					
TWĂ	0.100000 ppm	USA. Occupational Exposure Limits			
	0.700000 mg/m3	(OSHA) - Table Z-1 Limits for Air Contaminants			
The value ir	The value in mg/m3 is approximate.				
TWA	0.100000 ppm 0.700000 mg/m3	USA. NIOSH Recommended Exposure Limits			
ST	0.300000 ppm 2.000000 mg/m3	USA. NIOSH Recommended Exposure Limits			
С	0.1 ppm 0.7 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)			

### 8.2 Exposure controls

### **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

## Personal protective equipment

### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Sigma-Aldrich - 207888 Page 4 of 9

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: brown

Odour b) suffocating

Odour Threshold No data available No data available d) рH

Melting point/freezing

Melting point/range: 7.2 °C (45.0 °F) - lit.

Initial boiling point and

boiling range

point

58.8 °C (137.8 °F) - lit.

g) Flash point No data available No data available h) Evaporation rate Flammability (solid, gas) No data available

Upper/lower flammability or explosive limits No data available

233 hPa (175 mmHg) at 20 °C (68 °F) Vapour pressure

895 hPa (671 mmHg) at 55 °C (131 °F)

301.307 hPa (225.999 mmHg) at 25 °C (77 °F)

I) Vapour density 5.52 - (Air = 1.0)

m) Relative density 3.119 g/mL at 25 °C (77 °F) n) Water solubility 36.5 g/l at 20 °C (68 °F)

o) Partition coefficient: n-

octanol/water

No data available

No data available p) Auto-ignition

temperature

Decomposition temperature

No data available

Viscosity 1 mm2/s at 20 °C (68 °F) r)

Explosive properties No data available s) Oxidizing properties No data available

9.2 Other safety information

> Relative vapour density 5.52 - (Air = 1.0)

## 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

Sigma-Aldrich - 207888 Page 5 of 9

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Reducing agents, Alkali metals, Powdered metals, Aluminum, Stainless steel, Iron, Copper, Organic materials, Bromine will attack some types of plastics, rubber, and coatings, Aldehydes, Ketones, arsenic powder, Amines, Amides, phenols, Alcohol, reacts violently with:, Ammonia, Azides, Ozone

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen bromide gas

Other decomposition products - No data available

In the event of fire: see section 5

### 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - 2,600 mg/kg

Inhalation: No data available

Dermal: No data available

No data available

### Skin corrosion/irritation

No data available

## Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

in vitro assay S. typhimurium

Result: negative

Mouse - male and female

Result: negative

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

## Reproductive toxicity

No data available

No data available

## Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

Sigma-Aldrich - 207888 Page 6 of 9

## **Aspiration hazard**

No data available

### **Additional Information**

RTECS: EF9100000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Cyanosis, Cardiovascular effects., Respiratory disorders, Lachrymation, Nose bleeding, Vertigo, Irritability, loss of appetite, joint pain, Abdominal pain, Diarrhoea, hoarseness

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence Liver - Irregularities - Based on Human Evidence

### 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to daphnia and LC50 - Daphnia magna (Water flea) - 1 mg/l - 48 h other aquatic invertebrates

## 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life.

# 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

## Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1744 Class: 8 (6.1) Packing group: I

Proper shipping name: Bromine

Reportable Quantity (RQ):

Poison Inhalation Hazard: Hazard zone A

**IMDG** 

UN number: 1744 Class: 8 (6.1) Packing group: I EMS-No: F-A, S-B

Proper shipping name: BROMINE

Marine pollutant:yes

**IATA** 

UN number: 1744 Class: 8 (6.1) Proper shipping name: Bromine

IATA Passenger: Not permitted for transport IATA Cargo: Not permitted for transport

Sigma-Aldrich - 207888 Page 7 of 9

### 15. REGULATORY INFORMATION

### **SARA 302 Components**

**SARA 313 Components** 

The following components are subject to reporting levels established by SARA Title III, Section 302:

CAS-No. Revision Date 7726-95-6 2007-07-01

Bromine

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date 7726-95-6 2007-07-01

**Massachusetts Right To Know Components** 

CAS-No. Revision Date

Bromine 7726-95-6 2007-07-01

Pennsylvania Right To Know Components

CAS-No. Revision Date

Bromine 7726-95-6 2007-07-01

**New Jersey Right To Know Components** 

CAS-No. Revision Date 7726-95-6 2007-07-01

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Eye Dam. Acute aquatic toxicity
Serious eye damage

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

Skin Corr. Skin corrosion

## **HMIS Rating**

Health hazard: 4
Chronic Health Hazard: \*
Flammability: 0
Physical Hazard 0

## **NFPA Rating**

Health hazard: 4
Fire Hazard: 0
Reactivity Hazard: 0

### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 207888 Page 8 of 9

Preparation Information Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.9 Revision Date: 09/21/2017 Print Date: 05/26/2018

Sigma-Aldrich - 207888 Page 9 of 9