

Safety Data Sheet

This safety data sheet complies with the requirements of: 2012 OSHA Hazard Communication Standard (29CFR 1910.1200)

Product name Spill-X-C

1. Identification

1.1. Product Identifier

Product name Spill-X-C

1.2. Other means of identification

Product code GFN2031-2-001

Synonyms None

Chemical Family No information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use Spill Control Products.
Uses advised against Consumer use.

1.4. Details of the Supplier of the Safety Data Sheet

Company Name Tyco Fire Protection Products

One Stanton Street Marinette, WI 54143-2542 Telephone: 715-735-7411

Contact point Product Stewardship at 1-715-735-7411

E-mail address psra@tycofp.com

1.5. Emergency Telephone Number

Emergency telephone CHEMTREC 001-800-424-9300 or 001-703-527-3887

2. Hazards Identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation - Category 2A

2.2. Label Elements

Signal Word

WARNING

Hazard Statements

Causes serious eye irritation

May form combustible dust concentrations in air



Precautionary Statements



Product code GFN2031-2-001 / Product name Spill-X-C

/

PAGE 2/9

Prevention

Wash face, hands and any exposed skin thoroughly after handling. Wear eye/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

2.3. Hazards Not Otherwise Classified (HNOC)

Not Applicable.

2.4. Other Information

May be harmful if swallowed.

Unknown Acute Toxicity

99.5% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/information on Ingredients

3.1. Mixture

The following component(s) in this product are considered hazardous under applicable OSHA(USA)

Chemical name	CAS No.	weight-%
Fumaric Acid	110-17-8	10 - 30
Attapulgite	12174-11-7	10 - 30
Quartz	14808-60-7	1 - 5

4. First aid measures

4.1. Description of first aid measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water. Get medical attention if irritation develops and persists.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. (Get medical attention immediately

if symptoms occur.).

Ingestion Rinse mouth. Do not induce vomiting without medical advice. Aspiration hazard if

swallowed - can enter lungs and cause damage. If swallowed, call a poison control center

or physician immediately.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms Eye irritation.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to physicians Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

5. Fire-fighting measures

5.1. Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.



Product code GFN2031-2-001 / Product name Spill-X-C / PAGE 3/9

5.2. Unsuitable Extinguishing Media

None.

5.3. Specific Hazards Arising from the Chemical

None known.

Hazardous Combustion

Carbon oxides

Products

5.4. Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

5.5. Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Do not breathe dust.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers,

basements or confined areas. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment If sweeping of a contaminated area is necessary use a dust suppressing agent which does

not react with product. Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Sweep up and shovel into suitable containers for disposal. Clean up material with vacuum

equipped with HEPA filter. Following product recovery, flush area with water.

7. Handling and Storage

7.1. Precautions for Safe Handling

Advice on safe handling Avoid generation of dust. Do not breathe dust. Do not enter storage areas or confined

spaces unless adequately ventilated. Handle in accordance with good industrial hygiene

and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Guard against dust

accumulation of material. Use care in handling/storage.

Incompatible Materials None known



Product code GFN2031-2-001 / Product name Spill-X-C / PAGE 4/9

8. Exposure Controls/Personal Protection

8.1. Control Parameters

Exposure guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL
Attapulgite	TWA: 1 mg/m³ respirable	-	-	-
12174-11-7	particulate matter			
Quartz	TWA: 0.025 mg/m ³	: (250)/(%SiO2 + 5)	IDLH: 50 mg/m3 respirable	TWA 0.1 mg/m ³
14808-60-7	respirable particulate	mppcf TWA respirable	dust	(VLE-PPT)
	matter	fraction	TWA: 0.05 mg/m ³	
		: (10)/(%SiO2 + 2) mg/m ³	respirable dust	
		TWA respirable fraction		

ACGIH (American Conference of Governmental Industrial Hygienists) OSHA (Occupational Safety and Health Administration of the US Department of Labor) NIOSH IDLH Immediately Dangerous to Life or Health

8.2. Appropriate Engineering Controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

8.3. Individual protection measures, such as personal protective equipment

Eye/Face Protection Avoid contact with eyes. Tight sealing safety goggles.

Skin and Body Protection Wear protective gloves and protective clothing.

Respiratory Protection In case of inadequate ventilation wear respiratory protection.

VentilationUse local exhaust or general dilution ventilation to control exposure with applicable limits

8.4. General hygiene considerations

Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Keep away from food, drink and animal feeding stuffs. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State powder
Odor None Color

Odor Threshold No data available

Property Values Remarks • Method

pH No data available
Melting point/freezing point No data available
Boiling point / boiling range No data available
Flash Point No data available
Evaporation Rate No data available
Flammability (solid, gas) No data available
Flammability limit in air

Upper flammability limit:
Lower flammability limit:
No data available
No data available
No data available
Vapor Pressure
Vapor Density
No data available
No data available
No data available

Light brown



Product code GFN2031-2-001 / Product name Spill-X-C / PAGE 5/9

Water SolubilityNo data availableSolubility in Other SolventsNo data availablePartition coefficientNo data availableAutoignition TemperatureNo data availableDecomposition TemperatureNo data availableKinematic viscosityNo data available

10. Stability and Reactivity

10.1. Chemical Stability

Stable under normal conditions.

10.2. Reactivity

None known

10.3. Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

10.4. Conditions to Avoid

None known.

10.5. Incompatible Materials

None known.

10.6. Hazardous decomposition products

Carbon oxides.

11. Toxicological Information

11.1. Information on Likely Routes of Exposure

Product information

Inhalation May cause irritation of respiratory tract.

Eye Contact Severely irritating to eyes.

Skin contact May cause irritation.

Ingestion Ingestion may cause irritation to mucous membranes. May be harmful if swallowed.

Component Information

Acute Toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Fumaric Acid	= 9300 mg/kg (Rat)	> 20000 mg/kg (Rabbit)	-
110-17-8			



Product code GFN2031-2-001

Product name Spill-X-C

PAGE 6/9

11.2. Information on Toxicological Effects

Symptoms No information available.

11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure No information available.

Skin Corrosion/Irritation Serious eye damage/eye irritation Sensitization

Severely irritating to eyes. No information available.

Germ Cell Mutagenicity No information available. Carcinogenicity

Attapulgite (palygorskite fibers) is a hydrated magnesium aluminum silicate. Long palygorskite (attapulgite) fibers (>5 micrometers) are possibly carcinogenic to humans (Group 2B). Short palygorskite (attapulgite) fibers (<5 micrometers) cannot be classified as to their carcinogenicity to humans (Group 3). The attapulgite present in this product

contains fibers 0.5-2.5 um range, so would be considered by IARC as Group 3.

contains libers sie Lie am range, de Wedia be centiaered by in the de Greap e.			o ao oroap o.	
Chemical name	ACGIH	IARC	NTP	OSHA
Attapulgite	-	Group 3	-	X
12174-11-7				
Quartz	A2	Group 1	Known	X
14808-60-7				

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

omponent Information		
Quartz (14808-60-7)		
Method	species	Results
Per Supplier		In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed. In long-term animal studies in which the substance was given by inhalation in high doses, a carcinogenic effect was observed. The substance and its compounds in the form of respirable dusts/aerosols is classified by the German MAK commission as a category 1 carcinogen (substances that cause cancer to humans). A carcinogenic effect cannot safely be ruled out. The inhalation uptake of the alveolar fraction of the fine dust may cause damage to the lungs. The International Agency for Research on Cancer (IARC) has classified this substance as a Group 1 (known) human carcinogen and NTP listed carcinogen.

No information available. **Reproductive Toxicity** STOT - Single Exposure No information available. **STOT - Repeated Exposure** No information available.

Eyes, Lungs, Respiratory System. Target organ effects

Aspiration Hazard No information available.

11.4. Numerical Measures of Toxicity - Product information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 4598 mg/kg ATEmix (dermal) 20572 mg/kg



Product code GFN2031-2-001 / Product name Spill-X-C / PAGE 7/9

12. Ecological Information

12.1. Ecotoxicity

Not classified.

2.67% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Citric Acid	=	LC50 (96h) static = 1516 mg/L	EC50 (72h) = 120 mg/L Daphnia
77-92-9		Lepomis macrochirus	magna
Fumaric Acid	EC50 (72h) = 41 mg/L	LC50 (48h) static = 245 mg/L	EC50 (48h) 204 - 220 mg/L
110-17-8	Desmodesmus subspicatus	Brachydanio rerio	Daphnia magna EC50 (24h) = 73.6
	•	-	mg/L Daphnia magna

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulation

No information available.

Chemical name	Partition coefficient
Fumaric Acid	0.33
110-17-8	

12.4. Other Adverse Effects

No information available

13. Disposal Considerations

13.1. Waste Treatment Methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Do not reuse container.

14. Transport Information

DOT NOT REGULATED

TDG NOT REGULATED

MEX NOT REGULATED

ICAO (air) NOT REGULATED

IATA NOT REGULATED

IMDG NOT REGULATED

15. Regulatory Information



Product code GFN2031-2-001 / Product name Spill-X-C / PAGE 8/9

15.1. International Inventories

TSCA Complies
DSL/NDSL Complies
ENCS Does not comply
IECSC Complies
KECL Does not comply
PICCS Complies
AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic health hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Fumaric Acid 110-17-8	5000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name Hazardous Substances RQs		CERCLA/SARA RQ	Reportable Quantity (RQ)	
	Fumaric Acid	5000 lb	-	RQ 5000 lb final RQ
	110-17-8			RQ 2270 kg final RQ

15.3. US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Attapulgite - 12174-11-7	Carcinogen
Quartz - 14808-60-7	Carcinogen

U.S. State Right-to-Know Regulations



Product code GFN2031-2-001 / Product name Spill-X-C / PAGE 9/9

Chemical name	New Jersey	Massachusetts	Pennsylvania
Fumaric Acid 110-17-8	X	X	X
Quartz 14808-60-7	X	X	X

16. Other information, including date of preparation of the last revision

NFPA Health Hazards 2 Flammability 0 Instability 0 Physical and chemical properties -

Health Hazards 2 Flammability 0 Physical Hazards 0 Personal Protection X

Revision date 28-Jul-2017

Revision note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet