

# **Safety Data Sheet**

This safety data sheet complies with the requirements of: 2012 OSHA Hazard Communication Standard (29CFR 1910.1200)

Product name Spill-X-A

## 1. Identification

1.1. Product Identifier

Product name Spill-X-A

1.2. Other means of identification

Product code GFN2031-2-000

Synonyms None

Chemical Family No information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use Spill Control Products.
Uses advised against Consumer use.

1.4. Details of the Supplier of the Safety Data Sheet

Company Name Tyco Fire Protection Products

One Stanton Street Marinette, WI 54143-2542 Telephone: 715-735-7411

Contact point Product Stewardship at 1-715-735-7411

E-mail address psra@tycofp.com

1.5. Emergency Telephone Number

Emergency telephone CHEMTREC 001-800-424-9300 or 001-703-527-3887

### 2. Hazards Identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists) - Category 4

### 2.2. Label Elements

#### Signal Word

WARNING

#### **Hazard Statements**

Harmful if inhaled

May form combustible dust concentrations in air



### **Precautionary Statements**



Product code GFN2031-2-000 / Product name Spill-X-A

/

**PAGE** 2/9

Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

#### 2.3. Hazards Not Otherwise Classified (HNOC)

Not Applicable.

#### 2.4. Other Information

**Unknown Acute Toxicity** 

99.485% of the mixture consists of ingredient(s) of unknown toxicity

### 3. Composition/information on Ingredients

#### 3.1. Mixture

The following component(s) in this product are considered hazardous under applicable OSHA(USA)

Chemical name	CAS No.	weight-%
Magnesium Oxide	1309-48-4	60 - 100
Attapulgite	12174-11-7	7 - 13
Sodium carbonate	497-19-8	5 - 10
Quartz	14808-60-7	1 - 5

### 4. First aid measures

### 4.1. Description of first aid measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact**Wash skin with soap and water. Get medical attention if irritation develops and persists.

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. (Get medical attention immediately

if symptoms occur.).

Ingestion Rinse mouth. Do not induce vomiting without medical advice. Aspiration hazard if

swallowed - can enter lungs and cause damage. If swallowed, call a poison control center

or physician immediately.

### 4.2. Most Important Symptoms and Effects, Both Acute and Delayed

**Symptoms** None known.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to physicians Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

### 5. Fire-fighting measures

### 5.1. Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### 5.2. Unsuitable Extinguishing Media

None.



Product code GFN2031-2-000 / Product name Spill-X-A / PAGE 3/9

### 5.3. Specific Hazards Arising from the Chemical

None known.

**Hazardous Combustion** 

Products

Carbon oxides

5.4. Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

5.5. Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Do not breathe dust.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental Precautions

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers,

basements or confined areas. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment If sweeping of a contaminated area is necessary use a dust suppressing agent which does

not react with product. Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Sweep up and shovel into suitable containers for disposal. Clean up material with vacuum

equipped with HEPA filter. Following product recovery, flush area with water.

# 7. Handling and Storage

### 7.1. Precautions for Safe Handling

Advice on safe handling Avoid generation of dust. Do not breathe dust. Do not enter storage areas or confined

spaces unless adequately ventilated. Handle in accordance with good industrial hygiene

and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Guard against dust

accumulation of material. Use care in handling/storage.

Incompatible Materials None known.

### 8. Exposure Controls/Personal Protection



Product code GFN2031-2-000 / Product name Spill-X-A / PAGE 4/9

# 8.1. Control Parameters

**Exposure guidelines** 

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL
Magnesium Oxide	TWA: 10 mg/m <sup>3</sup> inhalable	-	IDLH: 750 mg/m <sup>3</sup> fume	TWA 10 mg/m <sup>3</sup> (VLE-PPT)
1309-48-4	particulate matter			
Attapulgite	TWA: 1 mg/m³ respirable	-	-	-
12174-11-7	particulate matter			
Quartz	TWA: 0.025 mg/m <sup>3</sup>	: (250)/(%SiO2 + 5)	IDLH: 50 mg/m <sup>3</sup> respirable	TWA 0.1 mg/m <sup>3</sup>
14808-60-7	respirable particulate	mppcf TWA respirable	dust	(VLE-PPT)
	matter	fraction	TWA: 0.05 mg/m <sup>3</sup>	
		: (10)/(%SiO2 + 2) mg/m <sup>3</sup>	respirable dust	
		TWA respirable fraction		

ACGIH (American Conference of Governmental Industrial Hygienists). OSHA (Occupational Safety and Health Administration of the US Department of Labor). NIOSH IDLH: Immediately Dangerous to Life or Health

#### 8.2. Appropriate Engineering Controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

#### 8.3. Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Avoid contact with eyes. Tight sealing safety goggles.

**Skin and Body Protection** Wear protective gloves and protective clothing.

**Respiratory Protection** In case of inadequate ventilation wear respiratory protection.

Ventilation Use local exhaust or general dilution ventilation to control exposure with applicable limits

#### 8.4. General hygiene considerations

Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Keep away from food, drink and animal feeding stuffs. Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

Physical State powder

Odor None Color Red

Odor Threshold No data available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No data available
Melting point/freezing point No data available
Boiling point / boiling range No data available
Flash Point No data available
Evaporation Rate No data available
Flammability (solid, gas) No data available

Flammability limit in air

Upper flammability limit:
Lower flammability limit:
No data available
No data available
Vapor Pressure
No data available
Vapor Density
No data available
Specific gravity
No data available
Water Solubility
No data available



Product code GFN2031-2-000 / Product name Spill-X-A / PAGE 5/9

Solubility in Other Solvents Partition coefficient Autoignition Temperature Decomposition Temperature Kinematic viscosity No data available No data available No data available No data available No data available

## 10. Stability and Reactivity

#### 10.1. Chemical Stability

Stable under normal conditions.

### 10.2. Reactivity

None known

### 10.3. Possibility of hazardous reactions

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

### 10.4. Conditions to Avoid

None known.

### 10.5. Incompatible Materials

None known.

### 10.6. Hazardous decomposition products

Carbon oxides.

## 11. Toxicological Information

#### 11.1. Information on Likely Routes of Exposure

#### **Product information**

**Inhalation** May cause irritation of respiratory tract.

**Eye Contact** May cause irritation.

**Skin contact** May cause irritation.

**Ingestion** Ingestion may cause irritation to mucous membranes.

### **Component Information**

**Acute Toxicity** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium carbonate	= 4090 mg/kg (Rat)	-	= 2300 mg/m <sup>3</sup> (Rat) 2 h
497-19-8	- ' '		

## 11.2. Information on Toxicological Effects



Product code GFN2031-2-000

**Symptoms** 

Product name Spill-X-A

**PAGE** 6/9

11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available.

Skin Corrosion/Irritation No information available. Serious eye damage/eye irritation No information available. Sensitization No information available. **Germ Cell Mutagenicity** No information available.

Attapulgite (palygorskite fibers) is a hydrated magnesium aluminum silicate. Long Carcinogenicity

palygorskite (attapulgite) fibers (>5 micrometers) are possibly carcinogenic to humans (Group 2B). Short palygorskite (attapulgite) fibers (<5 micrometers) cannot be classified as to their carcinogenicity to humans (Group 3). The attapulgite present in this product

contains fibers 0.5-2.5 um range, so would be considered by IARC as Group 3.

to main the de title and tanger, to main to teneral to de title at the action of				- ac - cap c.
Chemical name	ACGIH	IARC	NTP	OSHA
Attapulgite 12174-11-7	-	Group 3	-	Х
Quartz 14808-60-7	A2	Group 1	Known	Х

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Component Information					
Quartz (14808-60-7)	Quartz (14808-60-7)				
Method	species	Results			
Per Supplier		In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed. In long-term animal studies in which the substance was given by inhalation in high doses, a carcinogenic effect was observed. The substance and its compounds in the form of respirable dusts/aerosols is classified by the German MAK commission as a category 1 carcinogen (substances that cause cancer to humans). A carcinogenic effect cannot safely be ruled out. The inhalation uptake of the alveolar fraction of the fine dust may cause damage to the lungs. The International Agency for Research on Cancer (IARC) has classified this substance as a Group 1 (known) human carcinogen and NTP listed carcinogen.			

**Reproductive Toxicity** No information available. **STOT - Single Exposure** No information available. **STOT - Repeated Exposure** No information available.

Target organ effects Eyes, Lungs, Respiratory System.

**Aspiration Hazard** No information available.

### 11.4. Numerical Measures of Toxicity - Product information

The following values are calculated based on chapter 3.1 of the GHS document

9950 mg/kg ATEmix (oral) 1.2 mg/l ATEmix (inhalation-dust/mist)

### 12. Ecological Information



Product code GFN2031-2-000 / Product name Spill-X-A /

### 12.1. Ecotoxicity

Not classified.

78.255% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Sodium carbonate	EC50 (120h) = 242 mg/L Nitzschia	LC50 (96h) static 310 - 1220 mg/L	EC50 (48h) = 265 mg/L Daphnia
497-19-8		Pimephales promelas LC50 (96h)	magna
		static = 300 mg/L Lepomis	
		macrochirus	

### 12.2. Persistence and Degradability

No information available.

# 12.3. Bioaccumulation

No information available.

#### 12.4. Other Adverse Effects

No information available

## 13. Disposal Considerations

### 13.1. Waste Treatment Methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Do not reuse container.

## 14. Transport Information

**DOT** NOT REGULATED

TDG NOT REGULATED

MEX NOT REGULATED

ICAO (air) NOT REGULATED

IATA NOT REGULATED

IMDG NOT REGULATED

# 15. Regulatory Information

### 15.1. International Inventories

TSCA Complies
DSL/NDSL Complies
ENCS Does not comply
IECSC Complies
KECL Does not comply

**PAGE** 7/9



Product code GFN2031-2-000 / Product name Spill-X-A / PAGE 8/9

PICCS Complies AICS Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### 15.2. US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute Health Hazard

Chronic health hazard

No
Fire Hazard

No
Sudden Release of Pressure Hazard

No
Reactive Hazard

No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### 15.3. US State Regulations

### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Attapulgite - 12174-11-7	Carcinogen
Quartz - 14808-60-7	Carcinogen

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Magnesium Oxide 1309-48-4	Х	X	X
Quartz 14808-60-7	Х	X	X
red pigment 1103-38-4	Х	-	Х



Product code GFN2031-2-000

Product name Spill-X-A

/

**PAGE** 9/9

16. Other information, including date of preparation of the last revision

NFPA Health Hazards 2 Flammability 0 Instability 0 Physical and chemical

properties -

HMIS Health Hazards 2 Flammability 0 Physical Hazards 0 Personal Protection X

Revision date 28-Jul-2017

Revision note No information available.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**